

Ufi

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ufi Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Ufi Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
E Se22n Me 60 Micron	
CCH302FD1	EPB 22 N FC - CCH 302 FD 1 UFI EPB 22 - SOFIMA CCH 302 high-pressure filter insert collapse pressure= 21 bar FC - FD= 12µ inorganic fibers - 12 µm [c] N - 1= NBR seal Buna
CCH3012C2	EPB 21 F HB - CCH 301 2C 2 UFI EPB 21 - SOFIMA CCH 301 high-pressure filter insert collapse pressure= 210 bar HB - 2C= 7µ inorganic fibers (210 bar) F - 2= Viton seals
CCH302FC2	EPB 22 F FB - CCH 302 FC 2 UFI EPB - SOFIMA CCH 302 high-pressure filter insert collapse pressure= 21 bar FB - FC= 6µ inorganic fibers - 7µm [c] F - 2= FKM - Fluoroelastomer
CCH3012C2	EPB 21 F HB - CCH 301 2C 2 UFI EPB 21 - SOFIMA CCH 301 high-pressure filter insert collapse pressure= 210 bar HB - 2C= 7µ inorganic fibers (210 bar) F - 2= Viton seals
CCH1532T1	EPB 13 N HA - CCH 153 2T 1 EPB 13 - SOFIMA CCH 153 high-pressure filter insert collapse pressure= 210 bar HA - 2T= 5µ inorganic fibers N - 1= NBR seals Buna
	ERD 21 N CC - CRH 015 CD 1 UFI ERD 21 - SOFIMA CRH 015

CRH015CD1	Hydraulic filter insert Collapse pressure = 10 bar CC - CD= 10µ resin-impregnated paper N - 1= NBR seal Buna
CRE100FV1	ERA 52 N FD - CRE 100 FV 1 UFI ERA 52 - SOFIMA CRE 100 Hydraulic filter insert Collapse pressure = 10 bar FD - FV= 25µ inorganic fibers - 21 µm [c] N - 1= NBR seal Buna
CRH620FT1	ERD 62 N FA - CRH 620 FT 1 UFI ERD 620 - SOFIMA CRH620 hydraulic filter element Collapse pressure = 10 bar FA - FT= 5µ inorganic fibers - 5 µm [C] N - 1= NBR gasket
A-302	includes 6 replacement cartridges
CFA22SWCPE	CFA 22 SWCPE
CRE025CD1	ERA 32 N CC - CRE 025 CD 1 UFI ERA - SOFIMA CRE Hydraulic filter insert Collapse pressure= 3 bar CC - CD= 10µ resin-impregnated paper 1= NBR seal Buna
CCA151CD1	ESE 11 N CC - CCA 151 CD 1 UFI ESE 11 - SOFIMA CCA 151 SPIN-ON screw insert 11 - 151= type CC - CD= 10µ resin-impregnated paper N - 1= NBR seal Buna Collapse pressure= 4 bar
Ese11nmf	
Frd31b08dncd71x	
Esa41b16wmf	
Ufi3151500	
71	
Ese22ncchse01	
Esa21b04wmf	
Erd41nwrufi	
Epb32nfc	
Erd41nmdufi	
Epb32	
Esb11b03xme	
Era33ncc	
72	
Ufi3003400	
Erd41nfcufi	
Spm301fd1sb303xx	
Ufi3150100	

Ufi2341400
Ufi2717500
Erd41nfdufi
Bpe_1xb06 Bn06xx
Ufi3003200
Ufi3093300
Erd41nmeufi
Ufi3096500
Erd41nfbufi
Bpm3011sb303xx
Ufi3006600
Ufi2436100
Ufi3151200
Era41
Erd41ncdufi
Erd41nccufi
Erd41nfaufi
Ufi2667000