

Vahle

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Vahle** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Vahle T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	Aıklama
Vlk 500-4-925-4-150	Item No. 0902922/00 SPRING LINE DRUM VLK 500-4-925-4-150 84798997
Kstu 30/14 Ph	SA-KSTU30 / 14PH-04A-2000 COLLECTOR KSTU 30/14 PH WITH ADDITIONAL 3 ° SLOPES WITH 2 M CONNECTING LINE . CUSTOMS TARIFF NO .: 85369095 COUNTRY OF ORIGIN: DE
Sa-Kdstl120ph-2000	0153681/00 DOUBLE CURRENT COLLECTOR KDSTL 120 PH WITH 2 X 2 M CONNECTING LINE CUSTOMS TARIFF NO .: 85369095 COUNTRY OF ORIGIN: DE
Es-Kse4/63hs-L	0600035/00 ES-KSE4 / 63HS-L LINE INPUT AT THE BUMPER KSE 4/63 HS (ALSO SUITABLE FOR THE RELEASED 40A VERSION) . CUSTOMS TARIFF NO .: 85369010 COUNTRY OF ORIGIN: DE
Sa-Ksw4/60-1hs28-40	SA-KSW 4 / 60-1HS28-40 COLLECTOR TROLLEY KSW 4 / 60-1 HS WITH 1 M CONNECTION LINE 4 G 6 SQMM . CUSTOMS TARIFF NO .: 85369095 COUNTRY OF ORIGIN: DE
Mn-Mgun	0600887/00 TAKE OFF MGUN WITH BRACKET AND ADAPTER SHEET . CUSTOMS TARIFF NO .: 73269098 COUNTRY OF ORIGIN: DE
Vm-Kvm	0600005/00 BUMPER COVER KVM FOR KBHF AND KBHS . CUSTOMS TARIFF NO .: 85389099 COUNTRY OF ORIGIN: DE
Ah-Kga	0600000/00 AH-KGA SLIDING SUSPENSION KGA . CUSTOMS TARIFF NO .: 73089059 COUNTRY OF ORIGIN: DE
	0600008/00 EK-KE END CAP KE USE RIGHT AND LEFT .

Ek-Ke	CUSTOMS TARIFF NO .: 85472000 COUNTRY OF ORIGIN: DE
Kbhf4/63-4000hsc	
Vks 4/140-6hs 6m Section	
Vks4/140-5 Hs	
Line Feed Vns4/140 Hs	
Joint Material Svn4/120 -140	
Fix Point Hanger Veps4	
Sliding Hanger Vas 4	
End Cap Ves4-L	
Compact Collector Kesl 32-63s-4-18-Hs	
Connecting Cable Aea 10,0 Phase	
Aea 10,0 Pe	
Mk 63s/18.28	
Vlf 420-2-953-24-36	0902520/00 SPRING LINE DRUM VLF 420-2-953-24-36 Zolltarifnummer 84798997 Ursprungsland EU Nettogewicht ca. 61 Kg/stk. 1 Palette 120 x 80 x 90 cm Bruttogewicht ca. 100 kg.
Ksw 4 / 60-2 Hs	COLLECTOR TROLLEY KSW 4 / 60-2 HS SA-KSW 4 / 60-2HS28- 40 0600066 / 00-2 WITH 2 M CONNECTION LINE 4 G 6 SQMM
0600974/00	KBHF4/63-4000HSC PLASTIC GRINDING LINE KBHF 4 / 63-4 HS - 4 M LONG - WITH PE MARKING PRE-ASSEMBLED WITH SPRING CONNECTOR
0600066/00-2	COLLECTOR TROLLEY KSW 4 / 60-2 HS WITH 2 M CONNECTION LINE 4 G 6 SQMM
0600005/00	VM-KVM BUMPER COVER KVM FOR KBHF AND KBHS
0600888/00	MN-MGFN TAKE OFF MGFN FOR GROWING ON SURFACE
0600088	SK-KSW-MSWA-PH / SU-28 GRINDING COAL FOR KSW , MSWA PHASE, SIDE AND MSWA 9TH AND 10TH POL INCLUDING 2 compression springs
0196765/00	VM-VBA6/7 FASTENING MATERIAL VBA 6/7 FOR LSV 6 AND 7 POLES WITH CONNECTORS AND COVER PLATES 60-140 A
Sa-Ksw4/60-2hs28-40	0600066 / 00-2 COLLECTOR TROLLEY KSW 4 / 60-2 HS WITH 2 M CONNECTING PIPE 4 G 6 QMM
DT-KD5/63-125HSC-1000	0600138/00 EXPANSION PART KD 5 / 63-125 HS WITH PE MARKING - 1 M LONG - (ALSO SUITABLE FOR THE RELEASED 40A VERSION)
DL-D-KBH-MKH-MKL-TDV40	0600551/00-40 SEALING LIP MKL / KBH TALKED IN BLACK 40

	M SPIRAL ON CARDBOARD DRUM
DL-V-KSLT-KBH-MKL/H-LSV/G	0258300/00 BUTTERFLY FOR SEALING LIP
DL-F-KBH	0600354/00 FASTENING CLIP FOR KBH SEALING LIP (COMPLETE)
0345482	W35F150-100-K CABLE TROLLEY W 35 F / 100 FOR FLAT CABLE
0345481	W35F150-50-K CABLE TROLLEY W 35 F / 50 FOR FLAT CABLE
0915429/02-1A11	PS08 -0600W024VD-00000000-1C102-00300 + V PICKUP SYSTEM CPS-PS08-1A11 PLASTIC HOUSING, OUTPUT 24 VDC / 25 A FOR INDUCTIVE TAPPING OF ENERGY FROM THE PRIMARY LINE: WITH INTEGRATED CONTROL ELECTRONICS CONNECTOR: HARTING REPORTING CONTACT TEMPERATURE WITH HEAT SINK IN LENGTH DIRECTION HOUSING PROTECTION IP 54 DIMENSIONS APPROX. (LXWXH) 310X210X140 MM
SA-KSW4/60-2HS28-40	COLLECTOR TROLLEY KSW 4 / 60-2 HS WITH 2 M CONNECTING PIPE 4 G 6 QMM 0600066/00-2 CUSTOMS TARIFF NUMBER 85369095 NET WEIGHT APPROX. 1.220 KG / PC. COUNTRY OF ORIGIN DE
8x4.0 Power Supply Cable	
EMKV 20/50 C-4	INTRODUCTION FUNNEL EMKV 20/50 C-4 LADDER COMBINATION B RIGHT EXECUTION CUSTOMS TARIFF NO .: 85369001 COUNTRY OF PRODUCTION: GERMANY
SA-KDSTLU70PH-V	DOUBLE COLLECTOR KDSTLU 70/24 VB PH WITH SIDE PANELS FOR CARBON FILLING === CUSTOMS TARIFF NO .: 85369095 COUNTRY OF PRODUCTION: GERMANY
SA-KDSTLU70PE-V	DOUBLE COLLECTOR KDSTLU 70/24 V PE WITH SIDE PANELS FOR CARBON FILLING === CUSTOMS TARIFF NO .: 85369095 COUNTRY OF PRODUCTION: GERMANY
SK-KMK35-13-PH-VB	GRINDING CHARCOAL KMK 35 VB PH COAL QUALITY 13 WITH TOUCH PROTECTION === CUSTOMS TARIFF NO .: 85452000 COUNTRY OF PRODUCTION: GERMANY
SK-KMK35-13-PE-V	GRINDING CHARCOAL KMK 35 V PE COAL QUALITY 13 31 MM HIGH INCL. FASTENING BRACKET AND SCREW MATERIAL === CUSTOMS TARIFF NO .: 85452000
SA-ZF4-H-1,3-10,9-29-CFT	TENSION SPRING ZF 4 H MATERIAL HASTELLOY C4 EYELETS COLORED BLUE === CUSTOMS TARIFF: 73202085 COUNTRY OF PRODUCTION: EU
VM-UV20/50-K4-B	FIXED CONNECTOR UV 20/50 K4 === CUSTOMS TARIFF NO: 85369095 COUNTRY OF PRODUCTION: GERMANY
see spare parts list	
200Amper PVC Busbar	(200 mt) Center Feed (with All Connection Accessories) and 6 Current Collector Trolleys

120Amper PVC Busbar	(50 mt) Head Feeding (with All Connection Accessories) and 2 Current Collector Trolleys.
0168082 SA-KDS2/40/4/14HS0,5/4/4	COMPACT DOUBLE COLLECTOR KDS 2 / 40- 4-14 HS 0.5 04 04 WITH 0.5 M CONNECTING CABLE PE AN NO.04 BASE PLATE 04-POLE . CUSTOMS TARIFF NO .: 85369095 COUNTRY OF ORIGIN: DE
MK63S-31-14	GRINDING CHARCOAL MK 63 S / 14.31 0780921 CUSTOMS TARIFF NO .: 85389099 COUNTRY OF ORIGIN: DE
SMG-SEM 202	
41-00211-1-0	41-00211-1-0 SCHLEIFRING 60A PHASE SCHLEIFRING 60 A, PHASE X41-00211-1-0
0901677	41-00210-0-0 SLIP RING 60A PE SLIP RING 60 A, PE X41-00210-0-0
0901696	41-12-080-0-00-3-0 BRUSH HOLDER 60A PH BRUSH HOLDER 60 A, PHASE X41-12-080-0-00-3-0
0901697	41-12-079-0-00-3-0 BRUSH HOLDER 60A PE BRUSH HOLDER 60 A, PE X41-12-079-0-00-3-0
FEED TERMINAL UE 25	170 599
BOLTED JOINT UV 25	170 595
SA-UDST400/35PH-20-3000	0175072/01 DOUBLE COLLECTOR UDST 400/35 PH WITH 2 X 3 M CONNECTING PIPE
SA-UDST400/35PE-20-3000	0175073/01 DOUBLE COLLECTOR UDST 400/35 PE WITH 2 X 3 M CONNECTING PIPE
0257140	SA-SKN5/40-1HS28-60 COLLECTOR CARRIAGE SKN 5/40 -1 HS - MAIN POWER - WITH 1 M CONNECTING LINE . CUSTOMS TARIFF NO .: 85369095 COUNTRY OF ORIGIN: DE
0600483/01	VM-STV13 / 63-100A-KBHF / MKHF SPRING CONNECTOR FOR KBHF AND MKLF FOR 13 MM FLAT COPPER, MAX. 100 A
0262018/00	VM-SCHV13 / 63-200A-KBHS / MKHS / MKLS SCREW CONNECTOR FOR 13 MM COPPER (63-200 A MKHS) (63-160 A KBHS) (ALSO SUITABLE FOR THE RELEASED 40A VERSION)
0600005/00	VM-KVM BUMPER COVER KVM FOR KBHF AND KBHS
0600036/00	ES-KSE4 / 80-100HS-L LINE FEEDING AT THE JOINT KSE 4 / 80-100 HS
0600024/00	KBHF4 / 100-4000HSC PLASTIC SLIDING LINE KBHF 4 / 100-4 HS - 4 M LONG - WITH PE MARKING PRE-ASSEMBLED WITH SPRING CONNECTOR
SA-KSW4/60-2HS28-40	0600066/00-2 COLLECTOR TROLLEY KSW 4 / 60-2 HS WITH 2 M CONNECTING PIPE 4 G 6 QMM
KBHS4/125-4000HSC	0600074/00

MFH/K FIXED SUSPENSION	
MGH/K SLIDING SUSPENSION	
MGU/K TOWING ARM	
MKES 6-8/40-63HS	TOP ENTRY
MKHS 7/63 HS 262 262	PLASTIC COND. LINE (BUSBAR) 2m
MKHS 7/63 HS 262 264	PLASTIC COND. LINE (BUSBAR) 4m
MSES END CAP	
SA-DMSWA7/100S-5H	POWER COLLECTOR
VM-KVM JOINT CAP	
0170321/00	SA-KDST200 / 25PH-20-2000 DOUBLE COLLECTOR KDST 200/25 PH WITH 2 X 2 M CONNECTING PIPE CUSTOMS TARIFF NO .: 85369095 COUNTRY OF ORIGIN: DE
KMK 100/25	10005358 KMK 100/25 REPLACEMENT FOR 170768 ***** SK-KMK100 / 25-20 GRINDING CHARCOAL KMK 100/25 COAL QUALITY 20.1
2,25X17,30X56,50 MM \ TİP:ZF 6 \ PAR	Pressure spring
COAL BRUSH \ 4 Pc. \ ROTARY CRANE \ 3X23X48 MM \	
256527	END CAP MEK FOR KBSL / KSL / KSLT / MKL
258421	ES-KEK4/40-63HS HEAD FEED KEK 4 / 40-63 HS USE RIGHT AND LEFT WITH PE MARKING
0257907	VM-VBK4 FASTENING MATERIAL VBK 4 WITH SPRING CONNECTORS CONSISTING OF: 1 PAIR OF CLIP-ON BUMPER CAPS 4 SPRING CONNECTORS
0258806	AH-KF FIXED SUSPENSION KF
KDS2/40-4-18HS-0,5-04-04	0155080 COMPACT DOUBLE COLLECTOR KDS 2 / 40- 4-18 HS 0.5 04 04 WITH 0.5 M CONNECTING CABLE PE AN NO.04 BASE PLATE 04-POLE
KDS2/40/6/14HS0,5/4/6	COMPACT DOUBLE COLLECTOR KDS 2 / 40- 6-14 HS 0.5 04 06 WITH 0.5 M CONNECTING CABLE PE AN NO.04 BASE PLATE 06-POLE
DSW 2/40-04-14-FN	DOUBLE GRINDING CHARCOAL DSW 2/40 (INCLUDING COMPRESSION SPRING AND CAMS)
KDS2/40-4-18 ve KDS 2/40-6-14	Verbindungskabel
0170319/00	SA-KST100 / 25PH-20-2000 COLLECTOR KST 100/25 PH WITH 2 M CONNECTING CABLE
BARA KBHS 4/200-4HS	
KELS 4/200 HS	

KSW 4/60-2 HS	
FIXED HANGER KFA	
LAST COVER KE	
SLIDE HANGER KGA	
0928211/00	2900-1011 MAGNETIC COUPLING, SIZE 8 MAGNETIC COUPLING, SIZE 8 X2900-1011 CUSTOMS TARIFF NUMBER: 84836080 COUNTRY OF ORIGIN: DE
SA-KSW4/40-5HS28-60	COLLECTOR TROLLEY KSW 4 / 40-5 HS WITH 5 M CONNECTING CABLE 0600096 / 00-5
ES-KKE4/63-80HS	0600010 HEAD FEED KKE 4 / 63-80 HS (ALSO SUITABLE FOR THE RELEASED 40A VERSION)
SA-KSW4/60-2HS28-40	0600066/00-2 COLLECTOR TROLLEY KSW 4 / 60-2 HS WITH 2 M CONNECTING PIPE 4 G 6 QMM
241035165 FABA 100	SA-PADK-2/20-PH-4,8-PA-36 COLLECTOR TYPE PAD-K 20 PH
241035420 FABA 100	SK-EK-PAD-2/20-PH-36-4,8 REPLACEMENT HEAD TYPE PAD-K / L 20 PH
2820966/00	SK-EK-PAD-2/20-PE-36-4.8 REPLACEMENT HEAD TYPE PAD-K/L 20 PE CATALOG NO. 241035421 FABA 100
PICKUP-SYSTEM CPS-PS08-1A11	PS08 -0600W024VD-00000000-1C102-00300+V 0915429/02-1A11 PLASTIC HOUSING, OUTPUT 24 VDC / 25 A FOR INDUCTIVE TAPPING OF ENERGY FROM THE PRIMARY LINE: WITH INTEGRATED CONTROL ELECTRONICS CONNECTOR: HARTING REPORTING CONTACT TEMPERATURE WITH HEAT SINK IN LENGTH DIRECTION HOUSING PROTECTION IP 54 DIMENSIONS APPROX. (LXWXH) 310X210X140 MM
SA-SWN4/40-1HS28-60	0194691 COLLECTOR CARRIAGE SWN 4/40 -1 HS - MAIN POWER -
LSVG8/100-4000HS	LIGHT METAL SLIDING LINE LSVG 8 / 100-4 HS - 4 M LONG - WITH PE MARKING CONNECTOR . CUSTOMS TARIFF NO .: 85369001 COUNTRY OF ORIGIN: DE
AH-SAFG	FIXED SUSPENSION SAFG . CUSTOMS TARIFF NO .: 73089098
VM-VLGS8/9	FASTENING MATERIAL VLGS 8/9 FOR 8- AND 9-POLE LSVG WITH SCREW CONNECTORS 60-200 A.
EK-EKLGs	END CAP EKLGs
ES-NKLG8/100HS-1000	LINE FEEDING NKLg 8/100 HS WITH CONNECTION BOX AND PE MARKING INCL. 1 M PART -
SA-DSWNG8/100HS28-60	DOUBLE COLLECTOR TROLLEY DSWNG 8/100 HS - MAIN POWER -
600074 BARA KBHS 4/125-4HS	2X180 meters Closed Box Busbar System 360 meters in total

Center Feed Cut 4/125 HS	
KD 4/40-125 HS	
KSW 4/60-2 HS	
Current Collector Fork MGU	
Cover KVM	
Slippery Hanger KGA	
Busbar Suspension Console (0.3m.40L Console)	
Fixed Hanger KFA	
Final Cover KE	
SA-KSW4/60-1HS28-40	0600066/00 PANTOGRAPH CAR KSW 4/60-1 HS WITH 1 M CONNECTING CABLE 4 G 6 SQMM
KBHF4/63-4HS	
0175077	SK-KMU300/35-20-X SANDING CARBON KMU 300/35 COMPLETELY
0171649/00-1	SK-KMK175/25-20 GRINDING CARBON KMK175 FOR INSULATED BUSBAR U25 COAL QUALITY 20.1
40-160A KBH	
KBHS 4/200-4HS 4mt	
200 A KBH	
KBHF4/100-4000HSC	0600024/00 PLASTIC CONDUCTION LINE KBHF 4/100-4 HS - 4M LONG - WITH PE MARKING PREASSEMBLED WITH SPRING CONNECTOR
BARA KBHF 4/100-4HS PRODUCT CODE:600024	
EXPANSION SECTION: ORDER NUMBER:175517	
EXPANSION SECTION: ORDER NUMBER:175518	
LOCATING CLAMP: ORDER NUMBER:175039	
END CAP: ORDER NUMBER:175060	
ORDER NUMBER:175986	
FEED TERMINAL: ORDER NUMBER:175488	
INSULATED HANGER: ORDER	

NUMBER:175637	
DOUBLE COLLECTOR KDST 350/25 GROUND	350A PE ORDER NUMBER:171048
DOUBLE COLLECTOR KDST 350/25 PHASE	ORDER NUMBER:171047 350A
VLF420-2-953-24-36 IP55	
SK-MK63S-38-14	Mat nr 0780921/03 GRINDING CARBON MK 63 S/14.38
DV-SMDV35/150-DW 550100320/00	0100320/00 EXPANSION CONNECTOR SMDV 35/150
HK-EHK300-NS	0251610/00 HK-EHK300-NS SCREW BRACKET EHK 300
VM-MFV35/30-200	0105893/00 FIXED CONNECTOR MFV 35/ 30-200
SA-SLK-MI-GSV4/8-100-ET-34	0102980/01 GRINDING CARBON GSV 4+8 MI 140X100X30
SA-SLK-MI-GSV4/8-140-ET-34	0104190/01 GRINDING CARBON GSV 4+8 MI 140X140X30
MKLF 7/60-4HS ODER MKLF 6/60-4HS	
MSWA7/50-5HS28-60 ODER MSWA6/50-5HS28-60	
MGH 262 000	
MVMS 234585	
EHK 400 251 620	
MGFN 600 888 ODER MGUN 600 887	
VLF420-2-983-4-60	902424 - SPRING DRUM Cable Reel cross section:4x10mm ² , Horizontal, Winding:34m, Brand : Vahle, Origin : Germany
332036	DRUM CABLE 4x10 mm ² 37 METERS
VLF 300-2-972H-4-60	901309 SPRING DRIVED CABLE REEL VLF 300-2-972H-4-60 Cross Section:4x10mm ² , Horizontal, Winding:29m, Brand :Vahle, Origin: Germany + DRUM CABLE 4x10 mm ² 32 Meters
sa-ksw4/60-2hs28	
0104100/01	SA-GSV8/MI-PEU-A120L40-34 CURRENT COLLECTOR GSV 8/MI PE-UNINSULATED
0230025	
0104100/01	SA-GSV8/MI-PEU-A120L40-34 CURRENT COLLECTOR GSV 8/MI PE-UNINSULATED
Bara KBHS 5/200 -4HS	260M
0168082/00	SA-KDS2/40/4/14HS0.5/4/4 COMPACT TWIN COLLECTOR KDS 2/40- 4-14 HS 0.5 04 04 WITH 0.5 M CONNECTING CABLE PE AN NO.04 BASE PLATE 04-PIN

0600483/01	VM-STV13/63-100A-KBHF/MKHF SPRING CONNECTORS FOR KBHF AND MKLF FOR 13 MM FLAT COPPER, MAX. 100A
0101880/00	IS-GHH 75-PH-GH-M16x35 /M16x14 casting resin isolator GHH 75 PH /M16x35-14
KSW 4/60-2 HS VAHLE 600066-2	
0168082/00	SA-KDS2/40/4/14HS0.5/4/4 COMPACT TWIN COLLECTOR KDS 2/40- 4-14 HS 0.5 04 04 WITH 0.5 M CONNECTING CABLE PE AN NO.04 BASE PLATE 04-PIN
0162196/00	U15/25C-6000PE-AA INSULATED BUSBAR U 15/ 25 C -6 PE FOR SCREW CONNECTORS
0162136/00	U15/25C-6000PH-BA INSULATED BUSBAR U 15/ 25 C -6 PH FOR SCREW CONNECTORS
150 A-300 Meter	
KST 30-55 PH prt.no152273	
0600066/00-2	
P9999997	Flat gear Gr.1 B 3, i= 38,7, C 160 X5710-0013
2900-1000 MK 1.8 WITH INTERMEDIATE COUPLING + NO	PERMANENT MAGNETIC CLUTCH SIZE. 1.8 WITH INTERMEDIATE COUPLING (INCL. CAM RING) 3-FOLD SIZE 24/32 X2900-1000
0600024	KBHF4/100-4000HSC PLASTIC CONDUCTION LINE KBHF 4/100-4 HS - 4M LONG - WITH PE MARKING PREASSEMBLED WITH SPRING CONNECTOR
0902291/01-S2.5	VLF300-2-952H4-25-S-2.5 SPRING CABLE REEL VLF300-2-952H4-25-S-2.5
0901646/00	DRUM DRIVE SPRING 972
KBHF 4/63 - 4 HS-48 meter	
0152980/00	SA-KDSTL80PH-2000 TWIN COLLECTOR KDSTL 80 PH WITH 2 X 2 M CONNECTING CABL
0781150/01	VM-SV10-6/63-100 CONNECTING MATERIAL SV10-6/63-100 CONSISTING OF: 1 X CONNECTOR CAP FOR VKS 10 6 X CONNECTORS 63-100 A
0168082/00	SA-KDS2/40/4/14HS0.5/4/4 COMPACT DUAL POWER COLLECTOR KDS 2/40-4-14 HS 0.5 04 04 WITH 0.5 M CONNECTION CABLE PE AN NO.04 BASE PLATE 04-POLE
241035165	FABA 100 2820969/00 SA-PADK-2/20-PH-4.8-PA-36 CURRENT COLLECTOR TYPE PAD-K 20 PH
0590619/01	SA-ONST50/20-38/0-0.0 POWER COLLECTOR OTHER 50 - CURRENT: 50 AMPERS -CONTACT PRESSURE: 10 NEWTONS - INSTALLATION HEIGHT: 38 MM -GRINDING CARBON MATERIAL: 20.1

Feeder Clamp Kod: 106153/00 AK-CU45/200K4	
Feeder Clamp Kod: 106077/00 AK-CU45/100K4	
Rigid Joint Kod: 107723/00 VM-CP60/1000-1200	
Rigid Joint Kod: 105897/00 VM-MFV45/50-200	
Expansion Joint Kod: 107721/00 DV-DP60/1200-DW55	
Expansion Joint Kod: 108616/00 DV-DP60/1000-DW55	
Expansion Joint Kod: 107747/00 DV-SMDV45/200-DW55	
Expansion Joint Kod: 107745/00 DV-SMDV45/100-DW55	
BARA F 45/100-7	
FEEDER CLAMP CU 45/100-K4	
RIGID JOINTS, MFV 45/50-200-K4	
KDST80 PHASE	VAHLE DOUBLE COLLECTOR CURRENT RECEIVING
0600974/00	KBHF4/63-4000HSC PLASTIC GRINDING LINE KBHF 4/63-4 HS - 4 M LONG - WITH PE MARKING PRE-ASSEMBLED WITH SPRING CONNECTOR
0600066/00-2	SA-KSW 4/60-2HS28-40 POWER COLLECTOR TROLLEY KSW 4/60-2 HS WITH 2 M CONNECTION CABLE 4 G 6 SQMM
0600010/00	ES-KKE4/63-80HS HEAD FEED KKE 4/63-80 HS (ALSO SUITABLE FOR THE RESOLVED 40A VERSION)
0600066/00-2	SA-KSW 4/60-2HS28-40 POWER COLLECTOR TROLLEY KSW 4/60-2 HS WITH 2 M CONNECTION CABLE 4 G 6 SQMM
0257690/00	SA-SKR5/25-1HS02-60 POWER COLLECTOR CAR SKR 5/25-1 HS - MAIN POWER - WITH 1 M CONNECTION CABLE
0250024/00	KSL5/63-4000HSA PLASTIC GRINDING LINE KSL 5/ 63-4 HS - 4 M LONG - WITH PE MARKING
0252470/00	DT-DVK5/63HSA-1000 EXPANSION PART DVK 5/ 63 HS WITH PE MARKING - 1M LONG -
F 45/100-7	
LOCATING CLAMP SK 45-K4	
RIGID JOINTS, MFV 45/50-200-K4	

INSULATOR VDB 45 PHASE / M 16 X 30	
EXPANSION JOINT SMDV 45/100-K4	
Expansion Joint Kod: 107747/00 DV-SMDV45/200-DW 55	
2820966/00	SK-EK-PAD-2/20-PE-36-4.8 REPLACEMENT HEAD TYPE PAD-K/L 20 PE CATALOG NO. 241035421 FABA 100
2820969/00	SA-PADK-2/20-PH-4.8-PA-36 CURRENT COLLECTOR TYPE PAD-K 20 PH CATALOG NO. 241035165 FABA 100
10015821	SMGM-ANTFE-SAFK-01
SA-KSW4/60-2HS28-40	0600066/00-2 POWER COLLECTOR TROLLEY KSW 4/60-2 HS WITH 2 M CONNECTION CABLE 4 G 6 SQMM
2820969/00	SA-PADK-2/20-PH-4.8-PA-36 CURRENT COLLECTOR TYPE PAD-K 20 PH CATALOG NO. 241035165 FABA 100
2820963/00	SK-EK-PAD-2/20-PH-36-4.8 REPLACEMENT HEAD TYPE PAD-K/L 20 PH CATALOG NO. 241035420 FABA 100
0102980/01	SA-SLK-MI-GSV4/8-100-ET-34 GRINDING CARBON GSV 4+8 MI 140X100X30
2820970/00	SA-PADK-2/20-PE-4.8-PA-36 CURRENT COLLECTOR TYPE PAD-K 20 PE CATALOG NO. 241035166 FABA 100
SA-KSW4/60-2HS28-	
0168073/03	SA-KDS2/40/04PH-88/15-0.5 DOUBLE POWER COLLECTOR KDS 2/40 PH WITH 0.5 M CONNECTION CABLE
0175072/01-0	DOUBLE COLLECTOR UDST 400/35 PHASE
VLF420-2-984-4-160-S-16	0901317/01-S16 SPRING CABLE DRUM WINDING CAPACITY 25M
VLF530-2-986-4-160-S-16	0903785/01-S16 SPRING CABLE DRUM WINDING CAPACITY 31M
0152980/00	SA-KDSTL80PH-2000 DOUBLE POWER COLLECTOR KDSTL 80 PH WITH 2 X 2 M CONNECTION CABLE
0152604/00	VKS6/140-4000HSA PLASTIC GRINDING LINE VKS 6/140-4 HS - 4 M LONG - WITH PE MARKING CU CONDUCTOR CROSS SECTION 3 X 35 SQMM AND 3 X 16 SQMM
600024 KBHF 4/100-4HS	
600066-2 KSW4/60-2HS	
600334 MGU	
600036 KSE4/100HS	
600005	

600000	
600007	
600008	
0257140/00	SA-SKN5/40-1HS28-60 POWER COLLECTOR CAR SKN 5/40 -1 HS - MAIN POWER - WITH 1 M CONNECTION CABLE
0600066/00-2	SA-KSW 4/60-2HS28-40 POWER COLLECTOR TROLLEY KSW 4/60-2 HS WITH 2 M CONNECTION CABLE 4 G 6 SQMM
0157222/01	SA-KESR32-55S-5-18HS-0-04-06-06 COMPACT CURRENT COLLECTOR KESR 32-55 S- 5-18 HS 04 06 06 PE TO NO.04 BASE PLATE 06-PIN NO.06 FREE
591009560011	KESR-32-CURRENT-CONDUCTOR
591009560002	KDS-2/40-PE-CURRENT-CONDUCTOR
63A	-conductor closed type busbar 52 m (with 1 current carrier and all connection equipment)
EK-KE	END CAP KE USE RIGHT AND LEFT
PAD-K20 PE, YELLOW	2820970
0175072/01	SA-UDST400/35PH-20-3000 DOUBLE CURRENT COLLECTOR UDST 400/35 PH WITH 2 X 3 M CONNECTION CABLE
0175073/01	SA-UDST400/35PE-20-3000 DOUBLE CURRENT COLLECTOR UDST 400/35 PE WITH 2 X 3 M CONNECTION CABLE
0102980/01	SA-SLK-MI-GSV4/8-100-ET-34 GRINDING CARBON GSV 4+8 MI 140 X 100 X 30
DOUBLE COLLECTOR UDST 400/35 PHASE	
DOUBLE COLLECTOR UDST 400/35 GROUND	
0133940/00	SA-KDST200/30PH-20-2000 DOUBLE CURRENT COLLECTOR KDST 200/30 PH WITH 2 X 2 M CONNECTION CABLE
Drum	The cable to be wound is around 15-20 meters and the weight per meter is around 1 kg. The installation will be done horizontally. It will be supplied wirelessly.
0155080/00	SA-KDS2/40-4-18HS-0.5-04-04 COMPACT DOUBLE CURRENT COLLECTOR KDS 2/40- 4-18 HS 0.5 04 04 WITH 0.5 M CONNECTION CABLE PE TO NO.04 BASE PLATE 04-PIN
0600096/00	
SA-SKN4/40-1HS28-60	
Sa-Ksw4/40-1hs28-60	STROMABNEHMERWAGEN KSW 4/40-1 HS MIT 1 M ANSCHLUSSLEITUNG . ZOLLTARIF-NR.: 85369095 URSPRUNGSLAND: DE

0262001/00	
0600066/00-2, Sa-Ksw4/60-2hs28-40	
0153512	
254851	MODULE
Vuk-6-100-Att00091	
0175476/00	
0901586/00	
Ksw 4/60-2hs 600066-2	
0102400/01	
Vks 4/60 Hs	
Vm-Uv35/600ae-K4-B	
0101780	
0168090/00-5 Sa- Kds2/40/12/14hs5,0/4/12	
0165006/01 Vm-Uev10/C	
02809066	
02807210	
Wsjgzjh	
Sa-Kesr32-55f-4-14h	
0170164/00	
0153517/00	
230086	
0310370/00	
P9999997	
0313282/00	
0168082/00 Sa-Kds2/40/4/14hs0,5/4/4	
0170600/00	
143280	
0127136/00 U20/50c-6000pe-Aa	
00170322	
0153512/00	

0153682/00	
0590000/01	
Ksw 5/40-5 Hs600099	
0175667/01 Ah-Uad35	
02808056	
02805931	
02806664	
0168073/00	
0165192	
Usk 25 K4	
Ah-Ka25/4	0170840/00 COMPACT HOLDER KA 25/4
0600008/00	
000025044	
0171086/00	
165234	
0168126	
0262000/00	
0101820/00	
0313315/00 Est1/2f50-85-K	
Vlkg530-6-925-4-150	
Es-Kke4/63-100hs	0600422/00 HEAD FEED KKE 4 / 63-100 HS (ALSO SUITABLE FOR THE DROPPED 40A VERSION)
0126526/00	ES-UEN20/50-K-A-L INJECTION OF 20/50 K-A CONNECTION MAX. 1 x 6 sq. M
Sa-Kstl60ph-2000	
0120180/00	VM-UV20 / 50-B FIXED CONNECTORS UV 20/50 ..
Vhasitst1	MODULE
0175670/00	
Sa-Gsv1/G-Ph-Gh-A85l35-16	
0312946/00 S1-6000-K Laufschiene S 1 - 6 M Lang -	

Sa-Udst400/35ph-20-3000, Art. N: 0175072/01	
00153506	
0142545	
Bls200-2-01	
0104324/00	
0168082/00 Sa-Kds2/40/4/14hs0,5/4/4 Kompakt-Doppelstromabnehmer Kds 2/40- 4-14 Hs 0,5 04 04 Mit 0,5	
0171286/00 U25/125ae-6000ph-Ba Isolierte Stromschiene U 25/125 Ae -6 Ph	
0175527/00	
0262373/00	
0102970	
0121502/00	
0312689/00	
Gsv3	
0171159/00	
0175077/00 Sk-Kmu300/35-20-X	
143170r	
Sa-Ksw4/40-5hs28-60	0600096/00-5 CROWDERS KSW 4 / 40-5 HS WITH 5 M CONNECTING CABLE
0171058/00	
Skn40a254891	
Gsv4	
0168073/02	
Kdstl120	
0262467/00	
02807011	
Vlf220-2-951h-60	
0165008	
0126540/00	AH-UAM20 INSULATED SUSPENSION UAM 20
0156421	

St0165202-Kuf2/40-10	
0168090/00-2 Sa-Kds2/40/12/14hs2,0/4/12	
0194696	
Smg-Sem202	COMMUNICATION SYSTEM W/POWER SUPPLY
0360023/00 Ek-V3-K	
0312605/00	
V0168073	
0252510/00-5 Sa-Srka4/40-5hs02-60	
0175082/00	
Skn5-40k257160	
900759	
Is-Ghh30-Ph-Gh-M12x35/M12-K4-Ax	
0165006/01	
0312964/00	
0104327/00	
0175060/00	
0104317/00	
Vks 4/60-4 Hs 153994	POWERRAIL
Sa-Ksw5/40-1hs28-60	RETRACTOR CAR KSW 5 / 40-1 HS WITH 1 M CONNECTING CABLE
100127	
0310370/00 Ah-Ads1-K Gleitauhfã196;Ngung Ads 1	
0101840/00 Is-Gh50-Ph-Gh-M16x35/M16x14	
St258819	
0168073/00 Sa-Kds2/40/04ph-88/15-0,5 Doppelstromabnehmer Kds 2/40 Ph Mit 0,5 M Anschlussleitung	
0257130/00	SA-SKN4/40-1HS28-60 PANTOGRAPH SKN 4/40 -1 HS - MAIN POWER - WITH 1 M CONNECTING CABLE
103460	

0165006/01 Vm-Uev10/C Einspeiseverbinder Uev 10	
00168074	
00170848	
Kds2-40-10-14	
U 25/100	
0168108/00-3	
0600014/00	
F 45/400-7	Art nr. 0100137/00-U4 F45/400U4SL7000 STEEL RAIL WITH COPPER HEAD F 45 / 400-7 DELIVERY length: 7 m WITH ROSE PROTECTION !!! 7 Metrelik olan sunulmustur, ayrıca 2ser metrelik olarakta mevcuttur, revize edilebilir !!
Ecs A005/01/A00	
0170768	
0153513	
Es-Nkl4/140hs-1000	LINE INPUT NKL 4/140 HS WITH CONNECTION BOX AND PE MARKING - INCL. 1 M PART - , CUSTOMS TARIFF NO .: 85369001 COUNTRY OF ORIGIN: DE NET WEIGHT: 5,662 KG / PCS
0312946/00 S1-6000-K	
0170321	
00171046	
0101240/00 Sh-Sd45-M16	
196218	RAIL
0170850/00	
0104040/01	
0312964/00 S1a-4000-K	
00150899	
Kmk 60 Sk-Kmk 60-20	
0171176/00	
Vahle 60x65 A18/16x85 Ar149	
0175540/00	
0310050/00 Vm-Vs1-K Verbinder Vs 1	
0127036/00 U20/50c-6000ph-Ba	

0175869/00	
00170850	
Vm-Uv25-K4	0170596/00 FIXED CONNECTOR UV 25 K4 NON-DESTRUCTIVE DESIGN
Gsv2	
0312944/00 S1-4000-K	
00170595	
0151115/01	
Es-Ueg35ae-K4-L-B	
0144135/00	SA KST2 / 40 / 20PH-80/10 to 0.0 DOUBLE RETRACTOR KST 2/40 PH
143111	
40a	
0101800/00	
0600004/00	
0168015	
0175646/00	
Is-Gh45-Ph-Gh-M12/M12-Gs	
0142075	
0260450/00	
0312605/00 Pg-Ps1/1-K Pufferanschlag Ps 1-1	
0262374/00	
Skn40a254892	
0175870/00	
0168074/02	
0165645	
155041	
0171125/00	
Vm-Uv25	
0165010/01 Mu-Use10	

02805928	FIXED CONNECTORS UV 20/50 K4 0126504/00 CUSTOMS TARIFF NO: 85369095 COUNTRY OF ORIGIN: DE
Vm-Uv20/50-K4-B	
Gsv8	
0154438/00	
0262158/00	
0168086/00 Sa-Kds2/40/8/14hs0,5/4/8 Kompakt-Doppelstromabnehmer Kds 2/40- 8-14 Hs 0,5 04 08 Mit 0,5 M Anschlussleitung Pe An Nr.04 Grundplatte 08-Polig	
0167066	
Kmk60	
Skn 5/40 K-1 Hs	SICHERHEITSSCHLEIFLEITUNGEN Kunststoff KBSL • KSL
0171126/00	
143113r	
Us10165008	
Bfu10-8	
0175039/00 Fp-Usk35-K4 Sicherungsklemme Usk 35 K4 Nichtrostende Ausf¼hrung	
0310050/00 Vm-Vs1-K	
Kmk 60	
Wsygc-Irc-2kzh	
165867d	
143112	
Kmk30-55ph	
168073	
0142076/00 Ah-Ka10l-10/16,5-N-Pa-14	
0166820/00	
0171266/00	
Vlf 530-2-986h30-36 Without Cable !!	art nr. 0901527/00 SPRING LINE DRUM VLF 530-2-986H30-36 WITHOUT CABLE !!
0170961/00	
0175185/01	

Kh 25/2
0171276/00
0170013/00
Ah-Ua35-K4
Ea-Krw8
00901115
U10/25c167006
0100027
00168073
Fp-Usk25-K4
0165193
Vm-Uv35/450ae-K4
0102380
BlS200-1-01
0168073/00 Sa-Kds2/40/04ph-88/15-0,5
Us10s165009
0600096/00-2 Sa-Ksw4/40-2hs28-60 Stromabnehmerwagen Ksw 4/40-2 Hs Mit 2 M Anschlussleitung
Vdb 45 Ground / M 16 X 30
Dh5744k2
Es-Kwke4
166896
St250021
0154453/00
0168085/00
0166559
Es-Ueg25-L-B
0170329/00
0156421/00
230090

Lsv 4 / 200 - 4 Hs	
234782	
0152120/01	
0170010/00 .	
105677	
0171036/00	
254892	
0175488/00	
Cps-Ss-01-402	
U10/25	
Kf258806	
0910108	MODULE
100540	
0170624/00	
0175088/00	
0171057/00	
Kdstl30	
0165178	
143318	
0175628/00	
193080	JOINT
0168225/00	
0168074/03	
Ksfu25-4	
0175466/00	
Return Busbar	<p>In electric power distribution, a busbar (also bus bar) is a metallic strip or bar, typically housed inside switchgear, panel boards, and busway enclosures for local high current power distribution. They are also used to connect high voltage equipment at electrical switchyards, and low voltage equipment in battery banks. They are generally uninsulated, and have sufficient stiffness to be supported in air by insulated pillars. These features allow sufficient cooling of the conductors, and the ability to tap in at various points without creating a new joint.</p>

P00d16531	
0175077/00	
0170319/00 Sa-Kst100/25ph-20-2000 Stromabnehmer Kst 100/25 Ph Mit 2 M Anschlussleitung	
0170677/00	
0175140/00	
0170322	
0154440/00	
Srka 5-401hsst252530	
0260830/00	
0313282/00 Ms1f125-50-Pm-K	
Fc45k-75	
00170849	
0600096/00-5	
02807622	
0168107/00-3	
0166614/00	
0312605/00 Pg-Ps1/1-K	
0150140	
0152990/00	
0260770/00	
St252894	
0167006	
4x35mm2 19m	
955211	COMMUNICATION SYSTEM W/POWER SUPPLY
Vlf221-2-951h4-40 Portal Crane Cable Drum	
0168084/00 Sa-Kds2/40/6/14hs0,5/4/6	
143279	
0168073/01	
0600010/00	

02808057	
0102220/01	
U25 / 75 C Insulated Dam	
0103990/01	
P00016531	
910108	VAHLE POWERCOM 485
St-It/U20/50ch-L	0120010/00 ST-IT / U20 / 50CH-L INSULATED SEPARATOR IT / U 20/50 CH -L LOOSE CUSTOMS TARIFF NO .: 85472000 COUNTRY OF ORIGIN DE
Vahle Current Collector Spare Coils	DETAILED IMAGES ATTACHED TO MAIL (40 OF EACH TOTAL 80)
Ksw 5/40-1 Hs	
0165010	
0168074	
168137	
0168016	
02808656	
00153681	
100570	
U 25/75 C Hanging Apparatus	
230131	
143218	
IS-VDO45-PH-K-M16X40	0105671/01 ISOLATOR VDO 45 PH - BOLT LENGTH 40 MM
38/17-Hu25/600	
Kh 25/4	
Skn40a254890	
0600000/00	
00170668	
U 25/90 Ae	
0312689/00 Ws1f85-50-90-Pm-K	
0175039/00	

Ek-Uk25-L	
0313304/00	
Ka10-5	
0310370/00 Ah-Ads1-K	
0165115	
0154439/00	
Vlf 220-2-951h-4-26	
00171246	
0171035/00	
Is-D80-Ph-K-M12x35	
00170321	
0230118/00-2	
0168406	
0175518/00	
0170855/00	
902271	
Skn 4140 - 1 Hs Akim Alici	
0167066/00 U10/25c-6000pe-A	
Kh 25/3	
Mn-Um24hs-600-Z3	
0280270/00 Sa-Vsr5/10h-1000 Stromabnehmer Vsr 5/10 Hs-1 Mit 1 M Anschlussleitung	
U25 / 75 C - Amper Isolated Bus	
0261702	
0170167/00	
0152980/00	
02807174	
0127036/00	U20 / 50C-6000PH-BA INSULATED POWER RAIL U 20/50 C -6 PH
0590042/00	
	Multifunction measuring device 96x96 mm 4 quadrant

Cvm-Nrg96-Itf-Rs485-C	measurement Interface: RS485
0170596/00	
281252	
0600066/00	
Ue10165007	
100157	
234685	
0600096/00-2	
Um12	
0313304/00 Est1/2f50-85-Pm-K	
Use10105010	
00170010	
Gsv1	
0168086	
02809068	
0167036/00	
St250390	