

Victaulic



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Victaulic** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Victaulic T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
FPAK705165L	FP butterfly valve Victaulic 165.1mm Type 705 Firelock monitored painted FPV07050165000006
Clapper Spring	
Clapper Seal	
Seal Plate	
Seal Ring	
Seal washer	
01001013000674	
01001013000676	
050025	
050228	
09280540000071	
09280540000072	
1.1/2" 1000 PSI (70BAR)	
1.4571 48,3X2,0 NUT T-PIECES	
1.4571 60,3X2,0 NUT T-PIECES	

1/2" BRASS 120°
1000 VICLKUFL219 ACDB
101 5"
101 6"
107N (rot lackiert)
114.3 MM/4
139,7-75
168.3MM
18" 77
2" 1000 PSI (70BAR)
20380 DIN-EN 10 220 DN 150 168,3 X 4,5 MM
21/2" x 2" x 21/2"
270s50
3" x 21/2" x 3"
3C00770048000053
3C007GEM13900000
3C075LEM11400000
3DN80
3F00430114000002
3F100G0011400000
3G00770114000004
3G00770168000004
3G0770E008900000
4000 VINA01RFV001
'45 Elbow, Ductile Iron, MGE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN100
'45 Elbow, Ductile Iron, MGE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN200
4571 88,9X2,0/48,3X2,0
4571 88,9X2,0/60,3X2,0
48,3 mm/1 1/2 Typ 77DX
48,3 MMX21.3 MM/1 1/2X1/2 STYLE 912
489
5X4 STYLE 750 CLAMP FOR TIRE
6"3 MM THK PN10-RF
60,3 MM/2 NO 410-SS ASTM A-403 316 SS 90°

6000 VICLKUFL219 ACDB
610 mm/24" VixFlex AB2
7000 VICLAK219V ACGB
7000 VICLKUFL168
726 S
726 S Serial 2
727CS
728
75-77-78
75777807
77 16"/406,4
77 3C077GME048000, 48.3MM
77, 2"
77DX
79D
8'3MM THK PN10-RE
88,9 MM/3 NO 410-SS ASTM A-403 316L SS 90°
88.9mm/3" Typ 07 Zero-Flex Kuppl starr
'90 Elbow, Ductile Iron, CJE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN100
'90 Elbow, Ductile Iron, CJE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN200
920N
995N
999999
999999, 077577
a.3lfm (3")
a.3lfm Stangen
A000AQFRE5
A004AQBRNH
A240AB1ADJ
A36HAQB300
A36HAQFBA2
ANSI 600
BFV DN100/114,3mm
BFV DN50/60,3mm

BFV DN80/88,9mm
C00070048000002
C00750060000065
C00770033000078
C00770048000042
C00780219000006
C01070076000001
C01070089000003
C04890076000001
C04890089000002
C07,77,75,78
C07410089000025
C107N0165000002
C107N0219000002
'Cap, Ductile Iron, MGE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN200
D00000000000060
D07560073000003
DIA 140MM P
DIN EN 14420-3 6"
DN 200/ 219,1 x 4,5 mm (001130)
DN100/4"
DN150 (6")
DN350 / 14"
DN500 / 20"
'Eq. Tee, Ductile Iron, MGE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN200
F00100060000002
F00100060ZZP001
F00100089000002 F010G0008900000 BOGEN VICTAULIC 88.9 X 2.0MM VERZINKT 90GRAD BEIDSEITIG GENUTET
F00100089000004
F00100114000004 F010G0011400000 BOGEN VICTAULIC 114.3 X 2.0MM VERZINKT 90GRAD BEIDSEITIG GENUTET
F00100168000003 F010G0016800000 BOGEN VICTAULIC 168.3 X 3.0MM VERZINKT 90GRAD BEIDSEITIG GENUTET
F00100219000004

F00120060000001
F00200089000003 F020G0008900000 T-STUECK VICTAULIC 88.9MM VERZINKT ALLSEITIG GENUTET
F00200114000002 F020G0011400000 T-STUECK VICTAULIC 114.3MM VERZINKT ALLSEITIG GENUTET
F00200219000005
F00250114000010 F025G0011408900 T-STUECK VICTAULIC VERZINKT REDUZIERT 114.3 X 88.9MM ALLSEITIG GENUT
F00250139000005 F025G00139114J0 T-STUECK VICTAULIC VERZINKT REDUZIERT 139.7 X114.3MM ALLSEITIG GENUT
F00250168000010 F025G0016813900 T-STUECK VICTAULIC VERZINKT REDUZIERT 168.3 X139.7MM ALLSEITIG GENUT
F00290076000002 !029G000760420B T-STUECK VICTAULIC REDUZIERT 76.1MM VERZINKT M.INNENGEWINDE 1 1/4"
F00290114000022 !029G001140330B T-STUECK VICTAULIC REDUZIERT 114.3MM VERZINKT M.INNENGEWINDE 1"
F00500114000002 F050G0011403300 REDUZIERUNG VICTAULIC TYP 50 VERZINKT 114.3 X 33.7MM
F00500168000009 F050G0016811400 REDUZIERUNG VICTAULIC TYP 50 VERZINKT 168.3 X 114.3MM
F00500219000027
Flexible GE Clamp,Victaulic Firelock Fittings,FGE,PN2.1MPa,Victaulic,D.I /Galvanized,DN100
G060077LE0-NR
HP-70ES
I28421963
I28421964
I28421970
I28421971
I28421975
I28422049
I28422081
I28422084
I29567925
I29567942

I29567943
I29567957
I29567962
I29567963
I31999598
Kupplung flexibel Typ 75, DN200/219,1mm verzinkt,
'Lateral, Ductile Iron, MGE, PN2.1MPa, Victaulic Firelock Fittings, Galvanized , DN150
Lower Roll VE12
NO 42 DN 250
NO 42 DN 400
No. 45, ANSI CL150 (schwarz)
NO. 60
NO.43
NO50
NPN-ZB4096 P/N VG060077LTO
NPN-ZB4098
NR.18 11/4"
NR.20 11/4"
NR.40 11/4"
Nut-Ma?band 3/4" bis 24" Typ Victaulic
NXT S/768
NXT S/769
NXT serie 769
P080751X08
PCV 1 ?".
POS 10000 VICLK76S07
POS 11000 VICLK33S07
POS 13000 VICLK88S07
POS 3000 VINA01RFV001
POS 7000 VICLKUFL48
POS 9000 VICLK48S07
RFV20033
RFV20060
RNB02150006

ROHRKUPPLUNGEN DN 80
RR2012610FS
S/ 25
S/12 AGS ARCH STEEL ORNG 22.5 °
S/60 CAP 11/2"
S/60 CAP 3"
S12
S271BCS420
S741
S995 PN10 DN 200
Schrauben und Muttern fur Kupplungen Typ 75 DN125/139,7mm
Sidewall K:80
SR482
Style 107H
Style 11 DN200 - 219.1 mm / 8" (DN50X50X50)
Style 177
Style 230S
Style 25 DN200x200x125 impossible, possible only VICVT219168+VICVRE168139
Style 307
Style 72 21/2" x 1" x 21/2"
Style 72 21/2" x 11/4" x 21/2"
Style 72 3" x 11/2" x 3"
Style 72 5" (DN125) ? 1?" (DN32)
Style 72 5" (DN125) ? 1" (DN25)
Style 72 6" (DN150) ? 1?" (DN40)
Style 75-77-78 EPDM 139,7mm
Style 77
Style 77 78 (S/706) 1 ?" 42.2mm
Style 77-FL 6"
Style 77-FL 2"
Swivel elbow 10"
TA?787?015
TA?787?020
TA?788?040
TEE DN 125X25

T-STUCK ROD. DN 80X65
Typ 005 starr DN150/168
Typ 07 (orange)
Typ 410, DN250/273mm
Typ 425, 273 x 168,3 x 273mm
Typ 441 DN150/168,3mm
Typ 441 DN250/273mm PN16
Typ 441 DN80/88,9mm
Typ 442 SS
Typ 450, 168,3 x114,3mm
Typ 475 76,1mm
Typ 475 88,9mm
Typ 489 DN250/273mm
Typ 489 DN80/88,9mm
TYP 705 999999
Typ 746
Typ 75 DN125/139,7mm, verzinkt
Typ 75 DN200/219,1mm
Typ 75 DN50/60,3mm
Typ 75 DN80/88,9mm
Typ 75 rot, EPDM, DN125/139,7mm
Typ 75 rot, EPDM, DN80/88,9mm
Typ 77
Typ 77 DN100/114,3mm
Typ 77 DN150/168,3mm/6"(orange lackiert)
TYP 77 FLEXIBLE KUPPLUNG ROT EPDM METRISCHE S/M 114.3 MM/4
TYP 77 FLEXIBLE KUPPLUNG ROT EPDM METRISCHE S/M 60.3 MM/2
Typ 77, DN32/42
Typ 99 DN50/60,3mm Roust-a-Bout
Typ 995
Typ S/717
TYP S/717 313023
v 10 frame (33)
V 2736
V 2742

V 3807
V040705100
V07610089000006
V07610219000009
V27 Schutzkorb mit Abschirmhaube fur stehenden /hangenden Sprinkler verchromt 1/2"
V2703
V2703 (1 pack - 100 pcs)68°C
V2703 93°C (1 pack - 100 pcs)
V2703 alternativ in verchromt
V27-V34
V34,K8 155F/68C SR BR 3/4 NPT NR.S342ACS510
V34/36 Schutzkorb fur stehenden / hangenden Sprinkle rverchromt 3/4"
V34/36 Schutzkorb mit Abschirmhaube fur stehenden hangenden Sprinkler verchromt 3/4"
V3802
V761A0F08901100
VC25V8960
VC60VK6033
VCF2V60
VCF2V89
VE45FSD
V-F050060P00
VIC 80
VIC CPG HP-70ES 2
VICDE60
VICDE88
VICLAK114V
VICLAK219A
VICLAK60V
VICLAK76V
VICLAK88V
VICLK168 ACDA (168.3MM)
VICLKU77FL219 A2PC
VICLKU77FL88 ACDA B

VICLKUFL168
VICLKUFL88
VICLRE11476E
VICLRK88
VICTAULIC KLAPPFLASCH 741, EPDM PN10/16
VICVAD6050
VICVAD8880 88.9mm x 3" AG Rohrnippel Victaulic 88.9mm x 3" AG verzinkt m.Nut
VICVAS21976
VICVAS21988
VICVB21945
VICVB21990
VICVB6045
VICVB7690
VICVK10760
VICVK219
VICVKU77FL219
VICVKU77FL273
VICVKU77FL406
VICVKUFL168
VICVKUFL219
VICVKUFL88
VICVKUFL88 ACDD B KUPPLUNG VICTAULIC TYP 75
VICVRK11476
VICVT139
VICVT219114
VICVT219168
VICVT76
VINA01RFV001 ACDC (141,3MM)
VINA01RFV001 ACDC B VICTAULIC NR. 54
VINA03RFV001
VINA03RFV001 (1 pcs.)
VINA03RFV0019 (50pcs.)
Vic.Typ 78
Victaulic Kupllung flexibel Typ 75 verzinkt 1.1/2" (999999)

VICTAULIC Kupplung flexibel Typ 75 verzinkt 3" (999999)	
VICTAULIC Kupplung Typ 009 installation ready DN65/76,1mm lackiert, EPDM	
VICTAULIC Schwei?-Nut-Nippel No. 42 o101 x 102mm	
VICTAULIC Schwei?-Nut-Nippel No. 42 o88,9 x 102mm	
VICTAULIC snap-joint Kupplung 73,1mm /DN65, Typ 78 verzinkt, EPDM	
VICTAULIC Ubergangsnippel Nut-Gewinde 101	
VICTAULIC Ubergangsnippel Nut-Gewinde 76	
V-L050077PE0	
W 10 90 ° ARC PAINTED ORANGE AGS	
W 100 90 ° BEND 1 1/2D PAINTED ORANGE	
W 110 45 ° BEND 1 1/2D ORANGE AGS	
WINKEL DN150	
БП-00000091	
БП-00000100	
БП-00000330	
БП-00000369	
БП-00000375	
БП-00000410	
Model No 705	Butterfly Valve, 8" fluted, 300 PSI, VICTAULIC UL Listed, FM Approved
C177NM076ZZPEM0	Coupling Victaulic TYPE 177N orange flex. 76.1mm with EHP seal DN 65
C177N0030ZZPEM0	Coupling Victaulic TYPE 177N orange flex. 88.9mm with EHP seal DN 80
C177N0040ZZPEM0	Coupling Victaulic TYPE 177N orange flex. 114.3mm with EHP seal DN 100
C177NM139ZZPEM0	Coupling Victaulic TYPE 177N orange flex. 139.7mm with EHP seal DN 125
C177N0060ZZPEM0	Coupling Victaulic TYPE 177N orange flex. 168.3mm with EHP seal DN 150
C01770080ZZPEM0	Victaulic style 177 orange coupling flexible 219.1mm with EHP seal DN 200
C00770100ZZPEM0 C077LEM27300000	clutch Vict. Type 77 flexible RAL 3000 273.0mm with EPDM gasket
3 1/2 -76	
3/88,9-75	
VICK107219N	Victaulic Style 107N Orange Coupling rigid 219.1mm with EPDM seal DN 200 C107N0080ZZPEM0 C107N0219000001
VICVB7690	Elbow Victaulic 76.1mm galvanized 90 degree type 10 grooved on both sides F0010M076ZZG000 F010G0007600000

VICVB11490	Elbow Victaulic 114.3mm galvanized 90 degree type 10 grooved on both sides F00100040ZZG000 F010G0011400000
VICVB16890	Elbow Victaulic 168.3mm galvanized 90 degree type 10 grooved on both sides F00100060ZZG000 F010G0016800000
VICVB16845	Elbow Victaulic 168.3mm galvanized 45 degree type 11 grooved on both sides F00110060ZZG000 F011G0016800000
VICVT114	Tee Victaulic 114.3mm galvanized grooved on all sides F00200040ZZG000 F020G0011400000
VICVT168	T-piece Victaulic 168.3mm galvanized grooved on all sides F00200060ZZG000 F020G0016800000
VICVRE11476	Reduction Victaulic Type 50 Zinc Plated 114.3x76.1mm F00500040MAG000 F050G0011407600
VICVRE168114	Reduction Victaulic Type 50 Zinc Plated 168.3x114.3mm F0050006004G000 F050G0016811400
VICVKUFL76	Coupling Victaulic type 75 flexible galv. 76.1mm with EPDM seal C0075M076ZZGEM0 C075GEM07600000
VICVKUFL114	Coupling Victaulic type 75 flexible galv. 114.3mm with EPDM seal C00750040ZZGEM0 C075GEM11400000
VICVKUFL168	Coupling Victaulic type 75 flexible galv. 168.3mm with EPDM seal C00750060ZZGEM0 C075GEM16800000
VICLAK76V	butterfly valve Vict. 761 painted 76.1mm with adjustable handle and EPDM seal. V0761M076BE2SD0 V761AEF07601100
VICLAK114V	butterfly valve Vict. 761 painted 114.3mm with adjustable handle and EPDM seal. V07610040BE2SD0 V761AEF11401100
Victaulic Style 107N Orange Coupling	rigid 60.3mm with EPDM seal DN 50
Coupling Victaulic Type 107N Zinc Plated	rigid 60.3mm with EPDM-EHP seal DN 50
Victaulic Style 107N Orange Coupling	rigid 76.1mm with EPDM seal DN 65
Coupling Victaulic Type 107N Zinc Plated	rigid 76.1mm with EPDM-EHP seal DN 65
Victaulic Style 107N Orange Coupling	rigid 88.9mm with EPDM seal DN 80
Coupling Victaulic Type 107N Zinc Plated	rigid 88.9mm with EPDM-EHP seal DN 80
Victaulic Style 107N Orange Coupling	rigid 114.3mm with EPDM seal DN 100
Coupling Victaulic Type 107N Zinc Plated	rigid 114.3mm with EPDM-EHP seal DN 100
Victaulic Style 107N Orange Coupling	rigid 168.3mm with EPDM seal DN 150
Coupling Victaulic Type 107N Zinc Plated	rigid 168.3mm with EPDM-EHP seal DN 150
Bow Victaulic 60.3mm Orange	90 degree type 10 grooved on both sides
Elbow Victaulic 60.3mm galvanized	90 degree type 10 grooved on both sides
Bow Victaulic 76.1mm Orange	90 degree type 10 grooved on both sides
Elbow Victaulic 76.1mm galvanized	90 degree type 10 grooved on both sides
Bow Victaulic 88.9mm Orange	90 degree type 10 grooved on both sides
Elbow Victaulic 88.9mm galvanized	90 degree type 10 grooved on both sides
Bow Victaulic 114.3mm Orange	90 degree type 10 grooved on both sides

Elbow Victaulic 114.3mm galvanized	90 degree type 10 grooved on both sides
Bow Victaulic 168.3mm Orange	90 degree type 10 grooved on both sides
Elbow Victaulic 168.3mm galvanized	90 degree type 10 grooved on both sides
Tee Victaulic 60.3mm RAL 3000	grooved on all sides
T-piece Victaulic 60.3mm galvanized	grooved on all sides
Tee Victaulic 76.1mm RAL 3000	grooved on all sides
T-piece Victaulic 76.1mm galvanized	grooved on all sides
Tee Victaulic 88.9mm RAL 3000	grooved on all sides
T-piece Victaulic 88.9mm galvanized	grooved on all sides
Tee Victaulic 114.3mm RAL 3000	grooved on all sides
Tee Victaulic 114.3mm galvanized	grooved on all sides
Tee Victaulic 168.3mm RAL 3000	grooved on all sides
T-piece Victaulic 168.3mm galvanized	grooved on all sides
Ø218mm Flexible Coupling	HRC000272
½" Quick Response 93°C Concealed Cover	Type Sprinkler + Cover
VICVK107139N	Coupling Victaulic type 107N galvanized rigid 139.7mm with EPDM-EHP seal DN 125 C107NM139ZZGEM0 C107N0139000003
VICLRE168141E	Reducing coupling Victaulic type 750 lacquered. 168.3 x 141.3mm with EPDM seal C0750006005REM0
VICLKUFL114	Coupling Victaulic type 75 flexible 114.3mm with EPDM seal primed orange C00750040ZZPEM0 C075LEM11400000
VICLKUFL139	Coupling Victaulic type 75 flexible 139.7mm with EPDM seal RAL 3000 C0075M139ZZPEM0 C075LEM13900000
VICTAULIC STAINLESS COUPLING 3/4" Ø25	
VICTAULIC STAINLESS COUPLING 1-1/4" Ø40	
VICTAULIC STAINLESS COUPLING 2-1/5" Ø75	
VICLKU77FL60	Coupling Vict. Type 77 flexible RAL 3000 60.3mm with EPDM seal C00770020ZZPEM0 C077LEM06000000
VICLKU77FL88	Coupling Vict. Type 77 flexible RAL 3000 88.9mm with EPDM seal C00770030ZZPEM0 C077LEM08900000
VICLKU77FL114	Coupling Vict. Type 77 flexible RAL 3000 114.3mm with EPDM seal C00770040ZZPEM0 C077LEM11400000
VICLKU77FL168	Coupling Vict. Type 77 flexible RAL 3000 168.3mm with EPDM seal C00770060ZZPEM0 C077LEM168000000
VICLKU77FL219	Coupling Vict. Type 77 flexible RAL 3000 219.1mm with EPDM seal C00770080ZZPEM0 C077LEM21900000
VICLKU77FL273	Coupling Vict. Type 77 flexible RAL 3000 273.0mm with EPDM seal C00770100ZZPEM0 C077LEM27300000
VICLFADN21916	Flange adapter Vict. Type 741 PN 16 219.1mm black painted nitrile seal C07410080ZZBTWS C741AT0219000HW
VICEKU489EF48	Coupling Victaulic type 489 stainless steel 316 48.3mm rigid with EF seal C04890014ZZXFX8

VICLKE0788	Coupling Victaulic type 07 DN 80/ 88.9mm Orange rigid EPDM seal C00070030ZZPEM0
VICLKE0760	Coupling Victaulic type 07 DN 50/ 60.3mm Orange rigid EPDM seal C00070020ZZPEM0
VICLKE07114	Coupling Victaulic type 07 DN100/114.3mm Orange rigid EPDM seal C00070040ZZPEM0
VICLKUFL60	Coupling Victaulic type 75 flexible 60.3mm with EPDM seal RAL 3000 C00750020ZZPEM0 C075LEM06000000
VICLKE07168	Coupling Victaulic type 07 DN150/168.3mm Orange rigid EPDM seal C00070060ZZPEM0
VICLKU77FL60	Coupling Vict. Type 77 flexible RAL 3000 60.3mm with EPDM seal C00770020ZZPEM0 C077LEM06000000
VICLKU77FL114	Coupling Vict. Type 77 flexible RAL 3000 114.3mm with EPDM seal C00770040ZZPEM0 C077LEM11400000
VICLKU77FL168	Coupling Vict. Type 77 flexible RAL 3000 168.3mm with EPDM seal C00770060ZZPEM0 C077LEM16800000
VICLKU77FL219	Coupling Vict. Type 77 flexible RAL 3000 219.1mm with EPDM seal C00770080ZZPEM0 C077LEM21900000
VICLKU77FL273	Coupling Vict. Type 77 flexible RAL 3000 273.0mm with EPDM seal C00770100ZZPEM0 C077LEM27300000
VICLKE0776	Coupling Victaulic type 07 DN 65/76.1mm Orange rigid EPDM seal C0007M076ZZPEM0
VICLAK76V	Butterfly valve Vict. 761 painted 76.1mm with adjustable handle and EPDM seal. V0761M076BE2SD0 V761AEF07601100
VICVKUFL48	C00750014ZZGEM0 Coupling Victaulic type 75 flexible galvanized 48.3mm with EPDM seal
VICVKUFL60	C00750020ZZGEM0 Coupling Victaulic type 75 flexible galvanized 60.3mm with EPDM seal
VICVKU77FL26	Coupling Vict.Type 77 flexible galvanized 26.9mm with EPDM seal C00770006ZZGEM0 C077GEM02600000
VICVKU77FL33	Coupling Vict.Type 77 flexible galvanized 33.7mm with EPDM seal C00770010ZZGEM0 C077GEM03300000
VICVKU77FL42	Coupling Vict.Type 77 flexible galvanized 42.4mm with EPDM seal C00770012ZZGEM0 C077GEM04200000
VICVKU77FL48	Coupling Vict. Type 77 flexible galvanized 48.3mm with EPDM seal C00770014ZZGEM0 C077GEM04800000
VICVKU77FL60	Coupling Vict. Type 77 flexible galvanized 60.3mm with EPDM seal C00770020ZZGEM0 C077GEM06000000
VICVKU77FL76	Coupling Vict. Type 77 flexible galvanized 76.1mm with EPDM seal C0077M076ZZGEM0 C077GEM07600000
VICVKU77FL88	Coupling Vict. Type 77 flexible galvanized 88.9mm with EPDM seal C00770030ZZGEM0 C077GEM08900000
VICVKU77FSN114	Coupling Vict. Type 77 flexible galvanized 114.3mm with Flush-Seal T-Nitrile seal C00770040ZZGTMF C077GQM11400000
VICVKU77FSN139	Coupling Vict. Type 77 flexible galvanized 139.7mm with Flush-Seal T-Nitrile seal C0077M139ZZGTMF C077GQM13900000

VICVKU77FL168	Coupling Vict. Type 77 flexible galvanized 168.3mm with EPDM seal C00770060ZZGEM0 C077GEM16800000
VICK107114N	Coupling Victaulic type 107N orange rigid 114.3mm with EPDM seal DN 100 C107N0040ZZPEM0 C107N0114000001
RAL 7021 FOR MOD RFII WITH SPRINK COVER	
SPRINKLER DRY	HSW DS-17SR 1" ISO ORIFICE ½" 68C LENGHT 12" K-80 SIN TY3355 CHROME SPK SS STD. ESC. AND COLLAR
VICLT168	T-piece Victaulic 168.3mm Orange Type 20 grooved on all sides F00200060ZZP000
63MM S/905	C0905M063ZZBEE0
Typ 99 lack	m.EPDM seal for smooth IPS steel pipe C00990020ZZPEI0 C099LES06000000
VICSUR5095	Bottom roll Victaulic VE270FSD for steel 2" - 3 1/2" T02720200349L00
VICSORP50150	Top roller Victaulic VE270FSD for steel 2" - 6" with fitting T02720200609G00
handcuffs	DESCRIPTIONS; The attached pictures belong to 6 different clamps that I numbered as 1,2,3,4,5 and 6. Product code of number 4 is 77S The code for number 6 is 77
16"/406.4mm Type 07 Silicone Seal	for C07.77 G00770160ZZNL01
10"/273mm Type 07 Seal Silicone for	C07.77.75.78 G00770100ZZNL01
14"/355.6mm Type 07 Seal Silicone for	C07.77 G00770140ZZNL01
18"/457mm Type 07 Seal Silicone for	C07.77 G00770180ZZNL00
V3413 ECLH	Connection Size: 3/4" Response temperature: 68oC standard response
V3413	Fire sprinkler Escutcheon 3/4 in, for Victaulic® V3413 sprinkler
V3413	Fire Sprinkler Wrench for Victaulic® V3413 sprinkler
V3413	Fire Sprinkler Head Wrench for Victaulic® V3413 sprinkler
PT-101 Metric	Victaulic pipe and grooved diameter tape PT-101 Metric Victaulic PT-101 Metric
2"- Style 009N Rigid Coupling, 3 Style 005H	Rigid Coupling, 4 End Cap
2 1/2" (Ø73) - Style 009N Rigid Coupling, 4 End Cap	
3"- Style 009N Rigid Coupling, 4 End Caps	
4"- Style 009N Rigid Coupling,	3 pieces Style 005H Rigid Coupling, 4 pieces End Cap
Coupling, Victaulic Style 75 x Flanged, 3	in, GRV x 3 in, SO FLG, Victaulic Style 75 x Flanged, Sch.N/A, Mat:, Class150
Coupling, Victaulic Style 75 x Flanged, 4	in, GRV x 4 in, SO FLG, Victaulic Style 75 x Flanged, Sch.N/A, Mat:, Class150
Coupling, Victaulic Style 75 x Flanged, 5	in, GRV x 5 in, SO FLG, Victaulic Style 75 x Flanged, Sch.N/A, Mat:, Class150
Coupling, Victaulic Style 75 x Flanged, 6	in, GRV x 6 in, SO FLG, Victaulic Style 75 x Flanged, Sch.N/A, Mat:, Class150
Coupling, Male x Female Set	4 in, THRD x 4 in, WECO, WECO Fig.200, Sch., Mat:, Class150
Coupling, Male x Female Set, 5	in, THRD x 5 in, WECO, WECO Fig.200, Sch.N/A, Mat:, Class150

Coupling, Male x Female Set, 4	in, THRD x 4 in, WECO, WECO Fig.207, Sch.N/A, Mat:, Class150
Coupling, Male x Female Set, 5	in, THRD x 5 in, WECO, WECO Fig.207, Sch.N/A, Mat:, Class150
Coupling, WECO Female x Flanged, 3	in, FML, THRD x 3 in, SO FL, WECO Fig.200 x Flanged, Sch.N/A, Mat:, Class150
Coupling, WECO Female x Flanged, 4	in, FML, THRD x 4 in, SO FL, WECO Fig.200 x Flanged, Sch.N/A, Mat:, Class150
FPKU009N60R	FP coupling Victaulic 60.3mm type 009N Firelock EZ rigid red EPDM Vic-Plus C009N0020ZZREMV
C 3" 88.9MM // 3" 88.9MM 70 BAR	77
717	Check vana 8" UL/FM 365PSI
705 - 300PSI	165mm 6" UL/FM
FLEX.COUPLING 6" 6/168.3/75	
FLEX.COUPLING 8" (DN200) 8/219.1	
1n/1g/1nh Hd4	
Dn100/4quot;	
Pos 12000 Viclk60s07	
Coupling Tire 70 Bar 8 Å39;Å39; For 6-168,3-75	
Coupling Tire 70 Bar 3 Å39;Å39; For 6-168,3-75	
S 70-75-77-78 Ht Epdm E168	
567923135	
Seal For Firelock Nxt S/769	
Pos 6000 Viclkuf114	
Vicde219	
Zero Flex Starr Typ 07 Dn250/273mm	
Zero Flex Starr Typ 07 Dn50/60,3mm	
15.3648	
Giunto2 1/2 Duplex	
No. 45, Ansi Cl150 (Schwarz)	
Victaulic Typ 741	
Victaulic Kupplung Dx 77, Edelstahl, Dn40 / 48,3mm, Epdm (Ef)	
75-77-78x6\"	
Vic 300 Masterseal Bfv	
Style 606	
Aqf/1220x020	
Typ Hp-70es Schwarz Epdm End Seal Imperial S/M 88,9 Mm/3quot;	
168,3x21/2\"	

Dn100/114,3mm
Victaulic Dichtung Style 70/75/77/78, Viton, 114,3mm
Typ 78 Schnelltrenn Kupplung Orange Epdm
C077gem04800000
Style 72 Lackiert 88,9x48,3mm
V-L030077pe0
Coupling Tire 70 Bar 10 Å39;Å39; For 6-168,3-75
Vick17788
Typ 107n (114.3 Mm/4quot;)
V717ae0273021ab CHECK VALVE
V716ae027300000 CHECK VALVE
Dual-3532-Unitec
Pos 3000 Vina01rfv001
Vic-300 Masterseal Bfv Dn100/114,3mm
Pos 5000 Viclkuf188
Syle 001101
S/768
Dn200 / 219,1mm, Orange,
999999 (Typ 728, Messing)
Zero Flex Starr Typ 07 Dn100/114,3mm
Coupling Ce8mn
Conditioner For Valve Nxt S/768
Style Hp-70es 4?
Vicvkust114
F006200890000002
Typ 177
Typ 705 (V070500890000008)
V040789pov
E (Epdm)
999999 (Typ 705, Dn65/76,1mm)
Type 77, 80mm
Gmtcp-21/2hpbv
3quot; X 21/2quot; X 3quot;
Pos 14000 Viclk114s07

Style 72 5? (Dn125) Å215; 1? (Dn25)
Kupplung Typ 75,
Joint 1.5quot; (48.3mm)
114,3x2\"
Hp-70es (Schwarz)
Pos 9000 Viclk48s07
Typ 606
Typ 07 (Rot)
Typ 07 (Verzinkt)
S/70-75-77-78 Ht Epdm E
Typ 75 Dn125/139,7mm, Rot
Victaulic-Dichtung-F3;R-Kupplung-Typ-77-Dn32-422mm-Nitril-Istanbul-Turkiye
Vicvku75ef219
Style 72 Lackiert 88,9x26,9mm
Style 77-FI 2?
Typ 009 Dn65/76,1mm Rot
Victaulic 139.7mm
89 Flex Mp M Verzinkt
Typ 75
Style 72 5? (Dn125) Å215; 1ã188;? (Dn32)
Typ 72,Orange Epdm 168,3 X 33,7 Mm
V-L010077pe0
Victaulic Kupplung Dx 77, Edelstahl, Dn40 / 48,3mm, Epdm (Ew)
Style 70-75-77-78, Epdm,
Viclrk88
Dn200 / 219,1mm, Verzinkt
R00450fsd
475-Aisi316
Tee F00620089000002
Pos 11000 Viclk33s07
Vic-300 Masterseal Bfv Dn80/88,9mm
S/768 Firelock Nxt Valve Vert Trim Kit
Typ Hp-70es Schwarz Epdm End Seal Imperial S/M 73 Mm/2.1/2quot;
Vic-300 Masterseal Bfv Dn50/60,3mm

Seal For Type 77 (999999)
Typ 761
Style 77 78 (S/706) 1 Å188;? 42.2mm
Coupling Tire 25 Bar 4 Å39;Å39; For 6-168,3-75
Epdm 114,3mm
I31999599
1n/1q Hd1-22
Style 72 3quot; X 11/2quot; X 3quot;
Vic-300 Masterseal Bfv Dn65/76,1mm
Typ 72,Orange Epdm 114,3 X 33,7 Mm
Victaulic Diaphragm E 48 + 60mm
Aqf/1220x15/48x1/2
Pos 8000 Viclkuf176
Victaulic 114.3 Mm/4 Typ 99
V1001 1/2quot;
S 70-75-77-78 Ht Epdm E273
Vicvkust168
999999 (Typ 705, Dn100/114,3mm)
Vicvfa21910
Series 727cs Stem
Victaulic Typ 07
Vic-4-3532-11
Nw 100
(77s) 3 ? - 77dx
Style 72 21/2quot; X 11/4quot; X 21/2quot;
Victaulic-Dichtung-F3;R-Kupplung-Typ-77-Dn32-422mm-Epdm-Istanbul-Turkiye
Pos 4000 Viclkuf160
Victaulic Dichtung Style 70/75/77/78, Viton, 88,9mm
Vicvkun76
Vicvfa139
21/2quot; X 2quot; X 21/2quot;
Vicvk10788
A240ab1adj By 610 Mm/24quot; Vixflex Ab2
Style 72 3quot; X 2quot; X 3quot;
Style Hp-70 Lackiert 73,0mm

Style 77-FI 6?
Typ 78 Schnelltrenn Kupplung Verzinkt Epdm
F00630089000001
Ve270fsd
S 70-75-77-78 Ht Epdm E219
Vicvkun168
A000aqfre5 By Aqf/15 Mm/1/2 And Aqf/20 Mm/3/4
A004aqbrmh By Aqf 20x25
Aqf 20x25
Vina01rfv001
A36haqb300 By Aqf/1220x020
Type 78, 100mm
Style 72 6? (Dn150) Ä215; 1ã189;? (Dn40)
Viciku77fl139
Alfl-Dn300-Pn10
V030351hw2 By Typ 705 (V07050089000008)
75-77-78x4\"
Coupling Tire 25 Bar 1,5 Ä39;Ä39; For 6-168,3-75
Vina01rfv001 73mm
1000 Viclu77fl323(Ex.Dn300-D323)
Victaulic Kupplung Flexibel Typ 75 (Verzinkt)
Dtg-Dn300
Bogen Edelst.316/316l 88.9mm
V060789pov
999999 (Typ 728, Messing Gewindeanschluã223;)
Aqf/20 Mm/3/4
Typ 72,Verzinkt Epdm 168,3 X 33,7 Mm
Victaulic Typ 99
Eh (Epdm)
Style 72 21/2quot; X 1quot; X 21/2quot;
Vicvku77fl26
610 Mm/24quot; Vixflex Ab2
Style 70-75-77-78, Ht Epdm

V-L014077pe0	
6"x2"1/2	
Type 995, 80mm	
Din En 14420-3 6?	
Fl-Dn300-Pn10	
Type 78, 80mm	
Crt-Dn300-Pn10	
Din En 14420-3 8quot;	
Ve416fsd	
Coupling Tire 25 Bar 6 Å39;Å39; For 6-168,3-75	
Typ 72,Verzinkt Epdm 114,3 X 33,7 Mm	
Victaulic Kupplung Flexibel Typ 77	
V040333160	PNEUMATIC ACTUATOR 150PSIG
Zero Flex Starr Typ 07 Dn150/168,3mm	
Pos 7000 Viclkuf148	
A240ab2000 By 610 Mm/24quot; Vixflex Ab2	
Vic-6-3532-11	
705, Dn65/76, 1mm	
Head Gasket Of Firelock Nxt S/769	
Style Hp-70 Lackiert 88,9mm	
6"x2"	
Gmtcp-V6sr	
S/746 Dry Accelerator Asembly For Use With 753 Only	
Aqf/15 Mm/1/2	
Giunto 1 1/2	
Pos 13000 Viclk88s07	
6"x4"	
Style Hp-70es 6?	
S 70-75-77-78 Ht Epdm E139	
Vicfan4588vz	
75-77-78x2"	
Typ 07	
517901155	
Pos 10000 Viclk76s07	
Typ Hp-70es Schwarz Epdm End Seal Imperial S/M 60,3 Mm/2quot;	

[Vicvt16888](#)

[Style 78](#)

[60,3\(75-77-78x2"\)](#)

[A36haqfba2 By Aqf/1220x15/48x1/2](#)

[F00630060000002](#)

[Hp-70es \(Verzinkt\)](#)

[Vicde168](#)

[Bogen Edelst.316/316l 168.3mm](#)

[Gmtcp-V4sr](#)

[Style 75 \(Verzinkt\)](#)

[Dn100/114,3mm Typ 75 Rot](#)

[317260](#)

[Style 750](#)

[Giunto 2 Duplex](#)