

Visolux



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Visolux** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Visolux Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
181 574	sensor amplifier and optical part
J887406	
Visolux	
419204	
1057520062	
RL 12.1 24V	G2.110.1461/01
418082	
OBT40-R102-2P1-IO-V31	267075-100549 reflection light sensor
Rlk 28-55-31-116	
Rlk248h9.664000	
409615	
Rlk28-8-H-2000-Ir-Z/31/116	Reflection light sensor HGA Touch range: 20 ... 2000 mm Light emitter: IRED Type of light: infrared, alternating light, 880 nm Signal output: relay, 1 changeover contact Switching type: light / dark switching, switchable (thereby is the one H / D switch only in function, if the other one in the position "dark switching" is.) Connection: terminal compartment with 8 spring terminals for Core cross section 0.5 ... 1.5 mm ² , stripping 7.5 ... 8.5 mm, cable gland M16x1.5 Operating voltage: 12 ... 240 V AC / DC Ambient temperature: -40 ... 60 ° C (-40 ... 140 ° F) Country of origin: Vietnam Customs Tariff No.:8536 5080
Ls230-Da-Rt/F3-F5	PHOTOELECTRIC SENSOR HEAD 24VDC

Sla40	
418317	Single Path light Beam Switch M15
Photocell MI4.2-8-H-40-Ir-2449 Tw=13-40mm, Vga-Hg	
M24-765576	
9015003sl20-E	
9015004sla20-S	
9015002sl20-S	
L22-Lk22-1997-47oz382981	
Su10-2446	
SI30-1351-E	
Ltk-6000	PHOTOELECTRIC DOOR/GATE/ELEVATOR 12-24VAC
Lt2000-2k-1937	MODEL:LT2000-2K-1937
Slva-4kplus	SAFETY CONTROL UNIT 115VAC
9409044	
RI24-8-200/49/76a/116419233	
MI48h	
Fibre Optics Lle 04-1,6-0,4 Wc3 Nr.: 4.857.01 L=40cm	
Ls600-Da-Ibs/F2	PHOTOELECTRIC OPTICAL DATA COUPLER 250M RANGE
418628	PHOTO AUTOMATION INSTRUMENTS-(LS230-DA-GUF)
418319	Single Path light Beam Switch MV15/47
414109	
Faseroptik Llr 04-1,6-0,5 Qw1x4 Nr. : 4.815.01 L = 50cm	
Ls230-Da-Rt/F5-F3	PHOTOELECTRIC SENSOR HEAD 24VDC
9.247013	
Edm120-2300	DISTANCE MEASURE 24VDC 0.5-120M
418603	PHOTOELECTRIC LK24 12/240V AC/DC
1396030004 - Su 11-2158/33	
Dad-8/8	PHOTOELECTRIC SYSTEM 10-60VDC
Reflector Vr10 Order No.: 113950	

9425000	
Ls500dap	
RI206	
103033	
9.537 020 TI 25-8	
Ls230-Da	
Reflex-Lichtscanner Mlv40-8-H-1463 10-30v Dc, Rw = 1-8cm	
RI9-8-W-16-25-1200	
418576	PHOTOELECTRIC (AUTOMATION)
Fotzellenverstärker Mlv40-LI-Ir-2492 Best.Nr .: 9.705078	
Ls 500-Da-P-2350/F2	Photoelectric Sensor Module 9.259.029
9825035slv-2k	
Reflex-Lichtscanner MI4.1-8-H-2486 55-58mm	
Edm9-120-Ibs	PHOTOELECTRIC DISTANCE MEASURING
421021(Ex. 419773)	
Reflex-Lichtschranke Mlv40-54-G-1700 10-30v Dc,Rw=0-20cm, Vr10	
Emitter/Receiver Photocell MI5-T-M-1628 - 10-30v Dc, Rw= 0-50cm	
Faseroptik Llr 04-1,6-0,5 Wc3 Nr .: 4.813.10 L = 50cm	
9472020	
9015005sla20-E	
Reflex Lichtscanner MI4-8-H-M-1348 10-30v Dc, Rw = 1-2cm, 55cm	
Dn80	
9825055slva-4k	
Lle4-80505	
Fiberoptik Lle 04-1.1-0.55 Gk6 Best.Nr .: 4.940 01 L = 0.55m	
Lk28-Z-F1/31/116	

Ftk1550000
RI32-8-H-Rt
SI20
1452270181 Obsolete Sensor
Mlv40-8-H2209
409617
Sla20
Photocell MI4.1-54-F/40b/95/110 Order No.: 418738
Fibre Optics Llr 04-1,6-0,5 Qw1x4 Quer Nr.: 4.913.01 L=50cm
RIk23-8-H-100-Ir/31/116 - Fotosel
RIk20-54-1586
Reflexbeleuchtung Mlv40-54-1371 10- 30v Dc, Rw = 0,1-0,6m, Vr10
MI48ksu3347
9546000