

Voith

Garanti: 12 ay
 Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Voith** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Voith T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
TCR.11052220	MTS switching element M24X1,5 125GR Voith material no .: TCR.11052220 Your order item: 1 Item weight: 4,200 KG Customs tariff: 84839089 Information according to Regulation (EC) No. 1907/2006 (REACH). With reference to Article 33 of the REACH regulation, we would like to inform you of the following: The product # MTS-Schaltelement "supplied by us contains products with more than 0.1 Weight percent of the SVHC substance: - lead (CAS 7439-92-1, EC 231-100-4)
TCR.03658024	Sealing ring Voith material no .: TCR.03658024 Your order item: 1 Item weight: 0.060 KG Customs tariff: 76161000 Sealing ring to the MTS switching element
TCR.11052240	MTS switching element M18X1,5 140GR Voith material no .: TCR.11052240 Your order item: 2 Item weight: 1.020 KG Customs tariff: 84839089 Information according to Regulation (EC) No. 1907/2006 (REACH). With reference to Article 33 of the REACH regulation, we would like to inform you of the following: The product # MTS-Schaltelement "supplied by us contains products with more than 0.1 Weight percent of the SVHC substance: - lead (CAS 7439-92-1, EC 231-100-4)
CR.03658018	Sealing ring Voith material no .: TCR.03658018 Your order item: 2 Item weight: 0.020 KG Customs tariff: 76161000
IPV6-100/101	Voith material no .: H56.995020 Item weight: 34.600 KG
IPV 6-100 101	Alternativposition zu Position 100 Voith Material-Nr.: 159.00578510 Pos.Gewicht: 34,600 KG
KDDM-2	

[EN837-3](#)

[TCR-2511 PEAK TOTAL, INCL WELD-ON STUD
\(BTG\)](#)

[: 206.00867910](#)

[01314599](#)

[03669999](#)

[04003440](#)

[11074890](#)

[128.00288910](#)

[151.00383710](#)

[153.00420610](#)

[15600284901V2](#)

[158.00043610](#)

[158.00195012](#)

[158.00195112](#)

[158.00228010](#)

[158.00254310](#)

[158.00287210](#)

[158.002892.10](#)

[15800287810](#)

[159.00107410](#)

[159.00135410](#)

[159.00171010](#)

[159.00195610](#)

[159.00215310](#)

[159.00290510](#)

[159.00314811](#)

[159.00317911](#)

[159.00318011](#)

[159.00318213](#)

[159.00318313](#)

[159.00318413](#)

[159.00404610](#)

[159.00568410](#)

[159.00579410](#)

[159.00616710](#)

159-6499510
190.00006622
20038550/1309
201.03285110
201.03285210
201.03303310
204.01122810
205.00655110
206 TRI
206.01738710
220.00110210
230.011604110D0 0
230.013371100D0 0
247DT*+EEK180M
250.00447310
250.00516910
250.00819911
250.00824011
250.01263310
250.012770100IT
250.012771100IT
250.012772100IT
250.012775100IT
250.012788100IT
250.012793100IT
250.01646010
250.01953810
274 DTA ,SHG (Q)
274 DTVYNA
30.790.002.410
307.00050810
307.03145410
3231310
366 T 795757
366T VRIH VI NR 101660
41.5396.90

422 T08
43.9711.20
487 TNJ
5050.018.054
562TWVVS
7212120
750 TVVSN04
7559523
80000028
80000053
80000066
80000108
80000226
80000241
80000312
80000398
80000426
80000701
80000739
80000791
80001359
80001716
80001761
80001854
80001980
866TV
99998
CS-613-37574
D516X117
DBV 20-E10-24
DBV 21-E16 FOM 140-24
DBV20E25
DK55.1-6-120P 391K
DK55.1-6-120P-3207S
DSG-B 05243
EV-A019 997 83 48

EV-A023 997 88 47	
H/V 4/4	
H01.008580	
H01.027862	
H01.027865	
H01.054733	
H01.063443	
H22.886230	
H23.254830	
H23.4769.10	
H23.495320	
H23.495730	
H23.495920	
H23.496321	
H23.506010	
H23.506640	
H23.508841	
H23.508940	
H23.531310	
H23.531420	
H24.901285	
H26.399910	
H26.683210	
H29.340130	
H29.374470	
H52.965311	
H54.062716	
H54.062815	
H56.541710	
H56.542130	
H56.542610	
H56.9880.10	
IPV 5/-64/ 101	H56.994920 Preference: yes Item weight: 19 KG
H56975210 IPV 6 /-64/101	
H56995120	

[H58.552714](#)

[H58.574412](#)

[H58.603911](#)

[H58.874912](#)

[H58.933120](#)

[H59.073704](#)

[H59.184612](#)

[H59.185812](#)

[H59.200111](#)

[H59.244911](#)

[H68.397610](#)

[H68.523910](#)

[H68.524010](#)

[H68.524210](#)

[H68.524310](#)

[H68.524410](#)

[H68.524510](#)

[H68.531510](#)

[H68.539210](#)

[H68.539510](#)

[H68.554410](#)

[H68.583110](#)

[H68.583210](#)

[H68.607910](#)

[H68.608010](#)

[H68.613110](#)

[H68.630110](#)

[H68.680510](#)

[H68.730110](#)

[H68.798430](#)

[H68.871110](#)

[H90.330410](#)

[H90.934912](#)

[H90.9883.12](#)

[HL-THL.9101290010](#)

[HL-THL.9101590010](#)

ID 10672530, PN:EM61 D 10/1S61.1.21.9.01
IP6-125-141
IPC 4/3-32/3,5 271
IPC 4-32 171
IPC 5/-64/ 101
IPC 6/-100/ 171
IPC 6/-125/ 101
IPC 7-160 111
IPCA 4/-16/ 171
IPCA 4-16 171
IPCA 5-64 101
IPH 4-20 101
IPH 4-32-111
IPH 5 4 2-40 32 8,3 211
IPH 5-50 601
IPH 5-64 101
IPH4-20
IPH4-32-101
IPH6/4-80/25-201
IPH6/6-100/80 201
IPN / 6 -/200
IPN 4-40 600
IPN6-160-111
IPNL 6-200 141
IPV /4-/16
IPV 3-3,5 101
IPV 3-6,3-101
IPV 4/-13/ 471
IPV 4/-13/171
IPV 4/-25/ 171
IPV 4-13 171
IPV 4-16 171
IPV 4-16 671
IPV 4-25 171
IPV 5- 40-151

IPV 5/-40/ 101
IPV 5-40 101
IPV 6/-125/ 111
IPV 6/5-100/32 201
IPV 6/-64/ 101
IPV 6/-64/ 171
IPV 6-125 111
IPV 6-64 101
IPV 7/7/7-200/200/200 713
IPV/6-/100
IPV/H/H 7/6/6-200/125/100 211
IPV/V 7/7-200/160-713
IPV3/10
IPV4/-20/171
IPV4-32+IPV3-3,5
IPV5 /-50/101
IPV5-064/101
IPV6/6/4-100-100-13-201
IPV6/6-100/80-201
IPV6-125 -470
IPV6-125-111+IPV6-80
IPVA 4-25-171
IPVAP 3-3,5 101
IPVP 5/-40/ 101
IPVP 5/-64/101
IPVP 5-40 101
IPVP 5-64-101
IPVP 6/-80/ 101
IPVP 6-80 101
IPVS 7/-125/ 111
IPVS/4-/20
IPVW 6/-100/ 151
ipc4-13
ipc4-25 101
K.065.366.1016.N70
LMB-1-M50-40

LMS-8-M50-D1-10-24-15
LT361.XXNAGHAMXX
M10X10 160°C
M18X1,5 160C
M24-160 °c
NJ10-22-N-E93PBIP
NJ-10-22-N-E93-Y30629-70
P115
PV 4/-13/ 171
PV6-80+ IPV6-80
PVP5-64/101
SR-F 140
T 487
T 562 - M20
TCR 40309460
TCR 40319580
TCR 41030160
TCR 41030160 POZ NO:010/010/020
TCR 41347470
TCR 41783430
TCR. 91868300
TCR.03302160
TCR.03379160
TCR.03379310
TCR.03646233
TCR.03658010
TCR.04003440
TCR.10122520
TCR.10499560
TCR.11944520
TCR.41539780
TCR.41775630
TCR.4201062001
TCR.42594440
TCR.43827660

TCR.49823010
TCR.49921005
TCR.91263600
TCR03658018
TCR11052240
THL.3072310
THL.1135010
THL.1136810
THL.1305210
THL.1428400214
THL.143210
THL.143410
THL.143710
THL.1443400110
THL.1463911
THL.148410
THL.150000101
THL.1500001010
THL.1500401010
THL.1500701010
THL.1508001010
THL.2007710
THL.2056400411
THL.2063300111
THL.3100710
THL.3104310
THL.316606210
THL.3225210
THL.5101041040 311
THL.79000900040010
THL.7900200012 0012
THL.9101290010
THL1362310
THY.87005201410
typ IP N/H 5/2 - 40/8 201
UC600.VN304NA062001X100010

VEHS	
VFU 1	
VFU1, serial no: S488641	
VO-153.00274213	
W01-4L100Z24/0H	
W04-4L100Z24/0H	
WE01-6P100E24/0HN	
WE02-10P100E24/0HN	
WE02-4M100 8920	
WE02-4P100E24/0H	
WE09-4R100Z24/0H	
4/3-way valve hydr. WE226-4R1281Z24/0H	Voith Material-Nr.: 250.012793100IT
Werksbescheinigung 2.1	
Y30627NJ10	
K.060.366.1012.N50	
WE02-4L100R24/0H	4/2-way valve hydr. WE02-4L100R24/0H Voith Material No.: 250.012774100IT Preference: no
IPNL 6-200 141 pump	
750 SVTL 21-6.3 (Variable Speed Hydraulic Coupling)	Current Engine Features: 1000 kW 1490 rpm - 6000 volts Hydraulic Coupling Input Speed: 1490 rpm Hydraulic Coupling Working Range: 1458 rpm - 365 rpm (Variable Speed)
DSG-B07112	
WDXL-125SG	
250.00040020	
VTK650	M18x1,5 140C
fusible plug Set -X1 M24x1,5 140°C 11SM*	4 PCE Voith Part No.: 201.03285610 Item Weight: 2 KG Customs Tariff: 85361050 Set consisting of: 4 Fusible Plugs 140°C incl. seal rings 2 Washers for filler plug
IPV 7/6-125/100 111	Voith Material No.: 159.00351410 Preference: yes Pos.Weight: 83 KG Customs tariff: 84136031 Consisting of positions 110 to 130 + 110 1 ST IPV 7/-125/ 111 Voith Material No.: H56.957410 + 120 1 ST Intermediate housing V 7/6 Voith Material No.: H59.784610 + 130 1 ST IPV /6-/100 Voith Material No.: H68.583410
866 TV04	
866 TV04 turbo	
EPK-ring 450/342x134	TCR.31945820
EPK-hub 338/39X145 EN-GJL-250	201.01293710
buffer 40x40x20 NBR 80	TCR.04003440
EPK-ring 510/396x135	TCR.31945830
EPK-hub 750 392/110H7x155	201.03170310

buffer 120x40x20 NBR 80	201.01798710
201.03170310	
201.01798710	
IPH 6/6-100/80 201	Voith Material-Nr.: H58.603911 Pr¼ferenz: ja
IPV 4/-16/ 171	Voith Material-Nr.: H68.524010 Pr¼ferenz: ja
IPV 6/-100/ 101	Voith Material-Nr.: H56.995020 Pr¼ferenz: ja
IPH 6/6-100/80-201	
IPV 4/-16/ 171	
IPV 6/-100/101	
AG3DBCR-350G, PN 3222/219RA	
BF70-05A	
H56.995020	
IPV 6/-100/ 101	H56.995020 Preference: yes Pos.Weight: 34,600 KG
307.00250210	shear tube L39 STD
IPV 3-3,5 101	Voith Material no.: 159.00616710 Preference: Yes
487TGV+EEk225M D:80	
IPV /5-/50	H68.583310
IPV 5-32 101	159.00552810
422 tjeek 200m	
CNC/PLC SST PCU3L-A Profibus	Voith Material No.: THL.79002000120012
422 TWVF06-x (Sketch No.1	
487 TWVF (Sketch No.2)	
562 TWVVF (Sketch No.3)	
650 TWVVF (Sketch No.4)	
4/2-way valve hydr. WE01-4R100Z24/0H	no.: 250.012772100IT preference: yes
4/3-way valve hydr. WE04-4R100Z24/0H	No.: 250.012771100IT Preference: no
90.4194.10	
Elastic Kupplung LM 01595	
K.030.154.1097.N50	high resilience Coupling K.030.154.1097.N50 Voith Material No.: 125.0032780001 Item weight: 85 KG
SK 090.2LZ=225	PTO shaft SK 090.2LZ=225 Voith Material No.: H26.429206 Pos.Weight: 19,500 KG
TCR.43991130 DSG-B05113 (SNr. 4203577):	
TCR.43991130 DSG-B05113 (SNr. 4202536):	
Directional valve 4/3, WSR-D16118	TCR.91866340
DS-100-P0-300-S-P ste*	250.01646010 Binary pressure sensor
LM 02911 / H71.361910	

250.012793100IT	4/3-way valve hydr. WE226-4R1281Z24/0H
4/2-way valve hydr. WE50-4R100R24/0H	250.012770100I
MTS switching element M18X1.5 140°C	Voith material no.: TCR.11052240
sealing ring	Voith material no.: TCR.03658018
M24X1,5 140GR (TCR.10474190)	MTS switching element M24X1.5 140GR Voith material no.: TCR.10474190 Pos.Weight: 1,400 KG
DZ52-050Z300R02*	THL.3229710
DS-100-PO-300-S-P	
R17K500M	P/N:TCR.42218810 POS NO:0660/0010/0010
DZ52-120Z300R024/0H	Disconnection of storage charge Voith Material-Nr.: THL.3231310
Scoop pipe 0701/0010 TCR.41326530	SVTL 12.1 Qty. 10 pcs
TCR.43991130	Pressure actuator E360, DSG-B05113
CNC/PLC SST PCU3L-A Profibus	THL.79002000120012
IPV 5/3-64/8 201	H68.636010
422TY+EE200M No.798479	
366 Tvb Red No.998418	
274 DT	
42 TVC No.798482	
IPH 6/6-100/80 201	H58.603911
VP500	V18345-202046000V ONC VALVEPOS 500
201.04512110	Fusible security Set -X2 M18x1.5 140°C * Ihre Artikel-Nr. 11812021WA1086681 V1 VTK650 YVYO 14764/00
487 TVN TURBO	FLUID COUPLING : VOITH TYPE : 487 TVN* BORE DIAMETER : 80 MM DIAMETER OF SHAFT JOURNAL 80 MM FUSIBLE SAFETY PLUG : 160 c GREEN THERMAL CIRCUIT ELEMENT : 140 C red SAFETY SWITCH : MTS
TCR.4202826000	
4201074010	
42436150	
THL.3231310	Switch-off el.storage charge DZ52-120Z300R0 *
IPV 6/-80/ 101	Voith Material No.: H68.562410 Preference: yes
IPV /5-/64	Voith Material No.: H68.580310 Preference: yes
201.03845210	Spare parts for Voith turbo coupling Type 422 TVG serial number 983302 Fusible safety screw set short version M18 160* Voith material no.: 201.03845210 Your order item: 1 Pos.Weight: 0.440 KG Customs tariff: 73181900 Set consisting of: 5 fusible safety screws 160°C including sealing rings 2 sealing rings for filling screws Information according to Regulation (EC) No. 1907/2006 (REACH). With reference to Article 33 of the REACH Regulation, we inform you of the following: The product "Fusible safety screw" supplied by us contains products with more than 0.1 Weight percentage of the SVHC substance: - Cadmium (CAS 7440-43-9, EC 231-152-8)
	Voith material no.: THL.79002000120012 Replacement for

CNC/PLC SST PCU3L-A Profibus-	THL.79002000120011 Preference: no Pos.Weight: 0.480 KG
DSG-B05142	
Kkk Sachnr	
Ftfw 1422 Uc3 U (Speed Detection)	PARTS FOR "VOITH" CONTROL SYSTEM FOR COMPRESSOR OL-GB-201
Ipv4-32cc	
Satz 40701280/1/C3 Voith Turbo	
Ipc 7-160 111 Innenzahnradpumpe	
307.00250210	
P/N:13	
H90.934912 Cleaning Oil Filter T211re.3	
Thl.1305210 4/3-Wegeventil Hydr. We07-4p1522d28/Ohvoith Material-Nr.: Thl.1305210	
Dmy.000052	
H23476910 Voith Original-Teile Pall B 1000 Hydro-Transfer Filter 90.9349.11 Ra-1	
We01-4r100z24/Oh Ventil	
We50-4r100-R24/Oh Coil Thl.1399900510	
Thl.1283910	
Lager 5800/0010/ Tcr.41775630	
Ipv 5/-40/ 101 Pumpe Voithipv 5/-40/ 101 A2800-315 Dokument Atex Pruefprotokoll	
250.012770100it Ventil We50-4r100r24/Oh	
K.015.190.1054.N45	
Ipv 4-13 171 Pumpe	
H5-40 H59.073903 Repair Kit For Pump Iph 5-40 101	
18439/81001/05	
T 562 - M20 Auf- U.Abziehvorrichtung	
Ipv6/6-100/80-201 Pump Voith Ipv6/6-100/80-201 Remplace Type "ipc"	
Ipc Pump285964	
Ipv 4/-25/ 171voith Material-Nr.: H68.524210	
Dichtring Tcr.03658018	
H56995120 Pumpe Ipv 6-125 101	
159.00029410	
8208871	
Ivpv 6-80 101 Pumpe	
Ipva 5-64 101	

Wsr-D16214
Ipv/6-/100 Hydraulikpumpe
Ipc4-13
250.012788100it /We50-4r1440r24/0h Valve
158.00254310 Lagerbuchse 29 X 33x34
Ipc 4-32 101 Pump
250.012788100it
Ipv 6-125 111 Pumpe 159.00579310
S54, 5017,20 Ot/0040
H90.988312 Cleaning Oil Filter T211re.3
Ippv 6/-100/ 151 Bomba Eng. Int.
Tank storage 63x226 160cm³ 0.2/2.7bar M* Voith Material No.: 250.00736010 Preference: yes
14.133.20.100
Ventil Type Dz52-120z300r24/Oh
201-01177410
Repair Kit For Pump Voith Ipv / 4 /13
Dz52-070z300 Pressure Valve Material: Thl.3225210
Lager 0101/0270 Tcr.49906043
H54.062815 Axialscheibe Ii V4
We258-10h1467-4lxy*
10053956
?.060.366.1012.N50 Hohchelast. Kupplung
Ipv 5/-40/ 101 Voith Material-Nr.: H68.531510ursprungsland: De
455479013
Ippv 5/-40/ 101 Zahnradpumpe
250.00736010
M18x1,5-160 Grad
681672, 10 563929, 11 Ot/00281
Ipv4-13 471
H59.184612 Segmentfuellstueck V4-20
80000012
307.00250210 Abscherrohr L39 Stdno.2: 2502
151.253
8204296/8204297
Dk55.1-6-315p-3252s Reducing Valve Material:

Thl.3219000110
44.337.21.018
Ipc 6-125 101
Ipv 4-16 671
274dt+eek180m
Srp 160
Ipc4 4/-16/ 171 Voith Material-Nr.: 159.00476910**Zum Anbau An Eine Weitere Pumpe**
Schraube Tcr.41347470
Stb220
Ivpv 6/-80/ 101 Hydraulikpumpe
158.00254310 Lagerbuchse 29x33x34
25-Lt+5-Lt
Ipv 4/-25/ 171voith Material-Nr.: H68.524210**Zum Anbau An Eine Weitere Pumpe**
44.518.40.132
Dbv20e25 Slide Valve
202453
Iph6/4-80/25-201 Pump
44.302.11.100
Jonta Halkasi
Ipv 6-80 101.
Ipv 4/-25/ 171 Voith Material-Nr.: H68.524210
Ivpv5-64-101 Hydraulicpumpe
H68.583410
Iph 4-32-111 Pump
159.00171010 Pumpe Ipv5 7/-125/ 111
Iph4-32-101 Pumpe
Ipv 5-32 101
Thl.9101290010 Dichtsatz Tankspeicher
Iph6/6-100/80 201 Pump Voith Iph6/6-100/80- 201
8020508
Pumpe Ipv 4-25-171
Pv/3/10 Pumpeserial Numer 2801519
H56.988910
Ipv5 /4-/20 Pumpe

H58.553615
Hydraulikoel Performance Fluid Pf-70020l
Ipv 4-16 171 Voith Material-Nr.: H68.524010
M24x1,5-140 Grad
Tcr. 42471480
1. Stufe: Ipv 5-64 101
H56.9880.10 Pump Ipv6/80
Ev-A023 997 88 47 Radialwellendichtring
5050.018.054 Bomba Eng. Int. Ipv6/125 101 H56995120
44.250.10.151
250.012771100it
Thl.9101290010 Gaskets
7212120 Clutchvoith 562 Twvf 7212120 Vi 1500 1/Min
Ipps 4-25 471 Pumpmaterial 159.0021 8810serial Nr. 2757394 /0950
Thl1362310 Valve Eve1.04-6p129e24/0h
20038550/1309 Pumpe Ipv /4-/13
Ipc 6/5/4-901 80/40/13
Ipv 4-16 171 Pumpe
Iph 4-32-1-1-1 Pump
Pumpe Ipv 5-64 101 Mat.Nr. 159.00290311serial.Nr. 2875785
Repair Kit (Seals Of All Kinds, Membranes, Etc.) For The Pump Ipv/4/13
307.00250210 (2502)
230.011604110d00
14.133.20.200
562tvn
Ipv 6-/125 470 Hydraulic Pump
487tvn
Ipv/H/H 7/6/6-200/125/100 211 Innenzahnradpumpe
H54.062716 Axialscheibe I V4
Thl.1500001010 Wegeventil Hydr. We02- 6p100e24/0hn
Dis.20761229a
Ipn6-160-111 Pumpe 1500 L/Min

250.012793100it Wegeventil Hydr. We226-4r1281z24/0h
Ipv4-25cc
Fuse Screw Set X1 - M18 Consisting Of: 5 fuse screws 2 sealing ring for filling screw Pos.Weight: 1 KG
Satz 40701280/2/C-4 Voith Turbo
Element 0301/0050 Tcr.4188931009
H68.680510 Ipv 5/-40/ 151innenzahnradpumpe
Lager 0101/0300 Tcr.03310066
80000612
40.330.71.002
Iph 6-100 101 Pump
388092 Pumpe
7009275-15520023
Ipv 4/-13/171 Pump Voith
Ipc4 4-16 171 Voith Material-Nr.: 159.00421220pos.Gewicht: 5,700 Kg
H90.934912 Oil Filter Cleaner T211re.3
552474 Coupling Vtk206t
Lager 0101/0050 Tcr.49836122
H58.598011
H01.008580 Passfeder 8x7x40
40.807.80.310
Nj10-22-N-E93pbip
H90.934912 Filter Reinigen
Ipps/4-/20 Pumpe Ipps/4-/20
159.00573310
30702299110
H68.524510 Pumpe Ipv /4-/162642519
44.341.23.225
15600284901-04 Turbo
M18x1,5
H58552714 Pump Iph-4-20-101
We50-4r1440r24/0h
Sr-P60-Spc-700-1600nm
M24x1,5-160 Grad
250.012775100it Wegeventil Hydr. We02-4r100r24/0h

1800
Zahnradpumpe Ipva 4-25-171
Thl.150000101 Wegeventil Hydr. We02-6p100e24/0hn
Ipv 6/-64/ 101 Pumpeh56.975210
Cdr420xr+kg194
Ipv4-25 171
30790002410
Ipv 6-64 101 Pumpeipv 6-64 101h56.975210nr.2718826
Ipv3/10 Pump. H68.554410
H90.934912 Oil Filter T211re.3
159.00218810
Tcr.43856510
2140-2280
Ipv6-100cc
Tcr04003440 Elastic Epk Block
307.90002410
Ippv 6/-100/ 151 Hydraulic Volume-Rotor Pump
0070839-24v
Innenzahnradpumpetyp Iph 4-20 101
Thl.1508001010 Ventil We02.1-6p100e24/0
Repair Kit For Pump Iph / 4 / 20
Vo-153.00274213 Dichtungssatz
14.133.20.400
Element 4247147001 Voith Turbo
Ipc/V 5/4-50/13 201 (Ex Ipc/H5/3-50/13/201)
366 T 09
159.00616710 Ipv 3-3,5 101
Ipc 4-32 171 Pump Voith Ipv4/-32/171 = Ipc 4-32-171
Voith Turbokupplung 366 T09
Country of origin: unknown Preference: no Pos.Weight: 50 KG Technical data for the coupling insert: Engine: electric motor Motor type: asynchronous motor Motor power P1 [kW]: unknown (please confirm!) Engine speed n1 [rpm]: 1480 Working machine type: unknown (please confirm!) Rated power P2 [kW]: unknown (please confirm!) Filling [I]: unknown Schmelzsicherungsschr. [° C] 140 X1 Visible screw: Yes Replacement for VTK number: 994004 Installation position: horizontal / vertical Drive via: external wheel Execution: Dimensions: after Installation plan: 3600-042349 (abw.) Material of rotor parts: silumin PTO: Elast. Connection coupling type ENK 200 Sx Bore diameter: 60.00 Bore fit: H7 Type key: DIN 6885/1 ... 2 feather keyways for Balancing.

	Output side: Connection via: clutch hub Bore diameter: 42.00 Bore fit: H7 Type key: DIN 6885/1 Bore depth: 120.00 INCLUDED; 1 ST connection coupling ENK 200 SX, including Perbunan 70, completely drilled 1 ST Second k
52.6983.11/12 Ot/00471	
250.01953810 /Dk124.5-4-7r Valve	
307.00050810 Abscherrohr L28 Std	
Ipc 4-16 171 Pump Voith Ipv 4/-16/171 = Ipc 4-16-171	
1/15/075/0/100/060	
250.00819911 Ventil Dk124.5-3-6r	
Ventil 80660-02	
Ipv 4/-13/171 Pump	
Lager 0501/0015 Tcr.40701280	
Pumpe Voith Typ Ipv/6/100 H68.583410	
Pumpe Iph/V 6/3-100/8 201 Alternative	
Thl.1463911 Wegeventil Hydr. Wse14.1-4c1452/E24*	
159.00215310 Pumpe Ipv 4/-13/ 171 A3600-330	
Ipv P6- 80 101	
366 Tj	
10499550	
Ipv5-50cc	
Ivpv 5-64-101 High-Pressure Internal Gear Pumps	
Ventil Type Ds-250-Po-300-S-P	
15092020	
Ipv 4-25 171 Pumpe	
Ipc 7-160 151 Double Pump	
422tvn	
Induktiver Sensor 190.00006622 90*30 Ifrm 12e9120/088891	
Pumpe Ipv 6-80 101 Seriennummer 20064109/1329	
H68.397610 Bevel Gear 20/39	
2578937	
50.7837.11 Ot/00516	
159.00290510 Pumpe Typ Ipv 6-100 101material 159.00290510serial No. 20005361 /1 230	
Ipv 5-50 101 Pump	

300 H90.393611
H56975210 Ipv 6 /-64/10 Pump
Ippv 5-64 101 Pumpe
Ipc /4-/25 Voith Material-Nr.: H56.541730
Ipc 5-64 101
40.420.43
Ipv4-13-171
H58.603911 Iph 6/6-100/80 201innenzahnradpumpe
44.346.26.011
220.00110210 Servoantrieb Smr-D13124
80000773
Thl. 9101290010 Gasket
44.303.11.077
Ipv 5-40 101 Voith Material-Nr.: 159.00553010ursprungsland: De
H90.393611
159.00195610 Ipn 6/6-160/125 101innenzahnradpumpe
Ipc4 4-25 171 Voith Material-Nr.: 159.00421420
Ipv6-125cc
H59.244911 Segmentfuellstueck V4-16
172.00171610
?59.185312
250.012788100it Wegeventil Hydr. We50- 4r1440r24/0h
250.01646010 Pressure Switch Ds-100-P0-300- S-P
Thl.1500401010 Wegeventil Hydr. We04- 6p100e24/0hn
Ipc4/20101h5641310
487 Tvng
159.00436410 Pumpe Komplett
Pumpe Ippv 6-80 101159.00290410
We04-4l100z24/0h Valve
159.00084610
H59.200111 Dichtungssatz /Ipv 4
44.337.27.006

H68.798430 3fach-Pumpe Ipv/C/N 4/4/4-16/25/32 471	
H90.450010	
366 Tvn 06	
N36180 H15093420	
Cp410.6.1-3x-R024/0h Hydronaut Unit Without Valve	
250.012788100it Ventil Wes0-4r1440r24/0h	
422tv+eek200m	
H58.603911 Iph 6/6-100/80 201innezahnradpumpe	
Pumpe Ipv 4-13 171 A3600-330	
Lager 0101/0190 Tcr.03309575	
Cp381.5.-3x-R Hydronaut Unit Without Valve	
11516841	
44.341.26.320	
Ipv 5-50101	
Ipv 6/-64/ 101 Pumpe	
250.01953810 Ventil Dk124.5-4-7r	
Iph680101	HYDRAULIC PUMP
A 58*2 01.0021.78 Ot/00106	
M24x1,5 Sicherheitsschalter	140 crad Please see attached photo
Ipc/C/V/V-6/6/3/3-125/125/8/63-411	HYDRAULIC PUMP
151.00383710 Filter Diwa.5/.6	
Ipv 6-80 101 H68.562410	
230.013371100d00	
Iph-4-20-100	
R16k400m	
H52.965311 Anschlagstift V4-20	
Ipv416471b	PUMP
4186712	
Ipc4-25 101	
5-Lt	
Ipv5 /-50/101 Pump	
Ipv3-/3/5 + Ipv4-32 Hydraulic Pump Assembly	
Ipv6-160cc	
Thl. 9101590010 Gasket	

Ipv6-80cc
Ipva 4-25-171 Zahnradpumpe Ipva 4-25-171
866 Tv04 Turbomufta Including Coupling Epk With Ready
Ipvap 3-3,5 101 Hydraulikpumpe
Ipv 6/-125/ 111 Pumpe H56.958020
M18x1,5-140 Grad
H68.730110 Pumpe Ipvw 3/-8/ 101
250.012793100it
Wegeschieber 4/3,(Ex Wsr-D24115)
Ipv 4/-13/ 471 Pumpe
7559523 Turbokupplung 562 Tvc
H56995120 Pumpe Ipv 6-125 20 S/N 0002799199/1045
Thl9101290010
Iph-3-10601
H90.466510
Repair Kit (Seals Of All Kinds, Membranes, Etc.) For The Pump Iph 5-40 101
307.02403110
44.346.21.116
487 Tvng (Filler Plug 0390)
Ipv 7/7/7-200/200/200 713 Innenzahnradpumpe
We01-4l100z24/0h Valve
Ipv 5-40 151 Hydraulic Ducting Pump
Ipv 3-6,3-101 Zahnradpumpe Mit Innenverzahnungen
250.00819911 /Dk124,5-3-6r Valve
Tcr.10499540
Mts Em 61d Material Nr.: Tcr11960720
L.28 307000508
91868590
Ds100-P0-300-S-P Pressure Sensor For Piercing Press
Tcr.91263600 Dichtungssatz Dsg Bxxx2
H68.651910
Pumpe 4-20 171
80001029

Repair Kit (Seals Of All Kinds, Membranes, Etc.) For The Pump Iph/4/20
Ipps 7/-125/ 111 Pumpe Voith Material-Nr.: 159.00171010
Thl.1443400110 4/3-Wegeventil Hydr. Wem04.2-6b100-4la3*
Lager 0501/0010 Tcr.40701280
Ipp/V 7/7-200/160-713 Innenzahnradpumpe
58.491.11/12 Ot/00470
01.1527.42 Ot/00218
Tcr11074890 Elastic Epk Block
31.9509.060
Ring Tcr.03658018 0101/0010/0030/0030
Ipp 3-3,5 101 Zahnradpumpe Mit Innenverzahnungenvoith Material-Nr.: 159.00616710
Iph4-32-1-0-1 Pumpe Turbo H+I
H58.552714 Iph 4-20 101innenzahnradpumpe
Thl.7900200012 0012 Cnc/Plc Sst Pcu3l-A Profibus
Ipp 6/-125/470 Hydraulic Volume-Rotor Pump
6841498
00972051
Ev-A019 997 83 48 O-Ring
Ipp 5-64 101á;
Ipp 5- 40-151 Pump Voithh68.6805.10
Ipp 4/3-32/3,5 271 Innenzahnradpumpe
Ipp5-64cc
Ipp 5/-40/ 101 Pumpevoith Material-Nr.: H68.531510
Sr-P160
159.00084610 Pumpe Ipps /4-/20
Nj 10-22-N-E93á;
9-0024
30.3063.0360.62
Pumpe Ipp 7/114-200/...-410
Thl.148410 Wegeventil Hydr. We04- 6p105e24/0hn
H90.448110