

Vortice



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Vortice Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Vortice T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
axial fan	Please do not forget to send TDS documents with the product. - 70Ps(Pa)/1400 m ³ /h - Ex proof (At least Ex II 3G Ex IIC T1 will be featured) - We prefer the outer dimension of the mounting plate 40x40cm
253320106XN	CMS ATEX 25/10 - 4 T Ex h IIB T3 Gc 0.75 kW ATEX radial fan with direct drive Ex h IIB T3 Gc, galvanized steel, Polyester powder coating, color blue, radial impeller made of aluminum with forward-curved blades, spark-free inlet nozzle made of Copper/Aluminum, Atex certified asynchronous induction motor Ex ec IIC T3 Gc, 400V~50Hz, Single Phase, 4 Pin, Max. 750W, Max. 2.1A, max. 2,830 m ³ /h, max. 378 Pa, max. 1,410 rpm, LP max. 59 dB(A) -6m, protection class IP55, protection class I, insulation class F, max. Ambient temperature -20°C to +40°C, motor ball bearing, standard housing position LG270
11422	
02-0319-4	
17002	
02-0319-8	
1s160 (Ex R 160)	
M 150/6	
Trt 50 Ed 4p	
11975 T Hcs	
02-0319-13	
02-0320-2	
17006	
17007 Lineo 200q Mixvent-Ventilator, 230v,	

02-0320-1
11975 T-Hcs
02-0319
1.529.001.042
11970 / Vort Max S 100/120mm
02 0319 5
02-0319-5
300/12 Ar LI S
1.325.000.495
St 75 (Ex 160/60)
12941 Cr5n 5-Stufen Trafo 100 W
2200 M3
2.644.000.101
02-0319-10
02 0319 10
02-0319-6
12415
02 0319 2
M100/4
02-0319-11
12415 300/12 Ar LI S
Lineo 100
02-0319-12
02-0319-3
61640
02 0319 8
T1500
370m3/H Ventilation Fan,Window Type
22386
02-0319-7
02-0320-3

[02 0319](#)

[02-0319-9](#)

[02-0319-2](#)

[12955](#)

[02 0319 12](#)