



## Voss

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Voss** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Voss Trkiye Distribtr veya temsilcisi deŐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Purg-O-Mat Va</a>	- Automatic float bleeder made entirely of stainless steel V4A (CrNi 1.4571), max. 10 bar to 150 °C. mech. stainless steel float, - automatic float air vent completely made of stainless steel AISI 316Ti(CrNi1.4571) Maximum: 10bar - 150°C (227 PSI), Connection thread: G 3/8" male - Purgeur automatique d`air à flotteur "grand debit" fabriqu compltement en acid inoxidable AISI 316Ti (CrNi 1.4571) Art nr. 10150
<a href="#">EVT30SOMDZN</a>	VSO-01468 Adjustable T-screw connection
<a href="#">30S-8SOMD</a>	Reduction screw connection
<a href="#">15L-G1/2"</a>	Setting angle
<a href="#">SV 246 NG12 - ID10 Nylon Material-Adblue Line 90 °</a>	Automatische Verbindung mindest Bestellmenge angeben Bitte
<a href="#">SV 246 NG8 - ID8 Nylon Material-Adblue Line 90 °</a>	Automatische Verbindung mindest Bestellmenge angeben Bitte
<a href="#">SV 241 5/16 "- ID 8 Nylon Material-Adblue Line</a>	90 ° Automatic Union mindest Bestellmenge angeben Bitte
<a href="#">SV 241 3/8 "- ID10 Nylon Material-Adblue Line</a>	90 ° Automatische Verbindung mindest Bestellmenge angeben Bitte
<a href="#">RD516</a>	Check Valve / WATER COVER 1
<a href="#">RD512</a>	Check Valve / WATER COVER 1
<a href="#">RDL28</a>	Check Valve / WATER COVER 1
<a href="#">RDL42 (WITHOUT SPRING)</a>	Check Valve / WATER COVER 1

<a href="#">VSO-01373 (0148842074)</a>	KOR20 / 08SOMDZN Reducing connection
<a href="#">VSO-01025 (0137302066)</a>	SV22LOMDZN Straight bulkhead connector
<a href="#">VSO-00918 (0734302000)</a>	T22LZNX T-connector
<a href="#">VSO-00928 (0734802000)</a>	T20SZNX T-connector
<a href="#">VKO-01075 (0177912007)</a>	EVGE08SREDZN Screw-in socket with seal
<a href="#">VSO-00903 (0720552000)</a>	W08SZNX Shop struts
<a href="#">VSO-01486 (0162832007)</a>	EVL20SOMDZN Adjustable L - screw connection
<a href="#">VSO-00923 (0734552000)</a>	T08SZNX T-connector
<a href="#">DGGES 08-LR</a>	Ger. Einrast.-Drehverschr. AX-DG-GR.1 8LR 1/4 "AG
<a href="#">VSO-00138</a>	RHD12SOMDZN Check valve - 1bar opening pressure 24-VNRO-S12 Your item number: 0600142081
<a href="#">RVP 24</a>	
<a href="#">VOSS56</a>	
<a href="#">VOSS34</a>	
<a href="#">vent valve Purgomat Voss 3/8"</a>	external thread
<a href="#">24-BV10R-L6-C19</a>	Artikelnummer: 0031001900
<a href="#">24-BV10CO-L8x1-C19</a>	Artikelnummer: 0034059900
<a href="#">24-BV10SO-L6x1-C19</a>	Artikelnummer: 0033009900
<a href="#">DC-SDS-TPC1-N1/4T-SCV</a>	Artikelnummer: 5680225000
<a href="#">DC/24-SWOL-S16-TPC1-S16-SCV</a>	Artikelnummer: 5680375081
<a href="#">0605032000</a>	
<a href="#">100175015</a>	
<a href="#">100175128</a>	
<a href="#">100180210</a>	
<a href="#">100184808</a>	
<a href="#">10926188</a>	
<a href="#">10926189</a>	
<a href="#">5690999281</a>	
<a href="#">81981816236</a>	
<a href="#">KDS 320-1-1-2</a>	
<a href="#">KDS 640-1-1-2</a>	

<a href="#">VO XWV 08-S</a>	shuttle valve WV08SOMD - 5690999281
<a href="#">2055102052</a>	D10-MALE STUD TUBE CONNECTO Ø 10x1 mm
<a href="#">2066062000</a>	D15-MALE STUD TUBE CONNECTOR Ø 15x1.5 mm
<a href="#">2055492052</a>	D6-MALE STUD TUBE CONNECTO Ø 6x1 mm
<a href="#">2055102052</a>	D6-MALE STUD TUBE CONNECTOR Ø 6x1 mm
<a href="#">0004206000</a>	DIN 24 ° - L 15 - M22x1.5 Ø 15x1.5 mm
<a href="#">0011206039</a>	ES4 TYPE - L15- CUTTING RING Ø 15x1.5 mm
<a href="#">2050012100</a>	FLARE 90° - L 10 - 11/16-16 Ø 10x1 mm
<a href="#">2066062000</a>	FLARE 90° - L 15 - 1-14 Ø 15x1.5 mm
<a href="#">2050032100</a>	FLARE 90° - L 15 - 1-14 Ø 15x1.5 mm
<a href="#">2050002100</a>	FLARE 90° - L6 - 9/16-18 Ø 6x1 mm
<a href="#">2066022000</a>	FLARE 90° TYPE - L10- CUTTING RING Ø 10x1 mm
<a href="#">2066062000</a>	FLARE 90° TYPE - L15- CUTTING RING Ø 15x1.5 mm
<a href="#">2066002000</a>	FLARE 90° TYPE - L6- CUTTING RING Ø 6x1 mm
<a href="#">2066022000</a>	FLARE 90° TYPE - L6- CUTTING RING Ø 6x1 mm
<a href="#">0041602058</a>	FLARED CONNECTING PARTS - L6 Ø 6x1 mm
<a href="#">1142052058</a>	MAVE08LR
<a href="#">1158082058</a>	
<a href="#">1158082058</a>	EW08LVITOMD Adjustable elbow fitting 24-SW OE-L8-P
<a href="#">3/8" Vent Valve Purgomat 316L</a>	
<a href="#">462774</a>	ESV22LX - 0741300000 VO XESV 22-L Customs tariff number 7307 9319 Net weight kg 0.399
<a href="#">461701</a>	AS22LX - 0739300000 VO XAS 22-L Straight welding sockets Series: L Tube diameter: 022 Customs tariff number 7307 9319 Net weight kg 0.194
<a href="#">0602392081</a>	RHV42LREDOMD
<a href="#">0602352081</a>	RHV18LREDOMD
<a href="#">7000313800</a>	HF/37-S-6-DN06
<a href="#">461149</a>	EVW16S - 0158772007 VO EVW 16 hp Adjustable elbow fitting Series: S Tube diameter: 016
<a href="#">184371/96</a>	COUPLINGS (STEEL)30X4 B.S.P
<a href="#">460402</a>	Alternative item EVW16SOMD - 0158782007 VO XEVW 16 hp Adjustable elbow fitting Series: S Tube diameter: 016

Alternatively without nut and cutting ring	
<a href="#">602352</a>	HYD.CHECK VALVE
<a href="#">602392</a>	
<a href="#">462499</a>	RHV18LREDOMD - 0602352081 VO XRHV 18-LR 1/2" "ED" Standard Gewinde R¼ckschlagventil Baureihe: L Rohrdurchmesser: 018
<a href="#">462503</a>	RHV42LREDOMD - 0602392081 VO XRHV 42-LR 1 1/2" "ED" Standard Gew. R¼ckschlagventil Baureihe: L
<a href="#">463613</a>	BOE ETK S 12x2.0 - 0033679900 VO BOE ETK S 12x2.0 - 24/20 degrees flare fittings Row S completely
<a href="#">463614</a>	BOE ETK S 16x2.0 - 0033779900 VO BOE ETK S 16x2.0 - 24/20 Grad Flare-Armaturen Reihen ganz und gar
<a href="#">463615</a>	BOE ETK S 16x2.5 - 0033789900 VO BOE ETK S 16x2.5 - 24/20 degrees flare fittings Row S completely
<a href="#">463044</a>	BOE ETK S 20x3.0 - 0033839900 VO BOE ETK S 20x3.0 - 24/20 degrees flare fittings Row S completely
<a href="#">463070</a>	BOE ETK S 25x3.0 - 0033879900 VO BOE ETK S 25x3.0 - 24/20 degrees flare fittings Row S completely
<a href="#">462717</a>	BOE ETK S 25x4.0 - 0033889900 VO BOE ETK S 25x4.0 - 24/20 degrees flare fittings Row S completely
<a href="#">463617</a>	BOE ETK S 38x4.0 - 0033979900 VO BOE ETK S 38x4.0 - 24/20 degrees flare fittings Row S completely
<a href="#">463037</a>	BOE ETK S 38x5.0 - 0033989900 VO BOE ETK S 38x5.0 - 24/20 degrees flare fittings Row S completely
<a href="#">463613</a>	BOE ETK S 12x2.0 - 0033679900 VO BOE ETK S 12x2.0 - 24/20 degrees flare fittings Row S completely
<a href="#">460158</a>	G12SX - 0712652000 VO XG 12-S Straight fitting Series: S Tube diameter: 012
<a href="#">460405</a>	G16SX - 0712752000 VO XG 16-S Straight fitting Series: S Tube diameter: 016
<a href="#">463615</a>	BOE ETK S 16x2.5 - 0033789900 VO BOE ETK S 16x2.5 - 24/20 degrees flare fittings Row S completely
<a href="#">460434</a>	G20SX - 0712802000 VO XG 20-S Straight fitting Series: S Tube diameter: 020
<a href="#">463044</a>	BOE ETK S 20x3.0 - 0033839900 VO BOE ETK S 20x3.0 - 24/20 degrees flare fittings Row S completely
<a href="#">461594</a>	G25SX - 0712852000 VO XG 25-S Straight fitting Series: S Tube diameter: 025
<a href="#">462717</a>	BOE ETK S 25x4.0 - 0033889900 VO BOE ETK S 25x4.0 - 24/20 degrees flare fittings Row S completely

<a href="#">461599</a>	G38SX - 0712952000 VO XG 38-S Straight fitting Series: S Tube diameter: 038
<a href="#">463037</a>	BOE ETK S 38x5.0 - 0033989900 VO BOE ETK S 38x5.0 - 24/20 degrees flare fittings Row S completely
<a href="#">DELAYED RECORD M16X1.5</a>	
<a href="#">DELAYED RECORD M22X1.5</a>	
<a href="#">ELBOW RECORD VOSS 230 TYPE 8X6 KM LARGE MODEL 15MM</a>	
<a href="#">ELBOW RECORD VOSS 230 TYPE 12X9 BM</a>	
<a href="#">HOSE NIPPLE VOSS 230 TYPE 12X9</a>	LARGE FOR BM 12X9 HOSE MODEL
<a href="#">RD S 12</a>	
<a href="#">RV S16-G1/2"</a>	
<a href="#">RD S 25</a>	
<a href="#">RV S25-G1"</a>	
<a href="#">M22x1.5 L15(VOSS 5690983281</a>	
<a href="#">246 quick disconnect</a>	Ø 16
<a href="#">463586</a>	ES-4VA 42L - 0011456039 VO ES-4VA 42L Cutting ring ES-4 stainless steel Series: L Pipe diameter: 042
<a href="#">461422</a>	RHD16S - 0600162007 VO RHD 16-HP check valve Series: S Pipe diameter: 016
<a href="#">GE08LMEDOMD - 0784402000</a>	VO XGE 08-LM 12x1.5 "ED" standard wt. Straight screw connection Size: M12x1.5 Series: L Pipe diameter: 008
<a href="#">EW08LOMDVIT - 1158082058</a>	VO XEW 08-L with Viton O-ring Adjustable angle screw connection Series: L Pipe diameter: 008
<a href="#">GE12SMEDOMD - 0784522000</a>	VO XGE 12-SM 18x1.5 "ED" St. Thread Straight screw connection Size: M18x1.5 Series: S Pipe diameter: 012
<a href="#">461987</a>	WH18LMKDSOMD - 1155262081 VO XWH 18-LM 22x1.5 "KDS" standard wt. Angle - swivel screw connection Pipe diameter: 018 Series: L
<a href="#">461981</a>	WH12LMKDSOMD - 1155162081 VO XWH 12-LM 16x1.5 "KDS" standard wt. Angle - swivel screw connection Pipe diameter: 012 Series: L
<a href="#">WC46-9G848-B-PIA-09</a>	
<a href="#">463616</a>	BOE ETK S 30x4.0 - 0033939900 VO BOE ETK S 30x4.0 - 24/20 degrees Flared connection parts Series S complete
<a href="#">463616</a>	BOE ETK S 30x4.0 - 0033939900 VO BOE ETK S 30x4.0 -

24/20 degrees Flared connection parts Series S complete	
<a href="#">5246027500</a>	
<a href="#">5-246-031200</a>	
<a href="#">555965</a>	FI-RV-12S-W3-1 ST XRHD 12-S Check valve
<a href="#">DPR 25-S</a>	COMPRESSION BRACELET
<a href="#">M 25-S</a>	TIGHTENING NUT DIAMETER: 25 MM.
<a href="#">0 1 72 95 20 07</a>	
<a href="#">5203110000</a>	
<a href="#">20s-Es4-Te</a>	
<a href="#">4sp10-Mm10nm10-1-4100</a>	
<a href="#">Hp20-0-Rt001</a>	
<a href="#">100183013, Kds 640-1-1-2 55 2000 0000</a>	
<a href="#">110752007</a>	
<a href="#">81.98183.6114 No: 5232000000</a>	
<a href="#">24-Vnrotph-S10-G3/8e</a>	1604432081 Voss check valve
<a href="#">Td-Crpt-L8-M 5993955000</a>	
<a href="#">81.98183.6115 No: 5232000100</a>	
<a href="#">Voss 24°</a>	VOSS 24 ° Konizitätsmessgerät
<a href="#">8s-Es4</a>	
<a href="#">5203110100</a>	
<a href="#">Kr.B1290.131p0006</a>	
<a href="#">Td-Crpt-L12-M 5993957000</a>	
<a href="#">255465 Wv08somb</a>	
<a href="#">1/8\"g-8l</a>	
<a href="#">0242315000</a>	
<a href="#">5994677050</a>	
<a href="#">Vo066001326-3/8</a>	
<a href="#">0 1 49 07 20 00</a>	
<a href="#">600132</a>	
<a href="#">06203020000</a>	

<a href="#">Hp10-0-Rt004</a>
<a href="#">112002007</a>
<a href="#">5 9 94 67 70 50</a>
<a href="#">6.1/1/640/1/1/2,520002 Replaced By 100183013</a>
<a href="#">10046</a>
<a href="#">1 06 05 20 07</a>
<a href="#">Fh10-2-Igf08va</a>
<a href="#">112801/ 93</a>
<a href="#">Corner Fitting Pipe F14h2 With Male Thread 1/2 Quot;Npt, Pn = 350bar, Tmax = 270 Degrees Celsius, Aisi 3</a>
<a href="#">1-10-05-20-07</a>
<a href="#">M-1/2\"g-H-1/4\"-G</a>
<a href="#">177601 38 Mm.(R 1 1/2") Stud/Standpipe Adaptor</a>
<a href="#">255465 Wv08somb Wechselventil Ohne ¼berwurfmuttern Und Schneidringe</a>
<a href="#">189331</a>
<a href="#">01 10 75 20 07</a>
<a href="#">1/2\"g-T</a>
<a href="#">5 2 46 04 04 59</a>
<a href="#">100183013</a>
<a href="#">P/N: 5520002000 Type: Kds640-1-1-2</a>
<a href="#">0241135000</a>
<a href="#">A 960 420 00 40 6.11</a>
<a href="#">M 16 S</a> Voss union nut
<a href="#">M. Bsp 1\" - Tube D28 Acier 1 1 65 38 20 00</a>
<a href="#">10010052000</a>
<a href="#">1-18-05-20-07</a>
<a href="#">5520 001 000 Obsolete Pressure Switch Kds320-1-1-2</a>
<a href="#">Kds-100-1-1-5520000000 (4.004.018)</a>

<a href="#">0110622007</a>	
<a href="#">0 0 70 68 99 00</a>	
<a href="#">Vka 16 S</a>	Voss sealing plug
<a href="#">0242345000</a>	
<a href="#">K15491021</a>	
<a href="#">158772007</a>	
<a href="#">0240055000</a>	
<a href="#">1/4" g-8s</a>	
<a href="#">5246026200</a>	
<a href="#">0 1 58 67 20 07</a>	
<a href="#">8s-Es4-T</a>	
<a href="#">118752007</a>	
<a href="#">0060369000</a>	
<a href="#">463569 Wv12somb</a>	
<a href="#">5203100300</a>	
<a href="#">Voss 16-65 Mm</a>	
<a href="#">01-10-16-20-07</a>	
<a href="#">5 2 46 03 12 00** Elbpw Plugs-System</a> <a href="#">246 Standart</a>	
<a href="#">1/2" g-20s</a>	
<a href="#">Ff10-0-Rt001</a>	
<a href="#">0 1 72 92 20 07</a>	
<a href="#">81.98181.6236 No: 5203014470</a>	
<a href="#">Rhv 10 Lr-Ed 1 Bar</a>	Voss check valve RHV 10 LR-ED 1 BAR
<a href="#">5246027100 -25000</a>	
<a href="#">Voss Td-Tib</a>	VOSS TD-TIB Nippel-Zahnmessgerät
<a href="#">Seos-38-Mdk</a>	
<a href="#">R0112-Mo12no12-4500</a>	
<a href="#">0 1 72 96 20 07</a>	
<a href="#">Kds-320-1-1-2- 552000100 (4.004.018)</a>	
<a href="#">20s-Es4-C</a>	



<a href="#">5 2 46 02 26 00</a>	
<a href="#">5994678050</a>	
<a href="#">685774</a>	
<a href="#">106001</a>	
<a href="#">81981256120</a>	Fixing Plate Control Connection
<a href="#">20s-16s</a>	
<a href="#">16-65 Mm</a>	
<a href="#">112801/ 93 Straight Coupling</a>	
<a href="#">177601 38 Mm.(R 1 1/2quot;)</a>	
<a href="#">5520 001 000 Obsolete</a>	
<a href="#">463569 Wv12somb Wechselventil Ohne Überwurfmuttern Und Schneidringe</a>	
<a href="#">Kds 100-1-1-2</a>	
<a href="#">5246027900</a>	
<a href="#">Vo066001326-1/4</a>	
<a href="#">5246027200-25000</a>	
<a href="#">033799</a>	
<a href="#">Gp-Kds-640-1-1-5520002000</a>	
<a href="#">305382007</a>	
<a href="#">5 2 46 02 58 00 Elbow Plugs-System 246 C-Clip</a>	
<a href="#">5520002000</a>	
<a href="#">189361</a>	
<a href="#">20s-Es4-T</a>	
<a href="#">Purg-Inox 2000</a>	
<a href="#">S-10</a>	
<a href="#">6.1/1/640/1/2/0</a>	
<a href="#">S-12 A 1/4g</a>	
<a href="#">Rhz 10 Lr-Ed 1 Bar</a>	Voss check valve RHZ 10 LR-ED 1 BAR
<a href="#">033799 Flare Connection Part Complete</a>	
<a href="#">100183013 Druckschalter</a>	
<a href="#">1-12-05-20-07</a>	

<a href="#">Typ 80 N2/ Typ 80n</a>	
<a href="#">24-Vnrohp-S10</a>	1600132081 Voss check valve
<a href="#">5 9 94 67 80 50</a>	
<a href="#">5520000000</a>	
<a href="#">117102000</a>	
<a href="#">Td-Crpt-L15-M 5993958000</a>	
<a href="#">Kds 640-1-3-2 Obsolete/Replaced By</a> <a href="#">Gp-Kds-640-1-1-5520002000</a>	
<a href="#">86663e</a>	
<a href="#">4sp12-Mp12np12-1-4000</a>	
<a href="#">Es4-S-14</a>	