

W. Gessmann



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

W. Gessmann Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız W. Gessmann Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
W1015858-010	Gear limit switch GE1 GE1-50-4-U5-4x176 ° Customs tariff number: 85371098 Gear limit switch GE1 4 contacts 2A 250VAC15 Processing 4x176 ° Gear 50: 1 Housing U17 / 13 IP 65 dimensions 3/200/201 Type UGE1-50-4-U5-4x176 °
PW2307902-20	
V14LB6KS8-04Z+02Z-A150+A060 KHOA/58	Compound drive V14 5142200109 Customs tariff number: 85371098 B6 with latch button Switching direction 1-2 return spring 6-0-6 8 contacts 2A 250VAC15 processing 26-0 (Mount 2 contacts in SR3 and 6 contacts in SR 4) Switching direction 3-4 return spring 2-0-2 4 contacts 2A 250VAC15 processing MS 22-0 (Mount 4 contacts in SR1) open IP 00
W1015828-020	Gear limit controller GE1 GE1-104-8-U7-X-8x176 ° KHS / 2800 Customs tariff number: 85371098 Gear limit switch GE1 8 contacts 24V Program discs 8x176 ° Gearbox 104: 1 Key 22x4 Housing U16 / 20 IP 65 dimensions 3/200/201 Type UGE1-104-8-U7-X-8x176 °
VV64R	
5132300047	
5209900023	
5209900380	
5300001697	
5300002500	
5300004729	
5500000061	

A306732	
V61.1LD-03RP-A99-P443	
V64.1R-04R-A140	
V64RP-04+04R-A140	
VV64LH-03Z+02ZP-A110-A050P445	
W1014217-010	
W1014662-010	
W1014662-020	
W1016633-010	
W1103463-010	
W1320760-010	
BV8LPB2-3ZPP+3ZP+2x1ZP-X-P99A051P99 KHL/3952	5130200096 Compound drive V8 Connection plan: EP/269-11 with adjustable palm grip B2 SH135 Switching angle +/-30, +/-20 degrees, cross gate Switching direction 1-2 return spring 1-0-1 1 potentiometer T553, 10kOhm with directional contacts 1 potentiometer T603, 2x5kOhm Switching direction 3-4 return spring 1-0-1 3 contacts 2A 30VDC settlement MSP 21-1. Burgess GP 1 potentiometer 2 KOhm T 244 0.8W 1mA Switching direction 15-16 return spring 1-0 2 contacts 2A 30VDC settlement MSP 11 2 potentiometers 5 KOhm T 301 0.8W 1mA with 2 series resistors 1.8 KOhm in A+E wired with 2*Liyçyk 16x0.5 qmm 250mm long to 2* 15-pin AMP connector Mate N Lok with pins according to connection plan EP/269-11 2 screw connections PG 16 Housing IP 65 dimensions 1/130/131 Shape BV8PB2-3ZPP+3ZP+2x1ZP-X Successor to item no. 4366052;Part No.10928-120 Interface to the customer completely identical to EP/05-274
5100300076	Compound drive V62 left V62L-00+00 Customs tariff number: 85371098 without master switch
5110200008	Link drive V11 left V11LPD-01ZP+01ZP-A05P324 KHN/111 Customs tariff number: 85371098 with cross backdrop Ball grip and push button Switching direction 1-2, return spring 1-0-1 2 contacts 6A 250VAC11, settlement MSP 21 1 potentiometer 2x5 KOhm T 365 0.1W <1mA Switching direction 3-4, return spring 1-0-1 2 contacts 6A 250VAC11, settlement MSP 21 1 potentiometer 2x5 KOhm T 365 0.1W <1mA open IP 00 dimensions 1/111 like serial nr. 9807421
V11.1rb22-1-5d-02zc-X-A0500c01 Khn/135	5300005300 Compound drive V11 right Connection diagram: - B22 handle with attachment on the left 5 push buttons pos. 5 - yellow; Pos. 6 - black; Pos. 7- green; Pos. 8- red; Pos. 9 - blue Switching direction 1-2, return spring 4-0-4 4 contacts 2A 250VAC 15, processing MSP21-00 1 OEC 2-1-1 with 12 meter cable and plug open IP 00, dimensions 1/110/111
080 2862 / 20	

W1103721-030	Composite drive V64 left V64L + 05Z-05Z-0,107,231 / 1 Customs tariff no .: 85371098 Switching direction 1-2 return spring 4-0-4 10 contacts 2A 250VAC15 Unprogrammed processing Switching direction 3-4 Return spring 4-0-4 10 contacts 2A 250VAC15 Unprogrammed processing open IP 00 Dimensions 1/150/151 Form V64L-05Z + 05Z-0107231/1
061 5813 / 20 - 3 / 06460812 / An 1511z07 - 054 005 / Joystick	
Wire Potentiometer T1420	Wire potentiometer T1420 2 x 5.0 kohms 2 x 5.0 kohms Customs tariff no .: 85333100 Lifetime 10 ^ 6 operations 2 watts max. Wiper current 10 mA with connection board EP / 290 and mating connector
071 6051 / 10 - 2	
Model: V11rp-B22ar-5d-02zc+o2zc- A050c01 Khn/134	5300004906 Compound drive V11 left Connection diagram: Customs tariff number: 85371098 Cross backdrop Ball handle B22-2 5 push buttons, item 5 red, 6 black, 7 yellow, 8 green, 9 blue Switching direction 1-2 return spring 4-0-4 4 contacts processing MSP 21-00 with encoder OEC 2-1-1 8 bit gray code and 8 meter cable Switching direction 3-4 return spring 4-0-4 4 contacts processing MSP 21-00 with encoder OEC 2-1-1 8 bit gray code and 12 meter cable
V64-Lt-01zp+01zp	SAFETY RANGE ONE CONTACT 4 DIRECTION