

## Walther Praezision

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Walther Praezision** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Walther Praezision Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">HP-010-0-S1624-12-1</a>	WALTHER self sealing coupling, type HP-010, DN 10, with connection M 24x1,5 AG according to DIN EN ISO 8434-1 series S, material: steel black oxide finish (partially hardened), seals: NBR
<a href="#">HP-020-0-S2536-12-1</a>	WALTHER self sealing coupling, type HP-020, DN 20, with connection M 36x2 AG, according to DIN EN ISO 8434-1 series S, material: black oxidised steel (partially hardened), seals: NBR
<a href="#">LP-012, DN 12</a>	WALTHER plug-in nipple, type LP-012, DN 12, with pipe thread Connection G 1/2 A, material: galvanized steel Order number: LP-012-1-WR021-11
<a href="#">LP-019, DN 19</a>	WALTHER locking nipple, type LP-019, DN 19, with pipe thread Connection G 3/4, material: galvanized steel, seals: NBR Order number: LP-019-2-WR526-11-1

<a href="#">Type LP-012, DN 12</a>	WALTHER locking nipple, type LP-012, DN 12, with pipe thread Connection G 1/2, material: galvanized steel, seals: NBR Order no .: LP-012-2-WR521-11-1
<a href="#">110866</a>	
<a href="#">115053</a>	
<a href="#">115460</a>	
<a href="#">115541</a>	
<a href="#">115613</a>	
<a href="#">115625</a>	
<a href="#">126794</a>	
<a href="#">126795</a>	
<a href="#">126802</a>	
<a href="#">126803</a>	
<a href="#">126813</a>	
<a href="#">126814</a>	
<a href="#">14651</a>	
<a href="#">15063</a>	
<a href="#">31604</a>	
<a href="#">31754</a>	
<a href="#">31966</a>	
<a href="#">31991</a>	
<a href="#">31994</a>	
<a href="#">31997</a>	
<a href="#">35004</a>	
<a href="#">37854</a>	
<a href="#">38215</a>	
<a href="#">38218</a>	
<a href="#">41000</a>	
<a href="#">41001</a>	
<a href="#">41155</a>	
<a href="#">42001</a>	
<a href="#">46001</a>	

<a href="#">46687</a>
<a href="#">500183</a>
<a href="#">500371</a>
<a href="#">500662</a>
<a href="#">502535</a>
<a href="#">65807</a>
<a href="#">69011</a>
<a href="#">69202</a>
<a href="#">69204</a>
<a href="#">69354</a>
<a href="#">69358</a>
<a href="#">74170</a>
<a href="#">7613</a>
<a href="#">8057</a>
<a href="#">8223</a>
<a href="#">91489-B-00075-AAAA-Y10-MA</a>
<a href="#">92004</a>
<a href="#">95285-B-10019-46-2-T05-MB-FL</a>
<a href="#">95285-B-10037-AAAA-Z21-MA-E00047</a>
<a href="#">95285-B-40019-46-2-Z05-MA</a>
<a href="#">95285-B-40037-AAAA-Z21-MA-E00047</a>
<a href="#">LP-004-0-WR510-11-1</a>
<a href="#">LP-004-2-WR510-11-1</a>
<a href="#">LP-007-0-SL013-21-4</a>
<a href="#">LP-019-1-WR026-21</a>
<a href="#">MD-006-0-WR017-01-1-GL</a>
<a href="#">MD-006-2-WR017-01-1-GL</a>
<a href="#">Z035113000</a>
<a href="#">1/2" LP-012-0-WR021-21-1</a>
<a href="#">1/2" LP-012-2-WR021-21-1</a>
<a href="#">3/8" LP-006-0-WR017-21-1</a>

<a href="#">3/8" LP-006-2-WR017-21-1</a>	
<a href="#">LP-019-2-WR033-11-1</a>	WALTHER sealing nipple, type LP-019, DN 19, with pipe thread connection G 1 A, Material: Galvanized steel, seals: NBR
<a href="#">57-G06-0-XX001-07-2</a>	WALTHER Clean-Break self-locking coupling, Type 57-G06, DN 6, Connection M14x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
<a href="#">57-G06-2-XX002-07-2</a>	WALTHER Clean-Break sealing nipple, Type 57-G06, DN 6, Connection M 12x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
<a href="#">57-G08-0-XX001-07-2</a>	WALTHER Clean-Break self-locking coupling, Type 57-G08, DN 8, Connection M18x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
<a href="#">57-G08-2-XX002-07-2</a>	WALTHER Clean-Break sealing nipple, Type 57-G08, DN 8, Connection M14x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
<a href="#">57-G12-0-XX001-07-2</a>	WALTHER Clean-Break self-locking coupling, Type 57-G12, DN 12, Connection M22x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
<a href="#">57-G12-2-XX002-07-2</a>	WALTHER Clean-Break sealing nipple, Type 57-G12, DN 12, Connection M20x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
<a href="#">SP-006-2-SL006-11-1</a>	WALTHER sealing nipple, type SP-006, DN 6, with hose connection 6 mm, material: galvanized steel, seals: NBR
<a href="#">LP-007-0-WR017-22-1</a>	Sealing coupling, type LP-007, DN 7, with pipe thread connection G 3/8 A, Material: Chrome-plated brass, seals: NBR
<a href="#">LP-019-0-WR033-11-1</a>	WALTHER self-locking coupling, type LP-019, DN 19, with pipe thread connection G 1 A, Material: Galvanized steel, seals: NBR
<a href="#">LP-019-0-WR533-11-1</a>	WALTHER self-locking coupling, type LP-019, DN 19, with pipe thread connection G 1, Material: Galvanized steel, seals: NBR
<a href="#">1" Quickcuplin LP-019-0-WR533-.-.   BSPP 1"</a>	
<a href="#">LP-019-0-WR533-11-1</a>	WALTHER-Verschlusskupplung, Type LP-019, DN 19, mit Rohrgewindeanschluss G 1, Werkstoff: Stahl verzinkt, Dichtungen: NBR
<a href="#">EC-006-2-WR017-13-2-P020</a>	WALTHER sealing nipple, type EC-006, DN 6, for multi-coupling installation, for Plate thickness 20 mm, with pipe thread connection G 3/8 A, Material: chemically nickel-plated steel, seals: FKM,
<a href="#">LP-019-2-WR533-21-1</a>	WALTHER sealing nipple, type LP-019, DN 19, with pipe thread connection G 1, material: passivated brass, seals: NBR
<a href="#">11-012-2-WR526-AAAA</a>	55954 WALTHER high-temperature sealing nipple for heat transfer oil, type 11-012, DN 12, with pipe thread connection G 3/4, Material and seal design: Steel burnished (partially

	hardened) with HTGRA seal combination (up to max. 310 °C)
<a href="#">LP-019-1-WR526-01</a>	7851 WALTHER plug-in nipple, type LP-019, DN 19, with pipe thread connection G 3/4, Material: Stainless steel 1.4404/1.4571 or equivalent
<a href="#">HP-010-2-S1624-13-2</a>	74172 WALTHER sealing nipple, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
<a href="#">HP-010-0-S1624-13-2</a>	74171 WALTHER self-locking coupling, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
<a href="#">HP-016-0-S2030-13-2</a>	88457 WALTHER self-locking coupling, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
<a href="#">HP-016-2-S2030-13-2</a>	88456 WALTHER sealing nipple, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
<a href="#">Nippel-Schnellkupplung</a>	M88X1-□4
<a href="#">MD-007-0-DV010-19-1</a>	WALTHER coupling, type MD-007, DN 7, with bulkhead connection M 16x1.5, material: galvanized/blackened steel (partially hardened), seals: NBR
<a href="#">MD-007-2-L1016-19-1</a>	WALTHER locking nipple, type MD-007, DN 7, with M 16x1.5 male connection according to DIN EN ISO 8434-1 series L, material: galvanized/blackened steel (partly. hardened), seals: NBR
<a href="#">HP-016-0-WR526-12-2</a>	65163 Type HP-016, DN 16 with pipe thread connection G 3/4, material: burnished steel (partially hardened), seals: FKM
<a href="#">72-006-0-S1018-13-2-Z24</a>	WALTHER locking coupling, type 72-006, DN 6, in special version: Z24, with connection M 18 x 1.5 AG according to DIN EN ISO 8434-1 series S, material: chemically nickel-plated steel, Seals: FKM
<a href="#">SP-006-0-LV008-11-1</a>	WALTHER coupling, type SP-006, nominal width: DN 6, connection: Bulkhead connection M 14x1.5 Material: galvanized steel, seals: NBR
<a href="#">QUICK LP-019-0-WR33-11-2 Femal</a>	
<a href="#">QUICK LP-019-2-WR33-11-2 Male</a>	
<a href="#">7-113-147788</a>	Connection cable T-coded 4-pin
<a href="#">LP-007-0-L1016-11-2-OV</a>	501418 WALTHER coupling, type LP-007, DN 7, with connection M 16x1.5 AG according to DIN EN ISO 8434-1 series L, Material: galvanized steel, seals: FKM, Additional equipment: without valve
<a href="#">LP-007-2-L1016-11-2-OV</a>	500699 WALTHER locking nipple, type LP-007, DN 7, with connection M 16x1.5 AG according to DIN EN ISO 8434-1 series L, Material: galvanized steel, seals: FKM, Additional equipment: without valve

<a href="#">LP-019-0-WR533-11-2</a>	34204 WALTHER coupling, type LP-019, DN 19, with pipe thread connection G 1, Material: galvanized steel, seals: FKM
<a href="#">HP-006-0-S1220-01-2</a>	39974 WALTHER coupling, type HP-006, DN 6, with connection M 20x1.5 AG according to DIN EN ISO 8434-1 series S, Material: Stainless steel 1.4404/1.4571 or equivalent, seals: FKM
<a href="#">HP-006-2-S1220-01-2</a>	62739 WALTHER locking nipple, type HP-006, DN 6, with connection M 20x1.5 AG according to DIN EN ISO 8434-1 series S, Material: Stainless steel 1.4404/1.4571 or equivalent, seals: FKM
<a href="#">HP00600312S1220</a>	
<a href="#">240594</a>	Electrical plug (Bu) 19-polig, ODU Intercontec (St) 17-polig 95288-B-40102-AAAE-Y02-E00455
<a href="#">157559</a>	Electrical connector (St) 19-pin PROFINET data with hand connector (cable 1500 mm long), ready assembled Order no.: 95288-B-10006-AAAE-Y24-L1500-E00121
<a href="#">156007</a>	Electrical connector (Fe) 19-pin PN SWK Profinet data, Push-Pull data connector, cable length approx. 660 mm (supply side, robot side) Order no.: 95288-B-40007-AAAE-Y24-A-E00121
<a href="#">LP-004-0-WR510-21-1</a>	WALTHER locking coupling, type LP-004, DN 4, pipe thread connection G 1/8, material: passivated brass, seals: NBR
<a href="#">LP-004-6-74-KU</a>	Option for position 1 WALTHER dust plug, type LP-004, DN 4, Material: soft PVC gray, Additional equipment: plastic tab
<a href="#">LP-004-1-WR510-21</a>	WALTHER plug nipple, type LP-004, DN 4, with pipe thread connection G 1/8, material: passivated brass
<a href="#">LP-004-5-74-KU</a>	Option for position 3 WALTHER dust cap, type LP-004, DN 4, Material: soft PVC gray, Additional equipment: plastic tab
<a href="#">33001</a>	WALTHER-lock coupling, type LP-012, DN 12, with pipe thread connection G 3/4 A, material: galvanized steel, seals: NBR Order No: LP-012-0-WR026-11-1
<a href="#">28716</a>	option for position 1 WALTHER dust plug, type LP-012, DN 12, material: soft PVC grey, Additional equipment: plastic bottle Order No: LP-012-6-74-KU
<a href="#">33151</a>	WALTHER locking nipple, type LP-012, DN 12, with pipe thread connection G 3/4 A, Material: galvanized steel, Seals: NBR Order No: LP-012-2-WR026-11-1
<a href="#">28718</a>	option for position 3 WALTHER dust cap, type LP-012, DN 12, material: soft PVC grey, Additional equipment: plastic bottle Order No: LP-012-5-74-KU
<a href="#">103323</a>	7-119-103323, Terminal Robot, and will stop the sound if /
<a href="#">Md-006-0-L1016-19-1</a>	
<a href="#">57-G12-0</a>	

<a href="#">Fitting Sp-006-2-Wr013-01-1 D22 L56</a>	
<a href="#">Hp-006-0-S1220-12-2</a>	
<a href="#">Order No .: Hp-010-2-S1624-13-2</a>	WALTHER sealing nipple, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, material: steel chemically nickel-plated, seals: FKM Order No .: HP-010-2-S1624-13-2
<a href="#">Md-012-2-S1624-01-2</a>	
<a href="#">KI-012-2-Wr526-40</a>	
<a href="#">7-119-Wasi-St02-2ts</a>	
<a href="#">Md-007-0-Wr021-19-2</a>	
<a href="#">Hp-010-0-Wb021-12-2</a>	
<a href="#">D5-266-S-00001</a>	
<a href="#">16-006-2-Wr013-32-1</a>	
<a href="#">5266-X-Et015</a>	
<a href="#">P/N 10120322 Socket</a>	
<a href="#">Ca-170</a>	
<a href="#">Lp-019-2-Wr026</a>	
<a href="#">Lp-032-1-Wr048-11</a>	
<a href="#">Lp-019-2-Wr526-11-2</a>	
<a href="#">KI-006-1-SI009-50</a>	
<a href="#">Hp-010-2-S1624-13-2</a>	
<a href="#">Sp-006-0-Xx859-Aaam-Z79</a>	
<a href="#">95285-503-46-1-00000-Z05</a>	
<a href="#">Md-007-0-S1220-19-2</a>	
<a href="#">Md-006-0-Wr513-01-2</a>	
<a href="#">720364</a>	
<a href="#">Ct-012-0-S2030-02-2-Y99</a>	
<a href="#">Lp 16-006-0-Wr013-32-1 Fitting Walther Female Coupling</a>	
<a href="#">Md-012-0-S1624-01-2</a>	
<a href="#">Md-012-6-12</a>	
<a href="#">1-Cs-006-2-Wr017-1</a>	
<a href="#">Lp-019-2-Wr526</a>	

<a href="#">Hc-G12-2-S1624-Aaba-Y99</a>
<a href="#">91489-B-00075-Aaaa-Y10-Ma</a> <a href="#">Zonenschaltmodul Wasi-01</a>
<a href="#">1-03-005-1-SI009-02-6-Z07</a>
<a href="#">Fitting Sp-006-0-Wr013-01-1 D22 L58</a> <a href="#">Art.</a>
<a href="#">KI-012-0-Wr526-40</a>
<a href="#">39962</a>
<a href="#">Hp-010-0-S1624-13-2</a>
<a href="#">Hp006-2-Wb-017-12-2</a>
<a href="#">Lp-007-2-SI013-21-4</a>
<a href="#">Md-019-0-We026-01-4</a>
<a href="#">Fitting Sp-006-0-Wr013-01-1 D22 L58</a>
<a href="#">Md-007-2-Wr517-19-2</a>
<a href="#">Lp-004</a>
<a href="#">Md-006-0-L1016-19-2</a>
<a href="#">Md-006-2-Wr513-19-1</a>
<a href="#">Pp-Ct0120-L1826-Aaaa-Y10</a>
<a href="#">Md-019-2-We026-01-4</a>
<a href="#">Fitting Ct-012-2-Wr026-02-2 D40 L78</a>
<a href="#">1-Cd-040-0-Xx002-02-2-Z05-P000</a>
<a href="#">31991 Schnellkupplungensp - 009 - 0 -</a> <a href="#">Wr021 - 21-1 Cuzn</a>
<a href="#">Hp-006-0-Np517-12-2-Si</a>
<a href="#">Lp - 019 - 2 - SI019 - 21-1 Cuzn</a> <a href="#">Schnellkupplungen</a>
<a href="#">Hp-016-0-S2030-13-2</a>
<a href="#">Cg-G16-2-Xx005-Aaaqz12</a>
<a href="#">Md007-0-L1016-19-2</a>
<a href="#">51-140-2-Xx008-13-2z07</a>
<a href="#">84019</a>
<a href="#">Md-007-0-Wr021</a>
<a href="#">Ct-019-0-L2230-02</a>



<a href="#">Lp-006-0-Wr513-01-2</a>	
<a href="#">Lp-004-0-Wr510 Kupplung Mit Ventil</a>	
<a href="#">Lp-012-1-Wr021-11</a>	
<a href="#">Kl-012</a>	
<a href="#">Sms-20</a>	
<a href="#">Lp-006-0-L1218-11-Ov</a>	
<a href="#">Hp-006-2-Wb021-12-2</a>	
<a href="#">Lp-019-2-Wr033-21-2</a>	
<a href="#">Md-010-2-Wb021-12-2</a>	
<a href="#">Lp-006-2-L1218-11-Ov</a>	
<a href="#">Order No .: Hp-010-0-S1624-13-2</a>	WALTHER coupling, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, material: steel chemically nickel-plated, seals: FKM Order No .: HP-010-0-S1624-13-2
<a href="#">Lp-006-2-L1218-11-2</a>	
<a href="#">Order No .: Hp-016-2-S2030-13-2</a>	WALTHER sealing nipple, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, material: chemical steel Nickel plated, seals: FKM Order No .: HP-016-2-S2030-13-2
<a href="#">Hp-010-0-S1624-12-1</a>	
<a href="#">Lp 16-006-2-Wr013-32-1 Fitting Walther Male Coupling</a>	
<a href="#">Md-007-0-S1220-19-1</a>	
<a href="#">Lp-032-0-Wr048-11-2</a>	
<a href="#">85-006-0-00000-Aaaa-Z01</a>	
<a href="#">V2036960103</a>	
<a href="#">1-03-005-1-Wr017-02-0-Z07</a>	
<a href="#">Sp-006-2-Xx858-Aaan-Z79</a>	
<a href="#">Lp-006-0-L1218-11-2</a>	
<a href="#">Lp-019-0-Wr033-11-2</a>	
<a href="#">115541 Verbindung Ct-005-0-Wr513-02-2</a>	
<a href="#">44326</a>	
<a href="#">Sp-009-0-Wr021-21-1 G1/2</a>	
<a href="#">Sp - 009 - 2 - Wr017 - 21-1 Cuzn Schnellkupplungen</a>	

<a href="#">Fitting Lp-019-0-Wr533-01-1 D54 L98 Art.</a>
<a href="#">41000 Schnellkupplungenlp - 019 - 0 - Wr026 - 21-1 Cuzn</a>
<a href="#">Lp-006-2-Wr513-11-2</a>
<a href="#">Fitting Ct-012-2-Wr026-02-2 D40 L78 Art.</a>
<a href="#">Cn-025-0-Ws533 0a-4-Ex</a>
<a href="#">Md-007-0-Wr517-19-2</a>
<a href="#">97231317</a>
<a href="#">Cd-G80-0-Xx002-13-2-Y02-P036</a>
<a href="#">Fitting Lp-019-2-Vr033-01-1 D54 L99 Art.</a>
<a href="#">Lp-012-0 Wr521-01-2</a>
<a href="#">95285-B-40037-Aaaa-Z21-Ma-E00047 Doppelstecker (Bu) Sign./Mot.</a>
<a href="#">Md-007-2-S1220-19-2</a>
<a href="#">1-95273-B-40011-3n-2-Z03-2p</a>
<a href="#">Fitting Lp-019-0-Wr533-01-1 D54 L98</a>
<a href="#">Sg-006-0-L0814-19-1</a>
<a href="#">P/N 10120319 Pin</a>
<a href="#">Lp-012-0-L1522-11-1-Si</a>
<a href="#">Fitting Ct-012-0-Wr526-02-2 D40 L81</a>
<a href="#">91489-E-00112-Aaaa-Y10-Ma</a>
<a href="#">Md-012-5-19</a>
<a href="#">Sp-009-0-Wr021-12-2</a>
<a href="#">Lp-012-0-Wr 026-11-2</a>
<a href="#">Md-006-2-Wr013-19-1</a>
<a href="#">Md-006-2-L1016</a>
<a href="#">Lp-019-2-Wr533</a>
<a href="#">Sp-009-1wr521-21</a>
<a href="#">Hc-G16-0-S2030-Aaba-Y99</a>
<a href="#">Md-007-2-Wr021</a>
<a href="#">Hp-006-2-Wr517-12-2</a>

<a href="#">Lp-019-2-Wr533-11-2</a>
<a href="#">57-G12-0-Xx001-07-02 Muff</a>
<a href="#">71173</a>
<a href="#">Lp-006-0-S1220-11-2</a>
<a href="#">Hp-006-0-S1220-13-2-Ov</a>
<a href="#">Hc-G16-2-S2030-Aaba-Y99</a>
<a href="#">Hp006-0-Wb-017-12-2</a>
<a href="#">Lp-019-0-Wr 033-11-2-Ov</a>
<a href="#">31994 Schnellkupplungensp - 009 - 2 - Wr017 - 21-1 Cuzn</a>
<a href="#">41155 Schnellkupplungenlp - 019 - 2 - SI019 - 21-1 Cuzn</a>
<a href="#">Md-032-0</a>
<a href="#">Lp-019-0-Wr033</a>
<a href="#">Lp-006-2-SI011-01-2</a>
<a href="#">04624</a>
<a href="#">1-95273-B-10011-3n-2-Z03-2p</a>
<a href="#">Md-010-0-Wb021-12-2</a>
<a href="#">Hp-006-2-Np017-12-1</a>
<a href="#">Innesto Wr513 Z07</a>
<a href="#">Pp-Ct0122-Lv018-Aaab-Y0-R2</a>
<a href="#">Lp-012-2-Wr521-11-2</a>
<a href="#">Md-006-2-Wr513-01-2</a>
<a href="#">Md-007-2-Wr021-19-2</a>
<a href="#">Lp-019-0-SI025-21-2</a>
<a href="#">720464</a>
<a href="#">Lp-012-2-Wr021-11-1-Ve</a>
<a href="#">Hc-G12-0-S1624-Aaba-Y99</a>
<a href="#">Hp-010-0-Wr521-12-2</a>
<a href="#">95285-B-40019-46-2-Z05-Ma Elektrostecker (Bu) 3-Polig Einzeln</a>
<a href="#">Hp-006-2-S1018-13-2</a>

<a href="#">57-G12-2-Xx002-07-02 Nipple</a>
<a href="#">Hp-006-0-D0614-12-2</a>
<a href="#">115053 Verbindung Ct-005-2-Wr513-02-2</a>
<a href="#">Sp-009-1-Wr021-12-2</a>
<a href="#">Lp-032-2-Wr048-12-1-0</a>
<a href="#">D5-266-S-00002</a>
<a href="#">Md-007-2-L1016-19-2</a>
<a href="#">Hp-006-0-Wr517-12-2</a>
<a href="#">Lp-006-2-Wr521-01-2</a>
<a href="#">Lp-012-1-Wr026-11</a>
<a href="#">Pp-Ct0122-Lv018-Aaab-Y0-R1</a>
<a href="#">Md-032-0-Wr060-19-2</a>
<a href="#">Hp-010-2-S1624-01-2 Ident-Nr.: 36216</a>
<a href="#">Md-006-0-Wr513-19-1</a>
<a href="#">91489-0-Lt574-Aaac-Y10-Mp-Fl</a>
<a href="#">Hp-006-2-S1220-12-2</a>
<a href="#">Fitting Sp-006-2-Wr013-01-1 D22 L56 Art.</a>
<a href="#">86005</a>
<a href="#">Lp-004-0-Wr510 Nippel Mit Ventil</a>
<a href="#">Fitting Ct-012-0-Wr526-02-2 D40 L81 Art.</a>
<a href="#">95285-B-10019-46-2-T05-Mb-Fl Elektrostecker (St) 3-Polig Einzel</a>
<a href="#">91495-0-Wab18-Aaaa-Ar</a>
<a href="#">1-03-005-1-SI009-02-0-Z07</a>
<a href="#">Cg-G16-0- Xx005-Aaaqz12</a>
<a href="#">4554</a>
<a href="#">Lp-012-0-Wr021-11-1-Ve</a>
<a href="#">Md-007-0-L1016-19-2</a>
<a href="#">110863</a>
<a href="#">Sp - 009 - 0 - Wr021 - 21-1 Cuzn Schnellkupplungen</a>

<a href="#">95285-B-10037-Aaaa-Z21-Ma-E00047</a> <a href="#">Doppelstecker (St) Sig./Mot</a>	
<a href="#">7-119-103323</a>	WASI-2-V2 switch with mounting plate plastic blue, without cable (for the robot side)
<a href="#">Lp - 019 - 0 - Wr026 - 21-1 Cuzn</a> <a href="#">Schnellkupplungen</a>	
<a href="#">Md-007-0-Vr017</a>	
<a href="#">1md0062</a>	
<a href="#">72004</a>	
<a href="#">Lp-019-2-Wr026-11-2</a>	
<a href="#">Cn-080-2-Ws588-0a-4-Rg</a>	
<a href="#">Md-007-0-L1016-19-2-S</a>	
<a href="#">Lp-006-0-Wr021-01-2</a>	
<a href="#">Order No .: Hp-016-0-S2030-13-2</a>	WALTHER coupling, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, material: chemical steel Nickel plated, seals: FKM Order No .: HP-016-0-S2030-13-2
<a href="#">Sp-006-2-Wr513-01-4</a>	
<a href="#">Hp-016-1-Wb026-01-2</a>	