


## Weigel



Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Weigel** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Weigel T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	Aıklama
<a href="#">PI 291</a>	644.0291 Mechanical DC switch position indicator Black bar icon Light background Around 29mm Uh: 24 ... 230V DC Net weight: 0.12kg Country of origin: GB Customs tariff: 90303370
<a href="#">A1U2.2</a>	Sinus AC Current Transducer
<a href="#">80AA14170417</a>	EQ48K MB:0-250V SK:0-250V FZ: Weigel with back cover Version EQK Dimension 48 Measuring range 0-250V Scale 0-250V Company logo WEIGEL Accessories REAR PANEL COVER
<a href="#">80AA14260426</a>	EQ48K, MB:0-300V, SK:0-300V with back cover FZ: Weigel Version EQK Dimension 48 Measuring range 0-300V Scale 0-300V Company logo WEIGEL Accessories M.BACK COVER
<a href="#">80AA14190419</a>	EQ48K, MB:0-500V, SK:0-500V FZ: Weigel with back cover Version EQK Dimension 48 Measuring range 0-500V Scale 0-500V Caption V Company logo WEIGEL Ship version WITHOUT lighting WITHOUT Front glass NORMAL GLASS Accuracy class 1.5 Accessories REAR PANEL COVER
<a href="#">80AA11560174</a>	EQ48K, rec. 50/5A, Sk:0-50/100A FZ: WEIGEL Version EQK Dimension 48 Measuring range 50/5A Scale 0-50/100A Company logo WEIGEL Front glass NORMAL GLASS Accuracy class 1.5 Accessories REAR PANEL COVER
<a href="#">SQ0204</a>	643.130.0204.110.10 Synchronoscope LED,100/110V Relay Continuous, DB:NO neutral Version SQ0204 Dimension 96X96 Logo NEUTRAL Supplement WITH BACK PANEL
<a href="#">45CA14130413</a>	WQ96/2S, MB+Sk:2x0-100V FZ: Weigel with rear panel cover Version WQ/2S Dimension 96 Measuring range 2X0-100V Scale 2X0-100V Company logo WEIGEL Scale addition 1 HIGH SCALE Accessories REAR

PANEL COVER	
<a href="#">46CG16020602</a>	FQ96/2, MB+SK:45-55Hz, 2x21Zg, 100V FZ:Weigel Rear panel cover Version FQ/2 Dimension 96 Measuring range 45-55 HZ, 100V Scale 45-55 HZ Label HZ Company logo WEIGEL Ship version WITHOUT Lighting WITHOUT Front glass NORMAL GLASS Pointer version 2X 21 TONGS Accessories REAR PANEL COVER
<a href="#">81CA10591245</a>	PQ96K MB:4-20mA SK: 5761045-3 Utf2 1-17 steps with rear panel cover Version PQK Dimension 96 Measuring range 4-20MA Scale UTF2 1-17STEPS Company logo WEIGEL Accessories REAR PANEL COVER
<a href="#">432.130.10 Zq96k Drehspulinstrument Hz Mb: 45...50...55hz</a>	
<a href="#">685.130.9291 Scale: -7 ... 0 ... 7 Mvar</a>	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: -7 ... 0 ... 7 MVar Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380
<a href="#">080.130.0629 Sy96s</a>	Sy96S synchronoscope Rated voltage: 100V 50 Hz Net weight: 1.00 kg Country of origin: DE Customs tariff: 90303380
<a href="#">031.130.0163.00 Fq96 / 2</a>	FQ96 / 2 double tongue frequency meter MB: 45 ... 55 Hz Scale: 45 ... 55 Hz 2 x 21 tongues Rated voltage: 100V Net weight: 0.65 kg Country of origin: CZ Customs tariff: 90303380
<a href="#">Pq96k -15...0...15mvar</a>	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdrckt Skala: -15...0...15MVar Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
<a href="#">Pq96k -7...0...7mvar</a>	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdrckt Skala: -7...0...7MVar Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
<a href="#">652.10.121600 / Sus-95-Q R/G 220vdc</a>	
<a href="#">652.14.121600 / Sus-99-Q R/G 220dc</a>	
<a href="#">023.130.0629 Wq96 / 2s</a>	WQ96 / 2S double voltage meter AC MB: 2 x 0 ... 100V Scale: 2 x 0 ... 100/120% (100V = 100%) Net weight: 1.20 kg Country of origin: DE Customs tariff: 90303380
<a href="#">652.01.121600 / Sus-01 R/G 220v Dc</a>	
<a href="#">Dga100-40a10qd-2</a>	
<a href="#">Wq96/2s</a>	
<a href="#">644.1241 Pir 24-1 Schaltstellungsanzeiger Mechanisch Ac</a>	
<a href="#">674.130.8311 Eq96k Dreheiseninstrument Ac An Wandler N/1a</a>	
<a href="#">652.18.121600 / Sus-99-Gs-02 R/G 220vdc</a>	
<a href="#">644.1291 Pir 29-1 Schaltstellungsanzeiger Mechanisch Ac</a>	
<a href="#">Sus-01-T-Q R/G 110vdc</a>	652.04.121400 LED switch position indicator with LED test 25x25mm Red Green Voltage: 110V DC Net weight: 0.06 kg Country of origin: CZ Customs Tariff: 85414010
<a href="#">Wq96/2s 2 X 0...100/120%</a>	WQ96/2S Doppelspannungsmesser AC MB: 2 x 0...100V Skala: 2 x 0...100/120% (100V = 100%) Nettogewicht: 1,20 kg Ursprungsland: DE Zolltarif: 90303380
<a href="#">161.993.0220</a>	
<a href="#">675.130.8500 Pq96k Drehspulinstrument Dc Mb:</a>	

<a href="#">0...150mv An Nw</a>	
<a href="#">644.0241 Pi 24-1 Schaltstellungsanzeiger</a> <a href="#">Mechanisch Dc</a>	
<a href="#">652.13.121600 / Sus-99 R/G 220vdc</a>	
<a href="#">685.130.9291 Scale: -15 ... 0 ... 15 Mvar</a>	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: -15 ... 0 ... 15 MVar Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380
<a href="#">Das10-40p1r</a>	
<a href="#">031.130.0163.00 Fq96/2</a> <a href="#">Doppelzungenfrequenzmesser</a>	
<a href="#">684.130.1000 / Eq96k</a>	
<a href="#">Pq96k 0...25mw</a>	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdr¼ckt Skala: 0...25MW Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
<a href="#">685.130.9291 Scale: 0-25 Mw</a>	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: 0-25 MW Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380
<a href="#">020.120.0635</a>	
<a href="#">644.0251 Pi 25-1 25x25mm Uh: 24...230v Dc</a>	
<a href="#">652.16.121600 / Sus-99-L-Q R/G 220vdc</a>	
<a href="#">644.0361 Pi 36-1 Schalterstellungsanzeiger</a> <a href="#">Mechanisch Dc</a>	
<a href="#">Dpa14-50a10r-4</a>	
<a href="#">644.1361 Pir 36-1 Schalterstellungsanzeiger</a> <a href="#">Mechanisch Ac</a>	
<a href="#">644.0361 Pi 36-1 Schaltstellungsanzeiger</a> <a href="#">Mechanisch Dc Balkensymbol Heller Hintergrund</a> <a href="#">36x36mm Uh: 2</a>	
<a href="#">644.0251</a>	
<a href="#">Sy96s</a>	Sy96S Synchronoskop Nennspannung: 100V, 50Hz Nettogewicht: 1,00 kg Ursprungsland: DE Zolltarif: 90303380
<a href="#">Bwq 48</a>	BWQ 48 Betriebsstundenz¼hler AC Betriebsspannung: 115V, 50 Hz ----- ----- Please check data Net weight: 0.25 kg Country of origin: DE Customs tariff: 90291000
<a href="#">Fq96/2 45...55 Hz</a>	FQ96/2 Doppelzungenfrequenzmesser MB: 45...55 Hz Skala: 45...55 Hz 2 x 21 Zungen Nennspannung: 100V Nettogewicht: 0,65 kg Ursprungsland: CZ Zolltarif: 90303380
<a href="#">416.134.10 Lsg96k Drehspulinstrument Ac Mb:</a> <a href="#">0...1,66a Skala: 0...500a</a>	
<a href="#">V1u2.2</a>	181.975.9222.5 sinusoidal alternating voltage Special input: 0 ... 120V AC Frequency: 48 ... 62Hz Output: 4 ... 20mA Class 0.5 Power supply: DC 24V (20 ... 72V) Net weight: 0.12 kg Country of origin: DE Customs tariff: 90303330
<a href="#">432.130.10 Zq96k</a>	ZQ96K rotary coil instrument Hz MB: 45 ... 50 ... 55Hz Scale: 45 ... 50 ... 55Hz Rated voltage: 100V Net weight: 0.30 kg Country of origin: DE Customs tariff: 90303380
<a href="#">Sus-01-T R/G 110v Dc</a>	652.03.121400 LED switch position indicator with LED test Around 25mm Red Green Power supply: 110V DC

<a href="#">652.17.121600 / Sus-99-Gs-01 R/G 220vdc</a>	
<a href="#">644.0291</a>	
<a href="#">663.1.120.05 Bgq 72</a>	
<a href="#">416.134.10 Lsg96k Drehspulinstrument Ac Mb: 0...124,2v Skala: 0...200kv</a>	
<a href="#">652.15.121600 / Sus-99-L R/G 220v Dc</a>	
<a href="#">643.130.0214.100.1 Sq0214</a>	
<a href="#">E113laincn</a>	
<a href="#">652.12.121600 / Sus-95-Q-L R/G 220vdc</a>	
<a href="#">652.03.121600 / Sus-01-T R/G 220vdc</a>	
<a href="#">181.981.9820.5 Vud2.2</a>	
<a href="#">031.130.0171.00 Fq96/2</a> Doppelzungenfrequenzmesser Mb: 45...65 Hz Skala: 45...65 Hz	
<a href="#">023.130.0629 Wq96/2s</a> Doppelspannungsmesser Ac	
<a href="#">181.975.2202.5 V1u2.2</a>	
<a href="#">684.130.3629 Eq96k Dreheiseninstrument Ac An Wandler N/100v</a>	
<a href="#">Pq96k 0,5...1...0,5 Ind.</a>	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdr¼ckt Skala: cap. 0,5...1...0,5 ind. Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
<a href="#">652.11.121600 / Sus-95-L R/G 220dvc</a>	
<a href="#">644.1251 Pir 25-1 Schaltstellungsanzeiger Mechanisch Ac</a>	
<a href="#">652.09.121600 / Sus-95 R/G 220vdc</a>	
<a href="#">040.110.10 Bwq 48</a>	BWQ 48 operating hours counter AC Operating voltage: 115V, 50 Hz Net weight: 0.25 kg Country of origin: DE Customs tariff: 90291000
<a href="#">Zq96k 45...50...55 Hz</a>	ZQ96K Drehspulinstrument Hz MB: 45...50...55 Hz Skala: 45...50...55 Hz Nennspannung: 100V AC Nettogewicht: 0,00 kg Ursprungsland: IN Zolltarif: 90303380
<a href="#">685.130.9291 Scale: Cap. 0.5 .... 1 .... 0.5 Ind.</a>	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: cap. 0.5 .... 1 .... 0.5 ind. Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380