

Westlock

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Westlock** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Westlock T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	Aıklama
2147 for PLT-33	ACCUTRAK dual Display Monitor 2147-BY-00-2200-000
D281NT4M12BYEX3	Digital EPIC D200 Digital Position Transmitter Manufacturer Westlock D281 Explosionproof-bolted cover. Aluminum enclosure (2) conduits, 12 pt. terminal strip (exception noted in switch options) ATEX / IEC Ex / NEC II 2GD Ex db IIB+H2 T*, Gb Tamb: -*°C to +*°C Ex tb III C T* Db Tamb: -*°C to +*°C IP6X North America : class I, div. 1, Grps CD; T* class II div. 1, Grps EFG; T* class I, Zone 1 AEx db / Ex db IIB+H2 T* Zone 21, AEx tb / Ex tb IIIC T* Db IP6X NI Cl. 1 div. 2, group ABCD; T* Type 4/4X, IP 66/67 Ta= -*°C to +*°C NT Non-contact sensor with NAMUR output shaft 4M12 (4) SPDT Magnum XT-90 proximity switches with rhodium contacts , (4) conduits , high cover , 16 pt. terminal strip - D281 / D291 only BY Beacon - black / open - yellow / closed EX NEC / ATEX / IEC Explosionproof / Flameproof and NEC Nonicendive (NI) D261 , D 271 , D 281 , D 291 only 3 3/4" NPT (Quantity based on switch options) Custom tariff no. : 85 36.50.9055 Unit weight: 2.4 kg Country of origin: United States
3345RBYN00022AAA-AR1	Accutrak 3300 Series Engineered Resin Rotary Position Monitor Manufacturer Westlock 33 Ex II*GD , Ex ia II* T* G* , Ex t IIIC T 135°C Da IP6X 4 Beacon / visual indicator 5 Microswitch SPDT contacts R Engineered Resin enclosure BY black-yellow, 90° visual indicator N Namur drive shaft - VDI / VDE 3845 000 no ancillary options 2 Qty. switches 2 Qty. conduit entries AAA Conduit entries M20 x 1,5 A ATEX / IEC Ex Approval R1 Revision 1
2245ABYN00022AAA-AR3	Accutrak 2200 Series Aluminium Rotary Position Monitor Manufacturer Westlock 22 Ex II 2 GD , Ex db II B+H2 T* Gb , IP 66/67 4 Beacon / visual indicator 5 Switch Type Microswitch SPDT A Aluminium enclosure BY black-yellow, 90° visual indicator N Namur drive shaft - VDI / VDE

	3845 000 No ancillary options 2 Qty. switches 2 Qty. conduit entries AAA Conduit entries M20 x 1,5 A ATEX / IEC Ex Approval R3 Revision 3
Magnum XT-90 Proximity Switch	
D441-RO-A-1-000000-1	D-EPIC D441 Series Aluminum Rotary Position Transmitter Manufacturer Westlock 441 Low copper content aluminum enclosure Area classification (ATEX / IEC) Ex II 1 G Ex ia IIC T4 Ta = -40°C to +80°C Ex II 3 G Ex nA IIC T4 Ta = -40°C to +80°C RO Rotary Transmitter ATEX certified 1 qty. conduit entries 3/4" NPT(F) 00000 Solenoid not applicable 0 ESD / PST - None (required choice for D420) 1 black / yellow beacon, 90° visual indicator
Fio-4300-Mo	
366sby1a2m0600x5y20mj3a	
2007sfc2b2m02csu	
Ms10000	
Type 2649-A-By-N-000-22aaa-Ar2, Westlock Accutrak? Valve Position Monitor,	
2649aby-Pcccv-01	
Accutrak 316 Silver Bullet	
Type: Bm2-Y Obsolete Replaced By B-By-90	
50216687	
9479sby2e2m0600u	
3047abyn-Gcjzv-02	
3345rbynoCs22fan-Ar1	
316sb-Stn-020-Aaa	
Wewe009479e120a	
9044nby2a2m0600	
3349abyn00022fan-Ar1	
2007sby2b2m02csu	
Exproof Icot 5500/6500	
9479sby2b2m0600	
2649abys00022aaa-Ar2	
316b-Stn-020 Aaa	
2649abyn00022aaa-Ar2	
2004sby2a2m020000406 (Ex.2004a-By-C68)	
A-Va30181	
360-Sby2b4m0200	
3349abyn00022aaa-Ar1	
3047rbys00022aaa-Ar1	
Type:3349rbys00022aaa-A	

2645abynocs22adz-Ar2
Pn 3749rbynecu22aaa-Ar1
P+f Nj2-V3-N
366i1bbys2m06-10t1xso5y20-0-Sd !! By 366sby1b2m0600x5y20m
Magnum Xt-90
3249rbyn00022aaa-0ri
2649byn00022kaq-00
7304-N-By-2a-2hes-00-K-572-0-Mn-Nx
B-Sw-10000
366nby2b2m0600x5320m
Sw10000-L108
Part No. 2645 - By - Cs - 12ad - 000 Is , 2645- A-By-N-0cs-12aaa-Ar2
3349rbyn-Gchtv-01
Magnum Mid2 Xt-90
3749nby2a2m0600d5320m0000
711 Ip-66w
2246sbyn00022fan-Ar1
1000-2000-6
2007sby2b2m04csu
366sby2a2m0600x5800m
2007n,15 A - 125 / 250vac, 0.5 A - 125 Vdc,0.25 A / 250 Vdc
2647-By-00-22ad-000 !! By 2647abyn00022aaa- Ar2
Txp-P20gnpm
2645-A-By-N-0cs-12aaa-Ar2
366-N-By-3b-2m06-Cs
316sb-Stm-020-Aaa
Xt90 Pn 50345 S
1145 R8yn00022aaa-0r1
2649-By-00-22dz-000
2246abyn00022fan-Ir1
3347rbyn0cs22fan-Ar1
Xt-90
3347sby000 / 22aaa-Ar1
1145-R-By-N-000-22aaa-0r1 With 2 Off V3 Spdt Switches 125/250 Vac @ 15a, Namur Drive

[Shaft And Vdi/V](#)

[3247sbyn00022bey0r1 !! By](#)
[3247sbyn00022aes-0r1](#)

[Spdt V3](#)

[3749-R-2a-By-N-2m06-08t-1fso5320-0-00000 !!](#)
[By_3749nby2a2m0600d5320m0000](#)

[2269a00s00012bgp-Ar1](#)

[34793b2m12](#)

[2085a-No-D12](#)

[2249abynocs22aaa-Ar1](#)

[3349abyn00022adz-Ar1](#)

[5004nby2a2m0800](#)

[3049-By-00-22ad-000](#)

[No: We2649-By-00-22ad-000, Mnfr Drg M359-](#)
[E10600](#)

[366nby2b2m0600x5800](#)

[360-Nby2b2m0200](#)

[2245-By-00-2200-000](#)

[3349rbys00022aaa-Ar1](#)

[316sb-Dtm-020-Aaa](#)

[9479](#)

[2007n](#)

[3347-A-By-N-000-22fan-Ari](#)

[2645-S-By-N-000-22cbj-Ar2](#)

[3449-Ex](#)

[2867a-Pcsbv-10](#)

[D420-Lv-A-3-000000-0](#)

[2085a-No-D40](#)

[B-Va-30285](#)

[9479sby2b4m0600](#)

[3347abyn00022adzar1](#)

[2645sbyn00022fan-Ar2](#)

[2004nby2a2m040000412](#)

[366sby1b2m0600x5y20m](#)

[9479nby2b2m1200 S/N 151223-1 003](#)

[3247sbyn00022aes-0r1](#)

[777sby1b2m0600x3v30](#)

[Type:3446-By-00-22ad-000](#)

[3449-R-By-N-000-12aaa-Ar1](#)

[2649-A-By-N-0cs-23aaa-Ar2](#)