

## Xantrex

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Xantrex** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Xantrex T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">805-2020</a>	2000 WATT INVERTER CHARGER GSCI VERSION, ROHS COMPLIANT: NA
<a href="#">Dcs33-33em9c</a>	POWER SUPPLY 1089W 33V 33A
<a href="#">Xtr20-42-Enet</a>	
<a href="#">809-3000</a>	DC-AC INVERTER, OUTPUT VOLTAGE:120V, OUTPUT CURRENT:150A, SUPPLY VOLTAGE:15V, OUTPUT POWER MAX:3000W ROHS COMPLIANT: NA
<a href="#">81-2021-12</a>	INVERTER CHARGER 458SERIES 12V 2000WATT
<a href="#">Xhr20-50</a>	POWER SUPPLY DC W/LED INDICATORS 0-20V 0-50AMP
<a href="#">815-3012</a>	TSW 3000W , 150A INVERTER CHARGER, 120VAC, 12 VDC, (GEN 2)
<a href="#">Xdc20-600</a>	POWER SUPPLY 20V 600AMP
<a href="#">806-1074</a>	POWER QUALITY, ROHS COMPLIANT: NA
<a href="#">Dcs40-25em1m9c</a>	0-40 VDC, 0-25 A, 1KW , 230 VAC INPUT LOW PROFILE,

## SWITCH MODE DC POWER SUPPLY

<a href="#">808-9001</a>	
<a href="#">Xtr33-25-Enet</a>	
<a href="#">Rm-D-Xg1</a>	
<a href="#">Hpd30-10</a>	10 A, 115VAC, 300W, 1/4 RACK MODULAR DC POWER SUPPLY
<a href="#">Xpd33-16</a>	0-33 VDC,0-16 AMPS,540 WATT,85-264 VAC,1 PHASE (PFC)1/4 RACK/BENCHTOP, SWITCH MO
<a href="#">Xhr150-7</a>	POWER SUPPLY
<a href="#">805-2000</a>	INVERTER/CHARGER, 2KW, 117V, NO. OF OUTPUTS:1, OUTPUT POWER:2KW, OUTPUT VOLTAGE:117VAC, OUTPUT CURRENT:17A, LENGTH:145MM, WIDTH:285MM, HEIGHT:450MM, W
<a href="#">Xkw 300-3.5</a>	
<a href="#">815-2000</a>	815-2000 FREEDOM SW 2000 INVERTER/CHARGER
<a href="#">804-1260</a>	BATTERY CHARGER, 12V, 60A, BATTERY CHARGER TYPE:SWITCH MODE, BATTERY TECHNOLOGIES SUPPORTED:LEAD ACID, SUPPLY VOLTAGE:265VAC, CHARGE CURRENT MAX:60A
<a href="#">804-1260-02</a>	BATTERY CHARGER, SWITCH MODE, 12V, 60A, BATTERY CHARGER TYPE:SWITCH MODE, BATTERY TECHNOLOGIES SUPPORTED:LEAD ACID, SUPPLY VOLTAGE:265VAC, BATTERY SIZ
<a href="#">804-5012</a>	BATTERY CHARGER, FEATURES:CAN CHARGE 3 DIFFERENT BATTERY CHEMISTRIES SIMULTANEOUSLY, OUTPUT CURRENT:50A, OUTPUT VOLTAGE:12V ROHS COMPLIANT: NA
<a href="#">Xph35-4tcald</a>	XPH35-4T CALIBRATED BY NEWARK SERVICES
<a href="#">Sw4024mc2</a>	INVERTER 4000W 24V HEAVY DUTY
<a href="#">P63c-101000</a>	POWER SUPPLY
<a href="#">Xkw 150-20 Obsolete</a>	
<a href="#">Xfr-20130</a>	POWER SUPPLY DC
<a href="#">P63c-10660</a>	POWER SUPPLY
<a href="#">806-1802</a>	INVERTER, DC/AC, 120V, 1.8KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:16VDC, OUTPUT POWER:1.8KW, OUTPUT VOLTAGE:120VAC, LENGTH:390MM, WIDTH:280MM
<a href="#">Prosine1800withgfciaout</a>	INVERTER, DC/AC, 120V, 1.8KW, NO. OF OUTPUTS:2 OUTPUT, INPUT VOLTAGE MAX:16VDC, OUTPUT POWER:1.8KW, OUTPUT VOLTAGE:120VAC, LENGTH:390MM, WIDTH:280MM

<a href="#">815-2012</a>	TSW 2000W,100A INVERTER CHARGER,120VAC, 12 VDC (GEN 2)
<a href="#">Sga20x250c-0aaa</a>	PROGRAMMABLE POWER SUPPLY
<a href="#">Xg40-42calibrated</a>	POWER SUPPLY 40V/42A CALIBRATED
<a href="#">Rm-Xtr</a>	
<a href="#">Graphtec GI220</a>	
<a href="#">P63c10100</a>	POWER SUPPLY
<a href="#">Rm-Xg1</a>	
<a href="#">Hf 1000</a>	
<a href="#">6006b</a>	LINE CONDITION
<a href="#">Xhr33-18</a>	DC POWER SUPPLY 18AMP 85-250VAC 47-63HZ
<a href="#">Rm-D-Xtr1</a>	
<a href="#">Dcs40-30e</a>	0-40 VDC,0-30 AMPS,1.2 KW,200-250 VAC,1-PHASE INPUT SWITCH MODE DC POWER SUPPLY
<a href="#">Xph35-4tcaldu</a>	0-35 VDC, 0-4 AMPS, 140 WATTS, 110-240 VAC INPUT COMPACT BENCHTOP, TRIPLE OUTPUT
<a href="#">804-2430</a>	BATTERY CHARGER, UNIVERSAL, 240VAC, BATTERY CHARGER TYPE:UNIVERSAL, BATTERY TECHNOLOGIES SUPPORTED:-, SUPPLY VOLTAGE:240VAC, BATTERY SIZE CODE:-, BATT
<a href="#">Proshine 1800i/12v-180a</a>	
<a href="#">Hpd1520</a>	POWER SUPPLY 15V/20A
<a href="#">C40 48 V 30 A</a>	
<a href="#">Dcs33-33e/M13</a>	RACKMOUNT POWER SUPPLY 33V/33A WITH WITH LOCKING SHAFTS
<a href="#">804-1240-02</a>	
<a href="#">P62b20100</a>	POWER SUPPLY
<a href="#">81-2530-12</a>	120VAC/60HZ, 12VDC/130AMPDUAL IN / DUAL OUT, ROHS COMPLIANT: NA
<a href="#">Xhr20-50mga</a>	AC/DC POWER SUPPLY 20V/50A WITH GPIB INTERFACE
<a href="#">852-1802</a>	XPOWER POWERSOURCE 1800
<a href="#">Xhr100-10</a>	DC POWER SUPPLY 1100-240VAC 50/HZ
<a href="#">Dcs150-7e-M130</a>	POWER SUPPLY 150V/7ADC
<a href="#">Rv2012m</a>	INVERTER
<a href="#">806-1884</a>	PROSINE 1800I/24/230, ROHS COMPLIANT: NA

<a href="#">Sw1400i</a>	INVERTER SINE WAVE 12VDC TO 230VAC 1400W
<a href="#">806-1852</a>	DC-AC INVERTER, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO ROHS COMPLIANT: NA
<a href="#">Xkw-300-10</a>	
<a href="#">Dr2424e</a>	DR INVERTER/CHARGER 230VAC 50HZ 24VDC 2400W
<a href="#">81-2022-12</a>	FDM 458 20-12 S/D 15-20- 120VAC/60HZ, 12 VDC/100AMP SINGLE IN/DUAL OUTPUT, ROHS COMPLIANT: NA
<a href="#">Dcs33-33e-M1-M13</a>	POWER SUPPLY 33A/33V WITH LOCKING SHAFTS 100-132VAC INPUT VOLTAGE
<a href="#">Inner Screen (For C40)</a>	
<a href="#">Dcs300-3.5em9c</a>	DC POWER SUPPLY
<a href="#">Dcs4030em1m130</a>	1.KW POWER SUPPLY
<a href="#">Dhp3066m51</a>	POWER SUPPLY
<a href="#">Dcs33-33e</a>	POWER SUPPLY 33V, ROHS COMPLIANT: NA
<a href="#">Xg60-14m9cvg5</a>	
<a href="#">Xfr-40-30</a>	POWER SUPPLY PROGRAMMABLE 30AMP 40V
<a href="#">Cw801p</a>	AC POWER SOURCE 800VA
<a href="#">Tr2424e</a>	
<a href="#">C40</a>	
<a href="#">C35</a>	
<a href="#">Xph35-4tcal</a>	0-35 VDC, 0-4 AMPS, 140 WATTS, 110-240 VAC INPUT COMPACT BENCHTOP, TRIPLE OUTPUT
<a href="#">Inner Screen (For C35)</a>	
<a href="#">Prosine1000withachwrswi</a>	DC-AC INVERTER, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO ROHS COMPLIANT: NA
<a href="#">Dlm-20-30</a>	POWER SUPPLY 20VDC 30AMP 600WATT
<a href="#">809-2000</a>	DC-AC INVERTER, OUTPUT VOLTAGE:120V, OUTPUT CURRENT:100A, SUPPLY VOLTAGE:15V, OUTPUT POWER MAX:2000W ROHS COMPLIANT: NA
<a href="#">Prosine1800/24h</a>	PROSINE 1800/24/120, ROHS COMPLIANT: NA
<a href="#">Dlm10-60m6m130</a>	600 WATT DC POWER SUPPLY
<a href="#">6000b</a>	MONITOR
<a href="#">Prosine180024g</a>	INVERTER, DC/AC, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:-, OUTPUT POWER:1.8KW, OUTPUT

	VOLTAGE:120VAC, LENGTH:15.4, WIDTH:11, HEIGHT:4.5, PRODUCT R
<a href="#">1001sx</a>	POWER SUPPLY 260VAC 47HZ-63HZ 1000VA SINGLE PHASE
<a href="#">815-3024</a>	FREEDOM SW 3024 TSW3000W 75A INVERTER CHARGER 120VAC 24VDC
<a href="#">Cw2501pcal</a>	AC POWER SUPPLY
<a href="#">Dcs33-33em1-M9c</a>	POWER SUPPLY W/ GPIB PLUS 232 OPTION
<a href="#">Xpf60-20d</a>	POWER SUPPLY 60V/20A DUAL OUTPUT POWER FLEX
<a href="#">Dlm40-15-M130</a>	RACK MOUNT POWER SUPPLY 40V/15A WITH RS232
<a href="#">Xhr33-33</a>	DC POWER SUPPLY 100-240VAC 50/60HZ
<a href="#">Dhp4050m51</a>	POWER SUPPLY
<a href="#">804-2524</a>	SMART BATTERY CHARGER, 24V, 15A, FEATURES:CAN CHARGE 3 DIFFERENT BATTERY CHEMISTRIES SIMULTANEOUSLY, OUTPUT CURRENT:25A, OUTPUT VOLTAGE:24V, ROHS COMP
<a href="#">2019c40</a>	CONTROL BOARD
<a href="#">Xkw 8-125</a>	
<a href="#">Xsw55-48</a>	POWER SUPPLY INVERTER DC TO AC
<a href="#">806-1874</a>	PROSINE 1800I/12/230WITH HARDWIRE AND XFER, ROHS COMPLIANT: NA
<a href="#">81201012</a>	INVERTER
<a href="#">Dhp5040m51</a>	POWER SUPPLY
<a href="#">Xantrex C35 Charge Controller 35a, 12 Or 24v Solar Charge Controller</a>	
<a href="#">Xph354d</a>	BENCHTOP POWER SUPPLY 280W, DUAL 0-35V, 0-5A
<a href="#">Xg40-42</a>	POWER SUPPLY 40V/42A
<a href="#">Prowatt1500/24</a>	DC-AC INVERTER, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO ROHS COMPLIANT: NA
<a href="#">Cw1251pcald</a>	CW1251P CALIBRATED BYSERVICES, ROHS COMPLIANT: NA
<a href="#">802-1500</a>	PSU, EXT, PLUG-IN, 120VAC, 1.8KVA, NO. OF OUTPUTS:5 OUTPUT, INPUT VOLTAGE MAX:-, OUTPUT POWER:1.8KVA, OUTPUT VOLTAGE:120VAC, LENGTH:470MM, WIDTH:216MM
<a href="#">Sw2012</a>	INVERTER
<a href="#">Dcs33-36em1</a>	33VDC POWER SUPPLY