

Xomox

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Xomox Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Xomox T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



| ¼r¼n | A¼ıklama |
|--|---|
| PLUG VALVE 2WAY,TYPE:067FJED | EG,MARKING:EPA150,XOMOX SIZE 8"X6"X8", F TO F 292 MM, BODY:ASTM A216 WCB, PPLUG:ASTM A351 CF8M, SLEEVE:PTFE, JACKET:CS, 2SOCKET, FLANGED ENDS |
| BTV 15013 / | BTV 15023 / BTV 15018 / BTV 15028 / BTV 15017 |
| Sleeve 3 Plug For Valve Tufline Ptfе 067 Xomox | |
| P.N:700192 | |
| 54 20 85 (54.20) | |
| 130020216 | |
| 51 56 02 | |
| Dn 125 Pn 16 Valve For Tufline Sleeved Plug Valve Series | |
| 11325030 | |
| 10?Á;Butterflyá;Valve | |

| | |
|--|---|
| Xrpxs090-S08-B | 200DRC heat resistant Valve butterfly exproof actuated lug type DN150 |
| 5998508553 /130030058 | |
| 51 58 03 | |
| Xrp-Xs050-S08-B | Valve butterfly exproof actuated lug type DN100 200DRC heat resistant |
| 61.54.00(51 5400) | |
| 119230165 | |
| 5998508783 /119230165 | |
| 067 G , Ansi Class 150 , Nps 3 - 16 (Dn 100 (4 Ana) Plug Type Valve 4) | DN 100 (4 ana) Plug Type Valve 4 Type: 067 G, ANSI Class 150, NPS 3 - 16 Sleeve: PTFE Body: CD4N / 152F Plug: CD4N Height: 229 mm Number of Holes: 8 F12-Nm550-1560 Gear Operated |
| Xs380so8c-F14 | Valve butterfly exproof actuated lug type DN250 As a set 200DRC heat resistant |
| 700607rep | |
| Sealing Set | |
| 54 24 36 | |
| 067 G , Ansi Class 150 , Nps 3 - 16 (Dn 150 (6 ") Plug Type Valve) | DN 150 (6 ") Plug Type Valve Type: 067 G, ANSI Class 150, NPS 3 - 16 Sleeve: PTFE Body: CD4N / 152F Plug: CD4N Height: 267 mm Number of Holes: 8 F12-Nm550-1560 Gear Operated |
| 56 22 86 | |
| Ptfe Sleeve For Type:127 Dn:100 Pn:1o | |
| P/No. 502531nz | |
| 7125 P.N:700192 | |
| Sealing Set Fm-27 P/N 700707rep | |
| 119230164 | |
| 127 ,Pn 16,Dn 80,Flanged Ends Acc. To Din Pn 16 | |
| 5998508803 /130030058 | |
| 61 54 04 | |
| Part No: 716205 Item No: Xd090d00a-F10 | |
| 5998508813 /130020216 | |

[716191 Item No:Xd0905 12a/F10](#)
[Pmax\(Bar.Psi\) : 10/145 A250 Psm Limit](#)
[Swich Box Type: Mechanical Sw](#)

[Part No: 716133 Item No: Xd025d00a-F05](#)

[177](#)

[Seal Kit 700005rep](#)

[700005rep](#)

[10031169](#)

[130030058](#)

[Xrp-Rs23800148kxd40](#)

[127](#)

[Sleeve 2 Plug For Valve Tufline Ptfе 067](#)